eized by OCD i 6/29/3023 L:50:32 PM Office District I – (575) 393-6161	State of New Mexico Energy, Minerals and Natural Resources	Form C=103 Revised July 18, 2013
$\frac{District I}{1625 \text{ N}. \text{ French Dr., Hobbs, NM 88240}}$ $\frac{District II}{1625 \text{ N}. \text{ French Dr., Hobbs, NM 88240}}$ $\frac{District III}{1600 \text{ R}} = (575) 748-1283$ $811 \text{ S}. \text{ First St., Artesia, NM 88210}$ $\frac{District III}{1000 \text{ Rio Brazos Rd., Aztec, NM 87410}}$ $\frac{District IV}{1220 \text{ S}. \text{ St. Francis Dr., Santa Fe, NM}}$ 87505	OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505	WELL API NO. 30-039-27574 5. Indicate Type of Lease STATE ☐ FEE ☐ 6. State Oil & Gas Lease No. E-511-7
(DO NOT USE THIS FORM FOR PROPOSAL DIFFERENT RESERVOIR. USE "APPLICAT PROPOSALS.)	S AND REPORTS ON WELLS S TO DRILL OR TO DEEPEN OR PLUG BACK TO A TON FOR PERMIT" (FORM C-101) FOR SUCH IS Well 🛛 Other	 7. Lease Name or Unit Agreement Name San Juan 29-7 Unit 8. Well Number 193
2. Name of Operator Hilcorp Energy Company		9. OGRID Number 372171
3. Address of Operator 382 Road 3100, Aztec NM 8	7410	10. Pool name or Wildcat Fruitland Coal/Blanco PC South
4. Well Location Unit Letter_P_:_875_feet from Section 36 Towns	om the _South_ line and 785 feet from the _East_l hip 29N Range 07W NMPM	ine County Rio Arriba
	1. Elevation (Show whether DR, RKB, RT, GR, etc. 6.793' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INT	ENTION TO:	SUBSEQUE	NT RE	PORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON		REMEDIAL WORK		ALTERING C	asing 🗌
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRILLING OF	PNS.	P AND A	
PULL OR ALTER CASING	MULTIPLE COMPL		CASING/CEMENT JOB			
DOWNHOLE COMMINGLE						
CLOSED-LOOP SYSTEM						
OTHER: 🛛 🕅 RI	ECOMPLETE		OTHER:			

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and downhole commingle with the existing Pictured Cliffs. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used.

Spud Date:					Rig Release Date:			
I hereby certif	y that	the informati	on abo	ove is true and co	omplete to the best of	my knowledge and belief.		
SIGNATURE		Chirylene	West	an	_TITLE <u>Operations/</u>	Regulatory Technician - Sr,	DATE	05/24/2023
Type or print i For State Use			ton		E-mail address:	cweston@hilcorp.com	PHONE:	713-289-2615
APPROVED Conditions of			R	Millure	_ _{TITLE} Petroleum	Engineer	_DATE_06	6/29/2023

Notify NMOCD 24 Hours Prior to beginning operations

DHC required

San Juan 29-7 Unit 193

P - 36 - 29N - 07W 875 FSL 785 FEL


API#: 3003927574

Fruitland Coal Recompletion Procedure

05/01/2023

Procedure:

- 1. MIRU PU and associated equipment. Kill well and NDWH.
- 2. NUBOP and unseat tubing, tag for fill and scan out tubing
- 3. Set 4.5" CIBP at +/-3600' to isolate existing PC completion
- RU wellcheck and MIT wellbore to 500 PSI a. Please note existing CBL (05-06-04)
- 5. Perforate and frac the Fruitland Coal from 3414' to 3611'.
- 6. MIRU service rig and test BOP's.
- 7. Cleanout sand and plugs to PBTD.
- 8. TIH and land 2-3/8" production tubing in Pictured cliffs
- 9. ND BOP's, NU production tree.
- 10. RDMO service rig & turn well over to production as commingled Fruitland Coal/Pictured Cliffs producer.



.

03927574	Surface Legal Location 036-029N-007W-P	Fleid Name BLANCO P.	C. SOUTH (GAS	License No.		N Ctrl) -	Ver Configuration Type VERTICAL
ina kBRT Elevation (t) 06.00	KB-Ground Distance (t)	rginal Spus Date 1/2004 21:15	Rig F	elesse Date 1/2004 12:00		sto (Al) (%8) Original Hole - 0.0	Total Depth All (TVD) (tHB)
st Recent Job	110.000	77		TRAFFIC TRUMP	10.00		0.0430
CILITIES	Primary Job Type INSTALL FACILI		Acondary Job Type NSTALL FACIL	ITIES (01)	Actual Start D 10/12/200		End Date
): 3,870.0			Original Hole	e [VERTICAL]			
MD (ftKB)			Vertic	al schematic ((actual)		
0.0							
12.1			200	-	10005		
14.1							2.00-14.00; 2.00; 1-1; 7; 6.46
Sec. 107					100	6.46	; 14.00-143.00; 129.00; 1-2; 7;
143.0						SAWTOOTH COLU 3: 7: 6.46	AR, 7in; 143.00-144.00; 1.00; 1-
144.0			100		-		/2in; 12.00-3,246.04; 3,234.04; .
149.9			-			1; 4 1/2; 4.05	
2,379.9			un		une	2 3/8in, TUBING; 1 3/8; 2.00	2.00-3,664.90; 3,652.90; 1-1; 2
2 524.0 OJO A	LAMO (OJO ALAMO (final)					0589-00.094	
			110				
20.00 NOT 100 NOT 100	AND (KIRTLAND (final))		110				
3,175.9 FRUIT	LAND (FRUITLAND (final))						
3,246.1			202		1000	MARKER JOINT, 4	1/2in; 3,246.04-3,259.04; 13.00
3,259.2					1000	2-2; 4 1/2; 4.05	
3,600.1 PICTU	RED CLIFFS (PICTURED CL	IFFS (final)			100	Casing Joints, 4 1, 2-3; 4 1/2; 4.05	/2in; 3,259.04-3,819.21; 560.17;
3.612.9						Second Charles State	8 on 5/14/2004 18:00 (PERF
			0000		2012	PICTURED CUFFS	; 3,613.00-3,707.00; 2004-05-1
3,665.0			5555		10055		1; 3,664.90-3,667.09; 2.19; 1-2;
3,667.0			2000		2008	3/8 2 3/8in, TUBING; 3	667.09-3,699.84; 32.75; 1-3; 2
3,699.8			0000 B000		6000	3/8; 2.00	
3,700.5			2000a		-	1-4; 2 3/8	NIPPLE; 3,699.84-3,700.60; 0.76
3,701,4			6000		1000	2 3/8in, EXPENDA 0.92; 1-5; 2 3/8	BLE CHECK: 3,700.60-3,701.52;
			2002		10055		
3,707.0							
3,808.1 LEWIS	(LEWIS (final))						
3,819.2					100		
3,819.9				0.00500000000			
3,863.5						FLOAT JOINT, 4 1/. 4; 4 1/2; 4.05	2in; 3,819-21-3,863.43; 44-22; 2
200 S					-	FLOAT SHOE, 4 1/2 4 1/2: 4.05	2in; 3,863.43-3,864.33; 0.90; 2-5
3,864.2					L	4 1/2, 403	
3,864.5							
3,870.1							

Received by QGD: 6/29/2023 1:50:32 PM

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

OCD Permitting

Page 5 of 13 Form C-102

August 1, 2011

Permit 341022

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-27574	2. Pool Code 71629	3. Pool Name BASIN FRUITLAND (
4. Property Code	5. Property Name	6. Well No.	
318713	SAN JUAN 27-9 UNIT	193	
7. OGRID No.	8. Operator Name	9. Elevation	
372171	HILCORP ENERGY COMP	NY 6793	
	1	Surface Location	
UL - Lot Section P 3	Township Range Lot Idr	Feet From N/S Line Feet From E/W Line 875 S 785	e County E RIO ARRIBA
	11. Bottom Hole	ocation If Different From Surface	
UL - Lot Section	Township Range Lot I		E/W Line County
12. Dedicated Acres 320.00	13. Joint or Infill	14. Consolidation Code Other	15. Order No.
		BEEN APPROVED BY THE DIVISION OPERATOR CERTIFICAT I hereby certify that the information contained herein is true and knowledge and belief, and that this organization either owns a mineral interest in the land including the proposed bottom hold this well at this location pursuant to a contract with an owner of interest, or to a voluntary pooling agreement or a compulsory by the division. E-Signed By: Title: Operations/Regulatory Tech-Sr. Date: 05/23/2023	nd complete to the best of my a working interest or unleased e location(s) or has a right to drill of such a mineral or working
		SURVEYOR CERTIFICAT	

OCD Permitting

REVISED: RECORD CLEAN UP

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 217222

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-27574	72439	BLANCO P. C. SOUTH (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
7465	SAN JUAN 29 7 UNIT	193
7. OGRID No.	8. Operator Name	9. Elevation
14538	BURLINGTON RESOURCES OIL & GAS COMPANY LP	6793

10. Surface Location

UL - Lot	Section		Township	Range		Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
P)	36	29N	0)7W		875	1	5 785	E	RIO	
											ARRIBA	

11. Bottom Hole Location If Different From Surface

Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
13. Joint or	Infill	14. Consolida	tion Code		15. Order No.	
		13. Joint or Infill				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. E-Signed By: Dollie L. Busse Title: Regulatory Technician Date: 2/24/2016
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Surveyed By: David Johnson
Date of Survey: 10/23/2003
Certificate Number: 14827

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division Form APD Conditions

Permit 217222

Reteased to Imaging: 6/29/2023 2:02:45 projeting/Report/C101/C101All.aspx?PermitId=231,107,86,111,211,118,122,209[2/24/2016 11:52:26 AM]

Received by	OCD:	6/29/2023	1:50:32 PM
-------------	------	-----------	------------

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company OGRID: 372171 Date: __05_/_24_/ 2023 __

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticip ated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
San Juan 29-7 Unit 193	30-039-27574	P-36-29N-7W	875' FSL, 785' FEL	0	250	2

IV. Central Delivery Point Name: ______ [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached	Completion	Initial Flow	First Production Date
			Date	Commencement	Back Date	
				Date		
San Juan 29-7 Unit 193	<u>3003927574</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	Not yet scheduled

VI. Separation Equipment: 🛛 Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: 🛛 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: 🖂 Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 \boxtimes Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

 \Box Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \boxtimes Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (**b**) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

- VII. Operational Practices:
- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	234545
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By		Condition Date
dmcclure	Notify NMOCD 24 Hours Prior to beginning operations	6/29/2023
dmcclure	DHC required	6/29/2023

Action 234545