

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-24203
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name SE MALJAMAR GB/SA UNIT
4. Well Location Unit Letter <u>O</u> : <u>1155</u> feet from the <u>S</u> line and <u>1385</u> feet from the <u>E</u> line Section <u>29</u> Township <u>17S</u> Range <u>33E</u> NMPM County <u>LEA</u>		8. Well Number 706
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 298299
		10. Pool name or Wildcat MALJAMAR; GRAYBURG-SAN ANDRES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Cross Timbers Energy requests approval to repair a shallow casing leak and frac existing perfs:

1. Set RBP at 3,500'
2. Make shallow surface casing repair below wellhead.
3. Retrieve RBP.
4. PU and RIH w/ fishing tools to retrieve stuck tubing. POOH.
5. PU and RIH w/ frac string and packer. Set above top perf
6. Frac existing perforations 4,244'-4,322'
7. POOH w/ packer and frac string.
8. RIH w/ production tubing and rods/pump. Return to production.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE Regulatory Analyst DATE 06/21/2023

Type or print name Connie Blaylock E-mail address: cblaylock@txopartners.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/6/23
 Conditions of Approval (i)

Well Name: SOUTHEAST MALJAMAR GB/SA UNIT #706
 Location: 1,155' FSL & 1,385' FEL Sec: 29
 County: Lea State: NM

Township: 17S Range: 33E
 API: 30-025-24203

Surface Csg

Size: 8-5/8"
 Wt & Thrd: 24.0#
 Grade: K-55
 Set @: 353'
 Sx Cmt: 220
 Circ: Yes
 TOC: Surface
 Hole size: 11"

KB: 4,081'
 GL: 4,072'
 Spud Date: 8/2/1972

TOC @ 2420' (temp svy)

TOF @ ~3,890'

Tubing

20' of 2-7/8"
 2 jts 2-7/8"
 TAC @ 3,974'
 8 jts 2-7/8" tbg
 IPC jt
 SN
 16' slotted MAJ
 Total Length: 392'

Rods

18' of 3/4" parted rod
 (10) 1-1/2" sinker bars
 stabil
 RHBO
 1-1/4" x 24' pump

Grayburg-San Andres
 4,244 - 4,322' (overall)


Production Casing

Size: 5-1/2"
 Wt & Thrd: 14#
 Grade: H-40
 Set @: 4,350'
 Sx Cmt: 435
 Circ: No
 TOC: 2420'
 Hole size: 7-7/8"

Perf Details

4,244-54' 11 holes (1 spf)
 4,267-78' 12 holes (1 spf)
 4,281' 1 holes (1 spf)
 4,285' 1 holes (1 spf)
 4,286' 1 holes (1 spf)
 4,294-322' 29 holes (1 spf)

3/22/88 - reperf'd 11' of existing
 perfs and re-frac'd



PBTD: 4,353'
 TD: 4,355'

Well Name: SOUTHEAST MALJAMAR GB/SA UNIT #706
 Location: 1,155' FSL & 1,385' FEL Sec: 29
 County: Lea State: NM

Township: 17S Range: 33E
 API: 30-025-24203

PROPOSED**Surface Csg**

Size: 8-5/8"
 Wt & Thrd: 24.0#
 Grade: K-55
 Set @: 353'
 Sx Cmt: 220
 Circ: Yes
 TOC: Surface
 Hole size: 11"

KB: 4,081'
 GL: 4,072'
 Spud Date: 8/2/1972

TOC @ 2420' (temp svy)

Proposed Tubing:
 2-7/8" tbg w/ SN @ 4,275'

Proposed Rods:
 Steel rods w/ 1.25" insert pump

Production Casing


Size: 5-1/2"
 Wt & Thrd: 14#
 Grade: H-40
 Set @: 4,350'
 Sx Cmt: 435
 Circ: No
 TOC: 2420'
 Hole size: 7-7/8"

Grayburg-San Andres
 4,244 - 4,322' (overall)

Perf Details

4,244-54' 11 holes (1 spf)
 4,267-78' 12 holes (1 spf)
 4,281' 1 holes (1 spf)
 4,285' 1 holes (1 spf)
 4,286' 1 holes (1 spf)
 4,294-322' 29 holes (1 spf)

3/22/88 - reperf'd 11' of existing
 perfs and re-frac'd



PBTD: 4,353'
 TD: 4,355'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 231192

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 231192
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run BHT test	7/6/2023