105%

15 / NENE / 36.580322 / -108.19957

search report

**VAFMSS**U.S. Department of the Interior

BUREAU OF LAND MANAGEMENT

Well Name: FAIRFIELD

Well Location: T27N / R13W / SEC County or Parish/State:

SAN JUAN / NM

Well Number: 2 Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM060402 Unit or CA Name:

Unit or CA Number:

US Well Number:

300450658900S1

Well Status: Abandoned

Operator: EPIC ENERGY LLC

# **Subsequent Report**

Sundry ID: 2742910

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/26/2023 Time Sundry Submitted: 09:44

Date Operation Actually Began: 07/22/2023

Actual Procedure: Please see attached P&A procedure.

#### **SR Attachments**

### **Actual Procedure**

SR\_P\_A\_Fairfield\_\_2\_20230726094418.pdf

105%

search report

Well Name: FAIRFIELD

Well Location: T27N / R13W / SEC 15 / NENE / 36.580322 / -108.19957 County or Parish/State: SAN JUAN / NM

Well Number: 2

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

WELL

Lease Number: NMNM060402

Unit or CA Name:

Unit or CA Number:

US Well Number: 300450658900S1

Well Status: Abandoned

Operator: EPIC ENERGY LLC

## Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAWNA MARTINEZ Signed on: JUL 26, 2023 09:44 AM

Name: EPIC ENERGY LLC

Title: Regulatory Tech

Street Address: 332 RD 3100

City: AZTEC

Phone: (505) 327-4892

Email address: SHAWNA@WALSHENG.NET

## Field

Representative Name:

Street Address:

City:

State:

State: NM

Zip:

Phone:

Email address:

# **BLM Point of Contact**

**BLM POC Name: MATTHEW H KADE** 

BLM POC Phone: 5055647736

Disposition: Accepted

Signature: Matthew Kade

BLM POC Title: Petroleum Engineer

BLM POC Email Address: MKADE@BLM.GOV

Disposition Date: 07/26/2023

Epic Energy Fairfield #2 Date Comp 7/22/2023

Plug#	Formation	NMOCD Pick Formation Top	Cement Pump Date	Perfs	CICR Depth	Cement Detail	Cement Plug Depths	Plug Position
1	Pictured Cliffs	1380'	7/22/2023	1380' - 1487'	1426'	201sx Class "G" w/ 2% CC & 0.5 pps Cello Flake (231cuft, 41bbl, 1.15yld, 15.8ppg, 5.0gps)	Surf - 1487'	Inside
						Welihead Cut-off & marker installed 7/22/2023		

7/22/2023 SICP=slight vacuum, BH=0psi upon arrival. MIRU Drake Cementing Services, installed ball lubricator in line. P/T lines to 1000psi. Loaded csg w/ 15bbls of water & est inj rate of 2.5bpm @ 300psi. Plug #1: PC (Surface-1436'(CICR). Pumped 120sx of CI "G cement w/ 2% CaCl2 and 1/2#/sk celloflake (dropped 5ea 7/8" frac balls after 20sx gone, dropped 11ea frac balls after 35sx gone). SD & hesitated to mix another batch of cement. Pumped 25sx, started seeing slight pressure, hesitated then pumped another 20sx, built to 70psi, hesitated, fell to 50psi and held. Waited 20 min, bled off pressure. Cut-off wellhead, KCE Services holding DK wellhead w/ backhoe. Cement at surface in annulus & 12' down in 4-1/2" csg. Weld on P&A marker. Top of 4-1/2" csg and filled cellar with remaining cement. P&A well w/ a total of 201sx of CI "G" Cement (231cuft, 41bbls, 1.15yld, 15.8ppg, 5.0gps) (166sx bullheaded into 4-1/2" csg, 35sx for top-off (Cellar). P&A completed at 1030hrs. BLM witness (Ken Christesen) on location and witnessed/approved cement plug & P&A marker. KCE Services winch truck used to get cement equipment up loose gravel hill.

## Fairfield #2

#### P&A'd

#### West Kutz Pictured Cliffs

790' FNL & 790' FEL, Section 15, T27N, R13W, San Juan, NM

API: 30-045-06589

Loday's Date: 05/02/2023

Spud: 8/13/62 Completed: 8/23/62 Plugged: 7/22/23

Elevation: 5955' GL Elevation: 5966' KB

Ojo Alamo @ 600' Kirtland @ 790'

Fruitland @ 1210'

Pictured Cliffs @ 1380'

Cliff House @ 2955'


Mancos @ 4170'

Gallup @ 5080'

Base Greenhorn @ 5840'

Dakota @ 5930'

Hole Size 7.875



Hole Size: 12-1/4"

9-5/8", 32.5# H-40, Casing set @ 216'

Cement with 115 sx w/ 2% CC, Circ to surface

Plug #1: Surface - 1487'. Pump 201 sxs Class G w. 2% CC & 0.5 pps Cello-Flake (231 cf)

**Previously Completed Below:** 

FC Perforations: 1318-25', 1289-90', 1275-85' Squeezed with 100 sxs Type 5 cement.

PC Perforations 1380'-1487' 1 spf, 18 holes total

Perf'd at 1335'

Pumped 260 sxs Super Lite & 75 sxs Class A Circulated 7 bbls cement to surface, Squeezed 3.5 bbls.

CIBP SET @ 1575'

Perf'd at 2290'

Retainer set @ 2238'

Pumped 300 sxs cmt, capped with 75'

Perf'd at 5132'

Retainer set @ 5079'

Pumped 60 sxs cmt, capped with 75'

Set retainer @ 5880'

Pumped w/ 200 sxs, capped with 75'

DK Perforations 5931-6132'

PBTD: 1415' PBTD: 6161' TD: 6254' 4-1/2", 10.5#, casing set @ 6250' Production CMT: 160 sx Poz-mix w/ 2% gel

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 244712

## **CONDITIONS**

Operator:	OGRID:
EPIC ENERGY, L.L.C.	372834
332 Road 3100	Action Number:
Aztec, NM 87410	244712
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
john.harrisor	Accepted fr record - NMOCD 7/31/23. Well P&A'd 7/22/23	7/31/2023