

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101
Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

☐ AMENDED REPORT

1220 South St. Francis Dr.

Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079		² OGRID Number 329326
		³ API Number 30-025-28273
⁴ Property Code 331161	⁵ Property Name STATE A A/C 2	⁶ Well No. #064

⁷ Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
A	08	22S	36E		1250	N	1250	E	LEA

⁸ Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
A	08	22S	36E		1250	N	1250	E	LEA

⁹ Pool Information

Pool Name EUNICE; 7 RVRS-QUEEN, SOUTH	Pool Code 24130
--	--------------------

Additional Well Information

¹¹ Work Type A	¹² Well Type I	¹³ Cable/Rotary R	¹⁴ Lease Type S	¹⁵ Ground Level Elevation 3565'
¹⁶ Multiple NO	¹⁷ Proposed Depth 3900'	¹⁸ Formation QUEEN	¹⁹ Contractor TBD	²⁰ Spud Date 01/03/2023
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits²¹ Proposed Casing and Cement Program



Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surface	12.250"	8.625"	24#	579'	375 sxs	Surface
Production	7.875"	5.500"	17#	3900'	1100 sxs	Surface

Casing/Cement Program: Additional Comments

--

²² Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	3,000#	3,000#	Unknown

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> if applicable. Signature: 		OIL CONSERVATION DIVISION	
Printed name: VANESSA NEAL		Approved By: 	
Title: SR RESERVOIR ENGINEER		Title:	
E-mail Address: vanessa@faenergyus.com		Approved Date: 08/07/2023	Expiration Date: 08/07/2025
Date: 19 DEC 2022	Phone: 832-219-0990	Conditions of Approval Attached	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-28273	² Pool Code 24130	³ Pool Name EUNICE; 7 RVRs-QUEEN, SOUTH
⁴ Property Code 331161	⁵ Property Name STATE A A/C 2	
⁷ OGRID No. 329326	⁸ Operator Name FAE II OPERATING, LLC	⁶ Well Number #064 ⁹ Elevation 3565'

¹⁰ Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
A	8	22S	36E		1250	N	1250	E	LEA

¹¹ Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
A	8	22S	36E		1250	N	1250	E	LEA

¹² Dedicated Acres 40	¹³ Joint or Infill Y	¹⁴ Consolidation Code	¹⁵ Order No.
--	------------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16				<div><div>1250'</div><div>1250'</div></div>	<div><div>17 OPERATOR CERTIFICATION</div><div>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</div><div><div><div><div><div></div><div>Signature</div></div><div><div>9/28/2022</div><div>Date</div></div></div><div><div>VANESSA NEAL</div><div>Printed Name</div></div><div><div>vanessa@faenergyus.com</div><div>E-mail Address</div></div></div></div></div>
					<div><div>18 SURVEYOR CERTIFICATION</div><div>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</div><div><div>Date of Survey</div><div>Signature and Seal of Professional Surveyor:</div></div><div><div>Certificate Number</div></div></div>

History	
8/13/1983	Spud

		WELLBORE DIAGRAM		Date:	8/3/2022																						
		Well Name: State A A/C 2 #064		OGRID#																							
County	Lea	State	NM	Field																							
Surf Location:	SEC 8 T22S R36E 1250 FNL, 1250 FEL			GL Elev:	3564'																						
Wellhead				TVD:																							
Original Spud Date:	8/13/1983	Completed Pool:	Jalmat: Tansill Yates 7R																								
Set Depth		Csg Details	Hole Size																								
Surface																											
579'	8 5/8" 24#	12.25 inch																									
	375 sx, circ																										
<div style="border: 1px solid black; padding: 10px; margin: 10px auto; width: 150px;">CURRENT</div> <div style="border: 1px solid black; padding: 5px; margin: 5px auto; width: 150px;">PERFORATIONS:</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;">10/1/83: 3756-3876', 1 SPF</td></tr> <tr><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td></tr> </table>				10/1/83: 3756-3876', 1 SPF			<div style="border: 1px solid black; padding: 5px;"> Tubing Details: Run Date: 9/9/2004 </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Description</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td>2 3/8" Cmt Lined Tbg</td> <td>116</td> <td>3,713.00</td> <td>3,713</td> </tr> <tr> <td>AS1X Packer</td> <td>1</td> <td>4.00</td> <td>3,717</td> </tr> </tbody> </table>				Description	Qty	Length	Depth	2 3/8" Cmt Lined Tbg	116	3,713.00	3,713	AS1X Packer	1	4.00	3,717					
		10/1/83: 3756-3876', 1 SPF																									
		Description	Qty	Length	Depth																						
		2 3/8" Cmt Lined Tbg	116	3,713.00	3,713																						
		AS1X Packer	1	4.00	3,717																						
		<div style="border: 1px solid black; padding: 5px;"> Pump Details: Run Date: 9/9/2004 </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Description</th> <th>Size</th> <th>Qty</th> <th>Length</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td>INJECTOR</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Description	Size	Qty	Length	Depth	INJECTOR																
Description	Size	Qty	Length	Depth																							
INJECTOR																											
<div style="border: 1px solid black; padding: 5px;"> Pump Description </div>																											
<div style="border: 1px solid black; padding: 5px;"> Formation Tops </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>YATES</th> <th>3137'</th> <th>SAN ANDRES</th> <th></th> <th>TUBB</th> <th></th> </tr> </thead> <tbody> <tr> <td>7 RIVERS</td> <td>3321'</td> <td>GLORIETA</td> <td></td> <td>DRINKARD</td> <td></td> </tr> <tr> <td>QUEEN</td> <td>3719'</td> <td>PADDOCK</td> <td></td> <td>ABO</td> <td></td> </tr> <tr> <td>GREYBRUG</td> <td></td> <td>BLINBRY</td> <td></td> <td>DEVONIAN</td> <td></td> </tr> </tbody> </table>				YATES	3137'	SAN ANDRES		TUBB		7 RIVERS	3321'	GLORIETA		DRINKARD		QUEEN	3719'	PADDOCK		ABO		GREYBRUG		BLINBRY		DEVONIAN	
YATES	3137'	SAN ANDRES		TUBB																							
7 RIVERS	3321'	GLORIETA		DRINKARD																							
QUEEN	3719'	PADDOCK		ABO																							
GREYBRUG		BLINBRY		DEVONIAN																							
<div style="border: 1px solid black; padding: 5px;"> History </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>8/13/1983</th> <th>Spud</th> </tr> </thead> <tbody> <tr> <td>10/1/1983</td> <td>Perf 3756-3788, 3792-3832, 3840-76, 1 SPF. Acidize w/ 7500 gal 15%</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>				8/13/1983	Spud	10/1/1983	Perf 3756-3788, 3792-3832, 3840-76, 1 SPF. Acidize w/ 7500 gal 15%																				
8/13/1983	Spud																										
10/1/1983	Perf 3756-3788, 3792-3832, 3840-76, 1 SPF. Acidize w/ 7500 gal 15%																										
<div style="border: 1px solid black; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Pumping Unit</th> <th>SPM</th> <th>Stroke Length</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> </div>				Pumping Unit	SPM	Stroke Length																					
Pumping Unit	SPM	Stroke Length																									
Prod																											
3900'	5 1/2" 17#	7.88 inch																									
	1100 sx, circ																										
PBTD = 3895																											

History

8/13/1983	Spud

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 168546

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 168546
	Action Type: [C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
pkautz	In addition to the requirements of the APD, operator shall complete the conditions contained in the UIC permit including logging (CBL for liner; mud logging, etc.), well testing, and reporting as stipulated.	8/8/2023