

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District I

811 S. First St., Artesia, NM 88210

District II

1000 Rio Brazos Rd., Aztec, NM 87410

District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/19/2022
⁴ API Number 30 - 015-47229	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8386	⁶ Pool Code 98220
⁷ Property Code: 328290	⁸ Property Name: HEADS CC 9-4 FEDERAL COM	⁹ Well Number: 32H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	9	24S	29E		250	SOUTH	915	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 666' FSL 1335' FWL LTP- 229' FNL 1364' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L3	4	24S	29E		45	NORTH	1362	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 10/23/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 06/30/22	²² Ready Date 10/19/2022	²³ TD 20309'M 10027'V	²⁴ PBTD 20261'M 10026'V	²⁵ Perforations 10399-20124'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		551'	645
12-1/4"		9-5/8"		9338'	3132
8-3/4" X 8-1/2"		7" X 5-1/2"		20289'	2371
		2-7/8" TBG		9641'	NA

V. Well Test Data

³¹ Date New Oil 10/23/22	³² Gas Delivery Date 10/23/22	³³ Test Date 12/9/22	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1146
³⁷ Choke Size 128/128	³⁸ Oil 2910	³⁹ Water 5185	⁴⁰ Gas 4693		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.comDate: 02/08/2023
Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 8/17/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47229	² Pool Code 98220	³ Pool Name Purple Sage Wolfcamp
⁴ Property Code 328290	Property Name HEADS CC 9 4 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 32H
		⁹ Elevation 2927'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	9	24S	29E		250	SOUTH	915	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 3	4	24S	29E		45	NORTH	1362	WEST	EDDY

¹² Dedicated Acres 1278.94	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8386
--	-------------------------------	----------------------------------	-------------------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 647616.35' / Y: 456321.38' B - X: 650262.85' / Y: 456331.74' C - X: 650273.76' / Y: 453689.39' D - X: 650284.73' / Y: 451033.82' E - X: 650298.13' / Y: 448381.95' F - X: 650312.09' / Y: 445728.24' G - X: 647666.69' / Y: 445712.79' H - X: 645021.30' / Y: 445699.33' I - X: 645008.87' / Y: 448351.90' J - X: 644997.51' / Y: 451006.93' K - X: 644983.67' / Y: 453660.96' L - X: 644969.85' / Y: 456311.03'	CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 606432.77' / Y: 456262.21' B - X: 609079.26' / Y: 456272.56' C - X: 609090.10' / Y: 453630.27' D - X: 609101.00' / Y: 450974.76' E - X: 609114.33' / Y: 448322.94' F - X: 609128.23' / Y: 445667.29' G - X: 606482.84' / Y: 445653.83' H - X: 603837.48' / Y: 445640.37' I - X: 603825.09' / Y: 448292.89' J - X: 603813.80' / Y: 450947.85' K - X: 603800.02' / Y: 453601.84' L - X: 603786.27' / Y: 456251.85'	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Jana Mendiola</i> Date: 10/18/22 Printed Name: <i>Jana Mendiola</i> E-mail Address: <i>jana.mendiola@oxy.com</i> 18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. OCTOBER 17, 2022 Date of Survey Signature and Seal of Professional Surveyor: <i>David W. Myers</i> Certificate Number: 11403
	BOTTOM HOLE LOCATION 45' FNL 1362' FWL, SECTION 4 20309' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 646332.27' / Y: 456271.54' LAT: 32 25390924N / LON: 103 99368903W NAD 27, SPCS NM EAST X: 605148.69' / Y: 456212.37' LAT: 32 25378688N / LON: 103 99319889W	LAST TAKE POINT 229' FNL 1364' FWL, SECTION 4 20124' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 646335.07' / Y: 456087.40' LAT: 32 25340305N / LON: 103 99368185W NAD 27, SPCS NM EAST X: 605151.48' / Y: 456028.23' LAT: 32 25328068N / LON: 103 99319173W	
	FIRST TAKE POINT 666' FSL 1335' FWL, SECTION 9 10399' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 646335.27' / Y: 446371.72' LAT: 32 22669593N / LON: 103 99372236W NAD 27, SPCS NM EAST X: 605169.44' / Y: 446312.75' LAT: 32 22657325N / LON: 103 99333317W	KICK OFF POINT 34' FSL 1123' FWL, SECTION 9 9436' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 646144.69' / Y: 445738.61' LAT: 32 22495740N / LON: 103 99440335W NAD 27, SPCS NM EAST X: 604960.84' / Y: 445679.65' LAT: 32 22483470N / LON: 103 99391420W	
	SURFACE HOLE LOCATION 250' FSL 915' FWL, SECTION 9 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 645935.00' / Y: 445950.70' LAT: 32 22554223N / LON: 103 99507927W NAD 27, SPCS NM EAST X: 604751.16' / Y: 445891.74' LAT: 32 22541954N / LON: 103 99459009W		
	SHL 250' 34' 666'		

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99982819 Convergence Angle: 00°26'57.22001"

Schlumberger

OXY



Borehole:	Well:	Field:	Structure:
Heads CC 9_4 Federal Com 32H	Heads CC 9_4 Federal Com 32H	NM Eddy County (NAD 83)	Oxy Heads CC 9_4 Federal Com Pad (Patterson 882)

Gravity & Magnetic Parameters

Model: IFR1 Dip: 59.936° Date: 24-Aug-2022
MagDec: 6.79° FS: 47559.6nT Gravity FS: 998.471mg (9.80665 Based)

Surface Location


NAD83 New Mexico State Plane, Eastern Zone, US Feet
Lat: N 32 13 31.95 Northing: 445950.7RUS Grid Conv: 0.1804°
Lon: W 103 59 42.29 Easting: 645935RUS Scale Fact: 0.99992162

Miscellaneous

Slot: Heads CC 9_4 Federal Com 32H TVD Ref: RKB(2951.8ft above MSL)
Plan: Oxy Heads CC 9_4 Federal Com 32H Gyro+ MWD 0' to 20309MD

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	95.61	0.70	279.06	95.61	0.05	0.07	-0.43	0.99
Last Gyro Survey	524.99	0.85	324.56	524.93	4.82	5.02	-5.21	0.06
First SLB Survey	591.00	0.21	268.30	590.94	5.20	5.42	-5.61	1.14
Actual KOP	9436.00	4.61	93.59	9413.25	-203.98	-212.13	209.57	14.04
330° FSL Crossing	10026.00	67.45	25.40	9878.58	86.48	74.34	319.39	9.32
Wolfcamp Intersection	10110.43	74.63	22.67	9905.80	160.55	147.21	352.04	7.88
100° FNL Crossing	20251.00	89.84	359.08	10026.78	10271.40	10263.68	398.22	0.41
Final MWD Survey	20260.00	89.88	359.09	10026.80	10280.39	10272.68	398.08	0.41
Proj to TD	20309.00	89.88	359.09	10026.90	10329.32	10321.67	397.30	0.00



Vertical Section (ft) Azim = 2.19° Scale = 1:2400.00(ft) Origin = 0N/-S, 0E/-W

Schlumberger



Oxy Heads CC 9_4 Federal Com 32H Gyro+ MWD 0' to 20309'MD Survey Geodetic Report (Def Survey)

Report Date: September 06, 2022 - 09:05 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Heads CC 9_4 Federal Com Pad (Patterson 882) / Heads CC 9_4 Federal Com 32H
Well: Heads CC 9_4 Federal Com 32H
Borehole: Heads CC 9_4 Federal Com 32H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Heads CC 9_4 Federal Com 32H Gyro+ MWD 0' to 20309'MD
Survey Date: June 24, 2022
Tort / AHD / DDI / ERD Ratio: 214.172 * / 10934.120 ft / 6.676 / 1.090
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 13' 31.95203", W 103° 59' 42.28537"
Location Grid N/E Y/X: N 445950.700 RUS, E 645935.000 RUS
CRS Grid Convergence Angle: 0.1804 °
Grid Scale Factor: 0.99992162
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 2.188 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2951.800 ft above MSL
Seabed / Ground Elevation: 2926.800 ft above MSL
Magnetic Declination: 6.790 °
Total Gravity Field Strength: 998.4708mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47559.600 nT
Magnetic Dip Angle: 59.936 °
Declination Date: August 24, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.1800 °
Total Cor Mag North->Grid: 6.6100 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100'')	Closure (ft)	Closure Azimuth	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	445960.70	645935.00	N 32° 13' 31.95	W 103° 59' 42.29
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	445960.70	645935.00	N 32° 13' 31.95	W 103° 59' 42.29
First Gyro Survey	95.61	0.70	279.06	95.61	0.05	0.07	-0.43	0.99	0.43	279.06	445960.77	645934.57	N 32° 13' 31.95	W 103° 59' 42.29
	155.81	1.06	318.15	155.80	0.50	0.54	-1.16	1.13	1.28	294.98	445961.24	645933.84	N 32° 13' 31.96	W 103° 59' 42.30
	239.98	1.00	313.48	239.96	1.54	1.63	-2.21	0.12	2.75	306.31	445962.33	645932.79	N 32° 13' 31.97	W 103° 59' 42.31
	336.37	0.94	316.66	336.33	2.65	2.78	-3.37	0.08	4.37	309.55	445963.48	645931.63	N 32° 13' 31.98	W 103° 59' 42.32
	430.60	0.87	320.84	430.55	3.73	3.90	-4.35	0.10	5.84	311.86	445964.60	645930.65	N 32° 13' 31.99	W 103° 59' 42.34
Last Gyro Survey	524.99	0.85	324.56	524.93	4.82	5.02	-5.21	0.06	7.23	313.97	445965.72	645929.79	N 32° 13' 32.00	W 103° 59' 42.35
First SLB Survey	591.00	0.21	268.30	590.94	5.20	5.42	-5.61	1.14	7.80	313.99	445966.12	645929.39	N 32° 13' 32.01	W 103° 59' 42.35
	686.00	0.22	286.71	685.94	5.23	5.47	-5.96	0.07	8.09	312.52	445966.17	645929.04	N 32° 13' 32.01	W 103° 59' 42.35
	727.00	0.15	194.19	726.94	5.20	5.44	-6.05	0.66	8.13	311.95	445966.14	645928.95	N 32° 13' 32.01	W 103° 59' 42.36
	822.00	0.17	151.71	821.94	5.03	5.25	-6.05	0.11	8.02	311.02	445966.96	645928.85	N 32° 13' 32.00	W 103° 59' 42.36
	916.00	0.06	124.13	915.94	4.95	5.19	-5.98	0.03	7.92	310.91	445966.89	645929.02	N 32° 13' 32.00	W 103° 59' 42.35
	1011.00	0.02	194.94	1010.94	4.91	5.14	-5.95	0.06	7.86	310.85	445966.84	645929.05	N 32° 13' 32.00	W 103° 59' 42.35
	1105.00	0.04	337.81	1104.94	4.93	5.16	-5.96	0.06	7.88	310.85	445966.86	645929.04	N 32° 13' 32.00	W 103° 59' 42.35
	1200.00	0.10	189.05	1199.94	4.87	5.11	-5.99	0.14	7.87	310.45	445966.81	645929.01	N 32° 13' 32.00	W 103° 59' 42.35
	1295.00	0.05	86.63	1294.94	4.79	5.03	-5.96	0.13	7.80	310.14	445966.73	645929.04	N 32° 13' 32.00	W 103° 59' 42.35
	1389.00	0.06	105.91	1388.94	4.79	5.01	-5.87	0.02	7.72	310.50	445966.72	645929.13	N 32° 13' 32.00	W 103° 59' 42.35
	1484.00	0.07	314.28	1483.94	4.81	5.04	-5.87	0.13	7.74	310.68	445966.74	645929.13	N 32° 13' 32.00	W 103° 59' 42.35
	1579.00	0.10	6.49	1578.94	4.94	5.16	-5.90	0.08	7.84	311.21	445966.86	645929.10	N 32° 13' 32.00	W 103° 59' 42.35
	1673.00	0.01	110.20	1672.94	5.02	5.24	-5.88	0.11	7.88	311.72	445966.94	645929.12	N 32° 13' 32.00	W 103° 59' 42.35
	1768.00	0.12	66.21	1767.94	5.06	5.28	-5.78	0.12	7.83	312.40	445966.98	645929.22	N 32° 13' 32.00	W 103° 59' 42.35
	1863.00	0.02	102.50	1862.94	5.10	5.32	-5.68	0.11	7.78	313.13	445966.02	645929.33	N 32° 13' 32.00	W 103° 59' 42.35
	1957.00	0.04	1.49	1956.94	5.13	5.35	-5.66	0.05	7.78	313.38	445966.05	645929.34	N 32° 13' 32.01	W 103° 59' 42.35
	2052.00	0.08	81.91	2051.94	5.17	5.39	-5.59	0.09	7.77	313.94	445966.09	645929.41	N 32° 13' 32.01	W 103° 59' 42.35
	2147.00	0.04	63.62	2146.94	5.20	5.41	-5.50	0.05	7.71	314.56	445966.11	645929.50	N 32° 13' 32.01	W 103° 59' 42.35
	2242.00	0.06	42.94	2241.94	5.25	5.46	-5.43	0.03	7.71	315.16	445966.16	645929.57	N 32° 13' 32.01	W 103° 59' 42.35
	2337.00	0.01	202.44	2336.94	5.28	5.49	-5.40	0.07	7.70	315.48	445966.19	645929.60	N 32° 13' 32.01	W 103° 59' 42.35
	2431.00	0.05	53.21	2430.94	5.30	5.51	-5.37	0.06	7.70	315.72	445966.21	645929.63	N 32° 13' 32.01	W 103° 59' 42.35
	2526.00	0.07	129.70	2525.94	5.29	5.50	-5.29	0.08	7.63	316.08	445966.20	645929.71	N 32° 13' 32.01	W 103° 59' 42.35
	2621.00	0.10	106.20	2620.94	5.24	5.44	-5.17	0.05	7.50	316.44	445966.14	645929.83	N 32° 13' 32.01	W 103° 59' 42.35
	2716.00	0.04	103.95	2715.94	5.21	5.41	-5.06	0.06	7.40	316.90	445966.11	645929.94	N 32° 13' 32.01	W 103° 59' 42.34
	2811.00	0.07	220.54	2810.94	5.16	5.35	-5.06	0.10	7.37	316.59	445966.05	645929.94	N 32° 13' 32.01	W 103° 59' 42.34
	2905.00	0.03	326.86	2904.94	5.13	5.33	-5.11	0.09	7.39	316.19	445966.03	645929.89	N 32° 13' 32.00	W 103° 59' 42.34
	3000.00	0.04	255.11	2999.94	5.14	5.34	-5.16	0.04	7.43	316.00	445966.04	645929.90	N 32° 13' 32.01	W 103° 59' 42.35
	3095.00	0.05	71.92	3094.94	5.15	5.35	-5.15	0.09	7.43	316.06	445966.05	645929.85	N 32° 13' 32.01	W 103° 59' 42.35
	3190.00	0.05	137.36	3189.94	5.13	5.33	-5.09	0.06	7.37	316.34	445966.03	645929.91	N 32° 13' 32.00	W 103° 59' 42.34
	3285.00	0.05	141.01	3284.94	5.07	5.27	-5.03	0.00	7.28	316.31	445966.97	645929.97	N 32° 13' 32.00	W 103° 59' 42.34
	3379.00	0.01	165.68	3378.94	5.03	5.23	-5.00	0.04	7.24	316.25	445966.93	645930.00	N 32° 13' 32.00	W 103° 59' 42.34
	3474.00	0.08	5.36	3473.94	5.09	5.28	-4.99	0.09	7.27	316.62	445966.99	645930.00	N 32° 13' 32.00	W 103° 59' 42.34
	3569.00	0.02	317.03	3568.94	5.17	5.36	-5.00	0.07	7.33	317.01	445966.06	645930.00	N 32° 13' 32.01	W 103° 59' 42.34
	3664.00	0.07	157.01	3663.94	5.13	5.32	-4.99	0.09	7.30	316.85	445966.02	645930.01	N 32° 13' 32.00	W 103° 59' 42.34
	3759.00	0.01	352.85	3758.94	5.08	5.28	-4.97	0.08	7.25	316.73	445966.98	645930.03	N 32° 13' 32.00	W 103° 59' 42.34
	3853.00	0.03	93.11	3852.94	5.09	5.28	-4.94	0.04	7.24	316.90	445966.98	645930.06	N 32° 13' 32.00	W 103° 59' 42.34
	3948.00	0.04	29.55	3947.94	5.12	5.31	-4.90	0.04	7.23	317.29	445966.01	645930.10	N 32° 13' 32.00	W 103° 59' 42.34
	4043.00	0.04	0.33	4042.94	5.18	5.37	-4.89	0.02	7.26	317.72	445966.07	645930.11	N 32° 13' 32.01	W 103° 59' 42.34
	4138.00	0.04	169.46	4137.94	5.18	5.37	-4.88	0.08	7.26	317.76	445966.07	645930.12	N 32° 13' 32.01	W 103° 59' 42.34
	4233.00	0.05	199.73	4232.94	5.11	5.30	-4.89	0.03	7.21	317.33	445966.00	645930.11	N 32° 13' 32.00	W 103° 59' 42.34
	4327.00	0.01	161.01	4326.94	5.07	5.26	-4.90	0.05	7.19	317.01	445966.96	645930.10	N 32° 13' 32.00	W 103° 59' 42.34
	4422.00	0.03	211.28	4421.94	5.04	5.23	-4.91	0.03	7.17	316.80	445966.93	645930.09	N 32° 13' 32.00	W 103° 59' 42.34
	4517.00	0.04	358.16	4516.94	5.05	5.24	-4.92	0.10	7.18	316.78	445966.94	645930.08	N 32° 13' 32.00	W 103° 59' 42.34
	4610.00	0.19	177.95	4609.94	4.93	5.12	-4.92	0.25	7.10	316.13	445966.82	645930.08	N 32° 13' 32.00	W 103° 59' 42.34
	4705.00	0.19	303.93	4704.94	4.85	5.05	-5.04	0.36	7.14	315.02	445966.75	645929.96	N 32° 13' 32.00	W 103° 59' 42.34
	4800.00	0.16	36.88	4799.94	5.04	5.24	-5.10	0.27	7.31	315.81	445966.94	645929.91	N 32° 13' 32.00	W 103° 59' 42.34
	4895.00	0.16	336.87	4894.94	5.27	5.47	-5.07	0.17	7.46	317.19	445966.17	645929.93	N 32° 13' 32.01	W 103° 59' 42.34
	4990.00	0.16	298.10	4989.94	5.45	5.65	-5.24	0.11	7.71	317.20	445966.35	645929.76	N 32° 13' 32.01	W 103° 59' 42.35
	5084.00	0.15	153.86	5083.94	5.40	5.61	-5.30	0.31	7.71	316.62	445966.31	645929.71	N 32° 13' 32.01	W 103° 59' 42.35
	5179.00	0.15	197.24	5178.93	5.17	5.38	-5.28	0.12	7.54	315.51	445966.08	645929.72	N 32° 13' 32.01	W 103° 59' 42.35
	5274.00	0.14	337.00	5273.93	5.15	5.36	-5.36	0.29	7.58	315.00	445966.06	645929.64	N 32° 13' 32.01	W 103° 59' 42.35
	5369.00	0.17	160.97	5368.93	5.13	5.34	-5.36	0.33	7.57	314.87	445966.04	645929.64	N 32° 13' 32.01	W 103° 59' 42.35
	5463.00	0.18	196.94	5462.93	4.86	5.06	-5.36	0.12	7.37	313.38	445966.76	645929.64	N 32° 13' 32.00	W 103° 59' 42.35
	5558.00	0.16	204.14	5557.93	4.59	4.79	-5.46	0.03	7.27	311.27	445966.50	645929.54	N 32° 13' 32.00	W 103° 59' 42.35
	5653.00	0.16	140.57	5652.93	4.37	4.58	-5.43	0.18	7.10	310.14	445966.28	645929.57	N 32° 13' 32.00	W 103° 59' 42.35
	5748													

	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
330' FSL Crossing	9530.00	13.03	11.54	9506.30	-193.57	-201.94	215.48	14.04	295.32	133.14	445748.77	646150.47	N 32 13 29.95	W 103 59 39.78
	9625.00	21.56	16.97	9596.93	-166.07	-174.70	222.73	9.13	283.08	128.11	445776.01	646157.72	N 32 13 30.22	W 103 59 39.70
	9719.00	28.78	18.78	9681.95	-127.63	-136.71	235.08	7.72	271.94	120.18	445814.00	646170.06	N 32 13 30.59	W 103 59 39.55
	9814.00	41.19	17.58	9759.63	-75.35	-85.03	251.95	13.08	265.92	108.65	445865.67	646186.93	N 32 13 31.10	W 103 59 39.36
	9909.00	55.18	22.63	9822.84	-8.30	-18.87	276.54	15.24	277.18	93.90	445931.83	646211.52	N 32 13 31.76	W 103 59 39.07
	10004.00	65.49	26.07	9869.80	97.98	56.17	310.64	11.30	315.67	79.75	446006.86	646245.61	N 32 13 32.50	W 103 59 38.67
	10026.00	67.45	25.40	9878.58	86.48	74.34	319.39	9.32	327.93	76.90	446025.03	646254.37	N 32 13 32.68	W 103 59 38.56
	10099.00	73.95	23.28	9902.70	150.26	137.08	347.74	9.32	373.79	68.49	446087.77	646282.72	N 32 13 33.30	W 103 59 38.23
	10110.43	74.63	22.67	9905.80	160.55	147.21	352.04	7.88	381.58	67.31	446097.90	646287.01	N 32 13 33.40	W 103 59 38.18
	10193.00	79.60	18.35	9924.21	236.92	222.57	380.19	7.88	440.55	59.65	446173.25	646315.16	N 32 13 34.14	W 103 59 37.85
Wolfcamp Intersection	10288.00	79.94	11.50	9941.10	326.05	312.85	404.26	7.10	511.17	52.26	446263.52	646339.22	N 32 13 35.04	W 103 59 37.57
	10388.00	89.30	4.00	9959.15	425.88	410.24	417.52	7.40	585.33	45.50	446360.90	646352.48	N 32 13 36.00	W 103 59 37.41
	10482.00	80.74	4.35	9975.44	518.40	502.57	424.26	1.58	657.70	40.17	446453.23	646359.22	N 32 13 36.91	W 103 59 37.33
	10577.00	82.39	5.06	9989.37	612.28	596.22	431.97	1.89	736.25	35.92	446546.87	646366.93	N 32 13 37.74	W 103 59 37.24
	10672.00	84.24	6.33	10000.43	706.45	690.10	441.33	2.36	819.15	32.60	446640.75	646376.29	N 32 13 38.77	W 103 59 37.12
	10766.00	87.27	7.45	10007.39	799.86	783.15	452.58	3.44	904.52	30.02	446733.79	646387.54	N 32 13 39.69	W 103 59 36.99
	10861.00	89.12	7.58	10010.38	894.40	877.29	464.99	1.95	992.90	27.93	446827.92	646399.86	N 32 13 40.62	W 103 59 36.84
	10956.00	89.51	6.51	10011.52	989.05	971.56	475.64	1.20	1082.18	26.13	446922.18	646411.81	N 32 13 41.55	W 103 59 36.70
	11050.00	91.53	3.33	10010.66	1082.92	1065.19	484.70	4.01	1170.29	24.47	447015.81	646419.67	N 32 13 42.48	W 103 59 36.60
	11145.00	91.81	359.85	10007.89	1177.86	1160.10	487.34	3.67	1258.31	22.79	447110.71	646422.30	N 32 13 43.42	W 103 59 36.57
100' FNL Crossing Final MWD Survey Proj to TD	11239.00	91.03	356.57	10005.56	1271.59	1254.01	484.40	3.59	1344.32	21.12	447204.61	646419.37	N 32 13 44.35	W 103 59 36.60
	11334.00	88.18	354.36	10006.22	1365.92	1348.70	476.89	3.80	1430.53	19.47	447299.29	646411.86	N 32 13 45.28	W 103 59 36.68
	11429.00	88.30	355.09	10009.14	1460.07	1443.25	468.07	4.77	1517.08	15.17	447393.84	646403.13	N 32 13 46.21	W 103 59 36.78
	11555.00	89.27	357.20	10011.81	1585.34	1568.93	459.70	1.84	1634.89	16.33	447519.50	646394.66	N 32 13 47.46	W 103 59 36.88
	11649.00	89.13	356.91	10013.12	1678.95	1662.80	454.87	0.34	1723.89	15.30	447613.36	646389.83	N 32 13 48.37	W 103 59 36.93
	11744.00	89.61	357.28	10014.17	1773.57	1757.67	450.05	0.64	1814.37	14.36	447708.23	646385.02	N 32 13 49.33	W 103 59 36.98
	11839.00	89.81	357.35	10014.65	1868.22	1852.56	445.60	0.22	1905.40	13.52	447803.11	646380.57	N 32 13 50.27	W 103 59 37.03
	11934.00	89.71	357.42	10015.89	1962.89	1947.46	441.27	0.13	1992.53	12.47	447898.01	646376.23	N 32 13 51.21	W 103 59 37.10
	12029.00	89.76	359.42	10015.48	2057.67	2042.42	438.47	1.87	2088.95	12.12	447992.55	646373.43	N 32 13 52.15	W 103 59 37.11
	12123.00	89.70	359.46	10015.93	2151.55	2136.41	437.37	0.28	2180.72	11.57	448086.94	646372.33	N 32 13 53.08	W 103 59 37.12
	12218.00	90.86	359.97	10015.46	2246.46	2231.40	436.90	1.33	2273.77	11.08	448181.92	646371.86	N 32 13 54.02	W 103 59 37.12
	12313.00	91.00	359.47	10013.92	2341.36	2326.39	436.43	0.55	2366.97	10.63	448276.90	646371.40	N 32 13 54.96	W 103 59 37.12
	12408.00	90.01	359.38	10013.08	2436.24	2421.38	435.48	1.05	2460.23	10.00	448371.89	646370.44	N 32 13 55.90	W 103 59 37.13
	12503.00	90.36	359.63	10012.78	2531.38	2516.38	434.80	0.58	2553.66	9.80	448466.88	646369.76	N 32 13 56.84	W 103 59 37.19
	12597.00	90.12	359.26	10012.38	2625.04	2610.37	434.03	0.63	2646.21	9.44	448560.86	646368.99	N 32 13 57.77	W 103 59 37.14
	12692.00	89.85	359.38	10012.41	2719.92	2705.37	432.90	0.31	2739.78	9.09	448655.85	646367.86	N 32 13 58.71	W 103 59 37.15
	12787.00	89.93	359.55	10012.59	2814.81	2800.36	432.01	0.20	2833.49	8.77	448750.84	646366.98	N 32 13 59.65	W 103 59 37.15
	12882.00	90.49	359.55	10012.24	2909.71	2895.36	431.27	0.59	2927.30	8.47	448845.83	646366.23	N 32 14 0.59	W 103 59 37.16
	12977.00	90.02	359.57	10011.82	3004.61	2990.35	430.54	0.50	3021.19	8.19	448940.81	646365.50	N 32 14 1.53	W 103 59 37.16
	13071.00	89.96	359.42	10011.84	3098.51	3084.35	429.71	0.17	3114.14	7.93	449034.80	646364.67	N 32 14 2.46	W 103 59 37.17
	13166.00	89.73	359.56	10012.09	3193.40	3179.35	428.86	0.28	3208.14	7.68	449129.79	646363.83	N 32 14 3.40	W 103 59 37.18
	13261.00	90.01	359.63	10012.31	3288.30	3274.34	428.19	0.30	3302.22	7.45	449224.78	646363.16	N 32 14 4.34	W 103 59 37.18
	13356.00	90.00	359.56	10012.30	3383.21	3369.34	427.52	0.07	3396.36	7.23	449319.77	646362.49	N 32 14 5.28	W 103 59 37.18
	13451.00	89.99	359.63	10012.31	3478.11	3464.34	426.85	0.07	3490.54	7.02	449414.76	646361.81	N 32 14 6.22	W 103 59 37.19
	13545.00	89.80	359.42	10012.48	3572.01	3558.33	426.07	0.30	3583.75	6.83	449508.75	646361.03	N 32 14 7.15	W 103 59 37.19
	13640.00	89.90	359.58	10012.73	3666.90	3653.33	425.24	0.20	3678.00	6.64	449603.74	646360.21	N 32 14 8.09	W 103 59 37.20
	13735.00	90.09	359.79	10012.74	3761.81	3748.33	424.72	0.30	3772.31	6.46	449698.73	646359.68	N 32 14 9.03	W 103 59 37.20
	13830.00	90.13	359.69	10012.55	3856.72	3843.33	424.29	0.11	3866.68	6.30	449793.72	646359.25	N 32 14 9.97	W 103 59 37.20
	13925.00	89.95	359.73	10012.49	3951.64	3938.33	423.81	0.19	3961.06	6.14	449888.71	646358.77	N 32 14 10.91	W 103 59 37.21
	14019.00	90.00	359.85	10012.53	4045.55	4032.33	423.46	0.14	4054.50	6.00	449982.70	646358.43	N 32 14 11.84	W 103 59 37.21
	14114.00	89.20	359.65	10012.36	4140.47	4127.32	423.05	0.30	4148.95	5.85	450077.69	646358.01	N 32 14 12.78	W 103 59 37.21
	14209.00	89.94	359.00	10012.25	4235.35	4222.32	421.93	0.74	4243.35	5.71	450172.68	646356.89	N 32 14 13.72	W 103 59 37.22
	14304.00	90.00	358.83	10012.30	4330.19	4317.30	420.13	0.19	4337.69	5.56	450267.65	646355.09	N 32 14 14.66	W 103 59 37.24
	14399.00	89.42	357.71	10012.78	4424.97	4412.25	417.54	1.33	4431.94	5.40	450362.60	646352.23	N 32 14 15.60	W 103 59 37.27
	14494.00	89.66	359.61	10013.54	4519.78	4507.22	415.04	2.02	4526.29	5.26	450457.56	646350.01	N 32 14 16.54	W 103 59 37.29
	14589.00	89.85	0.03	10013.94	4613.70	4601.20	413.94	0.49	4619.87	5.15	450551.55	646349.71	N 32 14 17.51	W 103 59 37.29
	14683.00	89.84	0.57	10014.20	4708.65	4696.22	415.24	0.57	4714.54	5.05	450646.54	646350.21	N 32 14 18.41	W 103 59 37.28
	14778.00	90.04	0.69	10014.30	4803.61	4791.21	416.29	0.25	4809.26	4.97	450741.53	64		

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
		1	25.000	524.990	Act Stns	26.400	26.400	GYD_GC+DROP+OH						
		1	524.990	20309.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS						

Heads CC 9_4 Federal Com 32H /
Oxy Heads CC 9_4 Federal Com
Heads CC 9_4 Federal Com 32H /
Oxy Heads CC 9_4 Federal Com
32H Gyro+ MWD 0' to 20309MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 9 / SWSW / 32.225542 / -103.995079	County or Parish/State: EDDY / NM
Well Number: 32H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM99034	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547229	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2713943

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 02/02/2023

Time Sundry Submitted: 08:13

Date Operation Actually Began: 09/26/2022

Actual Procedure: RUPU 09/26/22, RIH & clean out to PBTD @ 20261', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 10399-20124' Total 1170 holes. Frac in 39 stages w/ 208351BBL Produced Water + 209074BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 24448649# sand, RD NexTier 10/13/22. Well ready to produce 10/19/22. 12/11/22 RIH with 2-7/8" L80 tbg & gas lift set @ 9641', RD 12/12/22. Formation Tops for this completion are as follows: RUSTLER 240'M 240'V SALADO 577'M 577'V CASTILE 1295'M 1295'V DELAWARE 2883'M 2883'V BELL CANYON 2913'M 2913'V CHERRY CANYON 3762'M 3762'V BRUSHY CANYON 5015'M 5015'V BONE SPRING 6575'M 6575'V 1ST BONE SPRING 7605'M 7600'V 2ND BONE SPRING 8441'M 8431'V 3RD BONE SPRING 9576'M 9550'V WOLFCAMP 10110'M 9905'V

Received by OCD: 6/4/2023 9:56:42 PM

Page 9 of 14

Well Name: HEADS CC 9-4 FEDERAL COM	Well Location: T24S / R29E / SEC 9 / SWSW / 32.225542 / -103.995079	County or Parish/State: EDDY / NM
Well Number: 32H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM99034	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547229	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: FEB 02, 2023 08:12 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/16/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-47229		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name HEADS CC 9-4 FEDERAL COM		
								6. Well Number: 32H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PURPLE SAGE WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	9	24S	29E		250	SOUTH	915	WEST	EDDY
BH:	C	4	24S	29E	L3	45	NORTH	1362	WEST	EDDY
13. Date Spudded 06/30/2022	14. Date T.D. Reached 08/31/2022		15. Date Rig Released 09/03/2022			16. Date Completed (Ready to Produce) 10/19/2022		17. Elevations (DF and RKB, RT, GR, etc.) 2927' GL		
18. Total Measured Depth of Well 20309'M 10027'V			19. Plug Back Measured Depth 20261'M 10026'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10399-20124' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		551'		17.5"		645sx-surf circ		
9.625" HCL80		40		9338'		12.25"		3132sx-surf circ		
7" x 5.5" P110		32#, 20#		20289'		8.75" x 8.5"		2371sx-TOC@5372'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
							2.875"	9641'		
26. Perforation record (interval, size, and number) Perf @ 10399-20124' Total 1170 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10399-20124' 208351BBL Produced Water + 209074BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 24448649# sand										
28. PRODUCTION										
Date First Production 10/23/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 12/09/2022	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 2910	Gas - MCF 4693	Water - Bbl. 5185	Gas - Oil Ratio 16127			
Flow Tubing Press.	Casing Pressure 1146	Calculated 24- Hour Rate	Oil - Bbl. 2910	Gas - MCF 4693	Water - Bbl. 5185	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>02/08/2023</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 240'	T. Bell Canyon 2913'	T. Ojo Alamo	T. Penn A"
T. Salado 577'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1295'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2883'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3762'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5015'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6575'	T. Todilto	
T. Abo	T. 1 st Bone Spring 7605'	T. Entrada	
T. Wolfcamp 10110'	T. 2 nd Bone Spring 8441'	T. Wingate	
T. Penn	T. 3 rd Bone Spring 9576'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Heads CC 9-4 Federal Com 32H
API No. 30-015-47229



2-7/8" tbg & gas lift @ 9641'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 223585

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 223585
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 223585

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 223585
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	8/17/2023