COM

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: BEBOP 36/25 W0ML FED Well Location: T25S / R31E / SEC 36 / County or Parish/State: /

SESW /

Well Number: 1H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM19619 Unit or CA Name: Unit or CA Number:

US Well Number: 3001548937 Well Status: Drilling Well Operator: MEWBOURNE OIL

COMPANY

Subsequent Report

Sundry ID: 2670349

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/05/2022 Time Sundry Submitted: 11:48

Date Operation Actually Began: 04/08/2022

Actual Procedure: 04/08/22. Spud 17 1/2" hole, TD @ 1092'. Ran 1077' of 13 3/8" 54.5# J55 ST&C Csg. Cmt w/550 sks Class C w/additives. (yd @ 2.15 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/160 bbls of BW. Plug down @ 8:15 P.M. 04/09/22. Circ 289 sks of cmt to the pit. Tested BOPE to 10000# & Annular to 5000#. At 3:15 A.M. 04/11/22, Tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW. Drilled out with 12 1/4" bit. 04/13/22 TD'ed 12 1/4" hole @ 4215'. Ran 4200' 9 5/8" 40# ICL80 LT&C Csg. Cmt w/750 sks Class C w/additives. (yd @ 2.19 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C w/0.1% Retarder (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/315 bbls of FW. Plug down @ 9:30 P.M. 04/13/22. Circ 154 sks of cmt to the pit. Set Cameron mandrel hanger through BOP w/170k#. At 7:45 A.M. 04/14/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.0 PPG EMW. Drilled out at 8 3/4" bit. 04/20/22 TD'ed 8 3/4" hole @ 11186'. Ran 11062' of 7" 29# HCIP110 BT&C Csg. Cmt 1st Stage w/350 sks 65/35 Class C/POZ w/additives (yd @ 3.56 cuft/sk @ 10.0 PPG). Tail w/400 sks Class H w/0.45% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/409 bbls cut BW. Did not bump plug. Inflate ECP w/3400#. Dropped bomb & opened DV tool w/2160#. Circ 50 sks cmt off of DV tool. Cmt 2nd Stage w/300 sks Class C w/additives (3.38 cuft/sk @ 11.0 PPG). Tail w/100 sks Class C w/0.1% Retarder (1.33 cuft/sk @ 14.8 PPG). Displaced w/158 bbls BW. Plug Down @ 9:00 P.M. 04/20/22. Closed DV tool w/1732#. Circ 119 sks cmt to pit. Set Cameron mandrel hanger through BOP w/283k#. At 10:30 P.M. 04/21/22, tested csg to 1500# for 30 mins, held OK. FIT to 12.8 PPG EMW. Drilled out w/6 1/8" bit. 05/01/22 TD'ed 6 1/8" hole @ 19314' MD. Ran 4 1/2" 13.5# ICP110 BPN Csg from 10797' (top of liner) to 19311'. Cmt w/700 sks Class H POZ (50/50) w/additives. (1.49 ft³/sk @ 13.5 ppg). Pump 5 bbls sugar BW. Drop dart. Displaced w/234 bbls of sugar BW. Lift Pressure 2800# @ 335 BPM. Plug down @ 6:45 P.M. 05/02/22. Bumped plug w/3500#. Set packer w/100k#. Released from liner hanger w/2500# on DP. Displaced csg w/373 bbls of BW w/polymer. Circ 124 sks cmt off liner top. At 8:45 P.M. 05/02/22, test liner

Received by OCD: Wanabard 51450F 30115 WOML FED

Well Location: T25S / R31E / SEC 36 /

County or Parish/State: /

Page 2 of 3

SESW /

Well Number: 1H

Type of Well: CONVENTIONAL GAS

Lease Number: NMNM19619

Allottee or Tribe Name:

Unit or CA Name: **Unit or CA Number:**

US Well Number: 3001548937

Well Status: Drilling Well

Operator: MEWBOURNE OIL

COMPANY

top to 2500# for 30 min, held OK. Rig released to walk @ 10:00 P.M. 05/04/22.

SR Attachments

PActual Procedure

Bebop 36 25 W0ML Fed Com 1H BOPE Test Charts 20220505114720.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BRADLEY BISHOP Signed on: MAY 05, 2022 11:45 AM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: Hobbs State: NM

Phone: (575) 393-5905

Email address: bbishop@mewbourne.com

Field

Representative Name: Jackie Lathan

Street Address: PO Box 5270

City: Hobbs State: NM **Zip:** 88240

Phone: (575)393-5905

Email address: jlathan@mewbourne.com

BLM Point of Contact

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 06/01/2022

Signature: Jonathon Shepard

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 113020

CONDITIONS

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	113020
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By		Condition Date
kelly.roberts	None	8/22/2023