Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROV	VED
OMB No. 1004-0)137
Expires: October 31	1, 202

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
bandoned well. Use Form 3160-3 (APD) for such proposals

inputor ottooti e i, i		
5. Lease Serial No.	NMNM014155	
6. If Indian, Allottee	or Tribe Name	

abandoned well.	Use Form 3160-3 (APD) for su	ch proposals	-			
SUBMIT IN	TRIPLICATE - Other instructions on pag	ge 2		7. If Unit of CA/Agree	ement, Name and/or No.	
1. Type of Well	· -					
Oil Well Gas V	_			8. Well Name and No. MARGARITA FEDERAL COM 13/5		
2. Name of Operator ADVANCE ENE	RGY PARTNERS HAT MESA LLC			9. API Well No. 3002	9. API Well No. 3002547199	
3a. Address C/O AMEREDEV OPER		(include area code		10. Field and Pool or I		
9,0 , <u>2</u> , 1,22	(346) 444-97	39		Bobcat Draw		
4. Location of Well (Footage, Sec., T.,F	.,M., or Survey Description)			11. Country or Parish,	State	
SEC 13/T21S/R32E/NMP				LEA/NM		
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	OF NOTI	CE, REPORT OR OTH	IER DATA	
TYPE OF SUBMISSION		TYI	PE OF AC	ΓΙΟΝ		
Notice of Intent	Acidize Dee	pen	Prod	uction (Start/Resume)	Water Shut-Off	
Notice of Intent	Alter Casing Hyd	raulic Fracturing	Recla	amation	Well Integrity	
Subsequent Depart	Casing Repair New	Construction	Reco	mplete	Other	
Subsequent Report		and Abandon	Tem	oorarily Abandon	<u> </u>	
Final Abandonment Notice		Back		r Disposal		
1st Intermediate Cement Jol Acid+2.5lbs-Soda Ash) 8.4 p C-45 Econolite,0.1%Citric Ac 665 sx, 1.24 yld, 14.8 ppg (6 Agent, 4%STE, 0.057% C-2 Brine water. Bump plug, Circ test to 1500 psi for 30 min. Job Complete 08/10/2022 14	J-55 BTC set @ 3,478' Hole Si b: 8/9/2022 Pump 40 bbls of F/V ppg. Pump Lead Cement 616 bb cid, 0.2%CFL-1,2# sk Kol seal, 0% Class H Premium, 40%Con 3 Hight Temp Retarder, 0.25% culated 234 bbls of cement back culated 234 bbls of cement back	V spacer. Pum bls, 1860 sx, 1 1.5#/sk Pheno npass Poz-Mix CFL-1, 0.93 #/	np 60 bb .86 yld, oseal,1#, k, 0.15% /sk Salt)	ols of Gel Spacer 12.8 ppg (100%ł /skGypSeal). Pui bC-45 Econolite, . Drop plug and I	HSLD 125 Cement, 0.5% mp Tail Cement 147 bbls, 0.05%C-51 Suspension Displace with 524 bbls of	
CHRISTIE HANNA / Ph: (737) 300		Senior En	gineering	Technician		
Signature		Date		08/15/20	022	
	THE SPACE FOR FED	ERAL OR ST	ATE OF	ICE USE		
Approved by						
Jonathon W Shepard / Ph: (575) 2	34-5972 / Accepted	Title Petro	leum Eng		08/27/2022 Date	
	ned. Approval of this notice does not warran equitable title to those rights in the subject le duct operations thereon.		RLSBAD	,		
	3 U.S.C Section 1212, make it a crime for a ents or representations as to any matter with		ly and will	fully to make to any de	partment or agency of the United States	

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: NWNE / 229 FNL / 2372 FEL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.485549 / LONG: -103.627558 (TVD: 0 feet, MD: 0 feet)
PPP: NWSE / 2640 FSL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 24 / LAT: 32.464422 / LONG: -103.627339 (TVD: 10890 feet, MD: 17830 feet)
PPP: NWNE / 0 FNL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 24 / LAT: 32.471683 / LONG: -103.627334 (TVD: 10890 feet, MD: 15156 feet)
PPP: SWSE / 1320 FSL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.745335 / LONG: -103.627359 (TVD: 10890 feet, MD: 13858 feet)
PPP: NWNE / 757 FNL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.4841033 / LONG: -103.6273439 (TVD: 10445 feet, MD: 10472 feet)
BHL: SWNE / 2540 FNL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 25 / LAT: 32.450157 / LONG: -103.627328 (TVD: 10890 feet, MD: 23004 feet)



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: MARGARITA FEDERAL Well Location: T21S / R32E / SEC 13 /

COM 13 NWNE / 32.485549 / -103.627558

County or Parish/State: LEA /

Well Number: 5H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM14155 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300254719900X1 Well Status: Drilling Well **Operator: ADVANCE ENERGY**

PARTNERS HAT MESA LLC

Subsequent Report

Sundry ID: 2687203

Type of Action: Drilling Operations Type of Submission: Subsequent Report

Date Sundry Submitted: 08/15/2022 Time Sundry Submitted: 01:33

Date Operation Actually Began: 08/09/2022

Actual Procedure: Spud Date: 5/18/2022 Casing Ran: 13.375" 54.5# J-55 BTC set @ 3,478' Hole Size: 17.5" Hole Depth: 3,498' 1st Intermediate Cement Job: 8/9/2022 Pump 40 bbls of F/W spacer. Pump 60 bbls of Gel Spacer (2.5lbs-C-51+0.1lbs-Citric Acid+2.5lbs-Soda Ash) 8.4 ppg. Pump Lead Cement 616 bbls, 1860 sx, 1.86 yld, 12.8 ppg (100%HSLD 125 Cement, 0.5%C-45 Econolite, 0.1%Citric Acid, 0.2%CFL-1, 2# sk Kol seal, 1.5#/sk Phenoseal,1#/skGypSeal). Pump Tail Cement 147 bbls, 665 sx, 1.24 yld, 14.8 ppg (60% Class H Premium, 40% Compass Poz-Mix, 0.15%C-45 Econolite, 0.05%C-51 Suspension Agent, 4%STE, 0.057% C-23 Hight Temp Retarder, 0.25% CFL-1, 0.93 #/sk Salt). Drop plug and Displace with 524 bbls of Brine water. Bump plug, Circulated 234 bbls of cement back to surface, check floats - held. Bled Back 3.5 bbls. Perform casing test to 1500 psi for 30 min. Job Complete 08/10/2022 14:30

eived by OCD: 9/21/2022_11:00:16 PM Well Name: MARGARITA FEDERAL

COM 13

Well Location: T21S / R32E / SEC 13 /

NWNE / 32.485549 / -103.627558

County or Parish/State: LEA?

Well Number: 5H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM14155

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254719900X1

Well Status: Drilling Well

Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTIE HANNA Signed on: AUG 15, 2022 01:32 PM

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

Field

Representative Name: DIEGO BARREDA

Street Address: 2901 VIA FORTUNA, STE. 600

City: AUSTIN State: TX **Zip:** 78746

Phone: (737)300-4700

Email address: dbarreda@ameredev.com

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 08/26/2022

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 145452

CONDITIONS

Operator:	OGRID:
ADVANCE ENERGY PARTNERS HAT MESA, LLC	372417
5400 LBJ Freeway, Suite 1500	Action Number:
Dallas, TX 75240	145452
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By		Condition Date
kelly.roberts	None	8/30/2023