Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT
DDV NOTICES AND DEPORTS ON WELLS

DORI	EAU OF LAND MANAGEMENT			NMNM39880	
Do not use this f	IOTICES AND REPORTS ON W form for proposals to drill or to Use Form 3160-3 (APD) for suc	6. If Indian, Allottee	or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Agr	7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well			0 W II N 1 N		
Oil Well Gas Well Other			8. Well Name and No	O. GHOST RIDER 22 15 FEDERAL CC	
2. Name of Operator APACHE CORPORATION			9. API Well No. 300	9. API Well No. 3002549333	
Ba. Address 303 VETERANS AIRPARK LANE SUITE 3000, N 3b. Phone No. (include area code) (432) 818-1000				10. Field and Pool or Exploratory Area Sand Dunes/TRISTE DRAW BONE SPRING	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 15/T24S/R32E/NMP			11. Country or Parish LEA/NM	ı, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE O	F NOTICE, REPORT OR OT	THER DATA	
TYPE OF SUBMISSION		ТҮРЕ	OF ACTION		
Notice of Intent	Acidize Deep Alter Casing Hydr	en aulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair New	Construction	Recomplete	Other	
Final Abandonment Notice		and Abandon Back	Temporarily Abandon Water Disposal		
completion of the involved operation completed. Final Abandonment Not is ready for final inspection.) 1/12/23: Skid rig f/Ghost Rider drill cmt f/1090-1114', drill rather 1/17/23: RIH w/7-5/8" 29.7# HCC w/18% extender, 1% thixotro 0.15% fluid loss, 0.2% defoam job, pmp 1000sx CI C w/18% extender, 1/28/23: Skid rig f/Ghost Rider 1/29/23: Tag FC @ 8525, drill landed curve 1/31/23. 1/31/23: Drill 6-3/4 prod lateral 2/6/23: Run 5-1/2" 20# P110 FC Continued on page 3 additional		npletion or recomplet s, including reclamat " surf csg @ 1500p 8630'. btm @ 8615'), skic 76yld, 11.3ppg) TAI nped plug, FCP 810 r, 0.4% retarder (2.3 -5/8" csg 1900psi/3 9psi/30min-good, c	ion in a new interval, a Formion, have been completed and esi/30min-good test, TIH w/ld rig to offline cmt interm csi. L: 220sx CI C w/2% extendopsi, held 1300psi, floats he 76yld,11.3ppg) WOC 6hrs, somin-good drill f/8640-8673 KOP, drill 6	3160-4 must be filed once testing has been the operator has detennined that the site BHA, tag cmt @ 1090', g, cmt w/LEAD: 385sx Cl der, 0.1% anti-setting, eld, WOC 4hrs before sqz echometer ETOC @ 107'	
, , , , ,	true and correct. Name (Printed/Typed)	Supv of Drill	ing Services		
SORINA FLORES / Ph: (432) 818-	1167	Title	mig Cel viocs		
Signature		Date	04/12/2	2023	
	THE SPACE FOR FED	ERAL OR STAT	TE OFICE USE		
Approved by					
JONATHON W SHEPARD / Ph: (5	Petrole Title	um Engineer	04/19/2023 Date		
	ned. Approval of this notice does not warran equitable title to those rights in the subject leduct operations thereon.		_SBAD		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Additional Remarks

0.6% NAC-102, 0.2% defoamer, 0.45% NRT-221, 0.475% retarder, 5% NAC-111 (2.72yld,11.5ppg) TAIL: 465sx Cl H w/7% extender, 0.2% NAC-104, 0.4% fluid loss, 0.2% defoamer, 0.375% retarder (1.53yld,13.2ppg), some losses, Calc ETOC @ 5100', ND BOPE, install TA cap, secured and tested, RR 2/8/23

Location of Well

0. SHL: NWSE / 2357 FSL / 2086 FEL / TWSP: 24S / RANGE: 32E / SECTION: 15 / LAT: 32.2168035 / LONG: -103.6607067 (TVD: 0 feet, MD: 0 feet) PPP: NWSE / 2538 FSL / 1471 FEL / TWSP: 24S / RANGE: 32E / SECTION: 15 / LAT: 32.217304 / LONG: -103.6587213 (TVD: 8916 feet, MD: 8971 feet) PPP: SWSE / 0 FSL / 1560 FEL / TWSP: 24S / RANGE: 32E / SECTION: 15 / LAT: 32.2103282 / LONG: -103.6590078 (TVD: 9188 feet, MD: 11623 feet) BHL: SWSE / 50 FSL / 1559 FEL / TWSP: 24S / RANGE: 32E / SECTION: 22 / LAT: 32.1959492 / LONG: -103.6590175 (TVD: 9188 feet, MD: 16854 feet)

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 209194

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	209194
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By		Condition Date
kelly.roberts	Submit CBL for production casing. Report pressure test for production casing on next sundry.	9/5/2023