

Well Name: LYBROOK M26 2306	Well Location: T23N / R6W / SEC 26 / SWSW / 36.191343 / -107.445218	County or Parish/State: SANDOVAL / NM
Well Number: 305H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118128	Unit or CA Name: GALLO CANYON UNIT	Unit or CA Number: NMNM131017A
US Well Number: 3004321490	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2685418

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/03/2022

Date Operation Actually Began: 07/19/2022

Type of Action: Drilling Operations

Time Sundry Submitted: 08:31

Actual Procedure: Intermediate Casing & Cement. Depths adjusted for 26' KB of production rig. 7/19/22: NU BOPE. PT 9.625" 36# J55 STC surface casing 1500, 30 min. Test good. No regulatory agencies onsite to witness. Drill 8.75" hole to 4224'. 7/20/22: Drill 8.75" hole to 4888'. 7/21/22: Drill 8.75" hole to 5757' TD (KOP 4890' MD / 4886' TVD). TOH. TIH on elevators, wash & ream through tight spots. TOH. Decision made to pause operations & let hole set. 7/22/22: ND BOPE. Install pack off, PT to 5k, test good. Install BPV & cap well. Rig Paused. 7/31/22: NU BOPE. PT 9.625" 36# J55 surface casing 1500, 30 min. Test good. Not regulatory agencies onsite to witness. RIH for clean out run. 8/1/22: Wash & ream hole & circulate until hole clean. 8/2/22: RU CRT. RIH with 130 jts of 7" 26# J55 LTC casing set from surface to 5750'. RU to cement. 5k test on lines, test good. LEAD: Class G, 226 bbls (542 sx) 12.3 ppg, 2.34 yield, 13.1 gps, surface to 4386'. TAIL: Class G, 38 bbls (141 sx), 13.5 ppg, 1.51 yield, 7.1 gps, 4386' to 5750'. Total of 683 sx. TOC: surface BOC: 5750'. Bump plug 1365 FCP, pressure up to 2109 & hold for 5 min. No cement back to surface. No regulatory agencies onsite to witness. RD cementers. Install pack off, PT to 5k, test good. ND BOPE. Install BPV & cap well. CBL will be ran & submitted at a later date. PT of 7" will be submitted on next report.

Well Name: LYBROOK M26 2306	Well Location: T23N / R6W / SEC 26 / SWSW / 36.191343 / -107.445218	County or Parish/State: SANDOVAL / NM
Well Number: 305H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118128	Unit or CA Name: GALLO CANYON UNIT	Unit or CA Number: NMNM131017A
US Well Number: 3004321490	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: AUG 03, 2022 08:31 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 08/04/2022
Signature: Kenneth Rennick	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 255471

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 255471
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	None	9/28/2023