

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-36430
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE
6. State Oil & Gas Lease No. E-08244
7. Lease Name or Unit Agreement Jalmat Field Yates Sand Unit
8. Well Number 192
9. OGRID Number 370080
10. Pool name or Wildcat (33820) Jalmat; Tan-Yates-7 RVRS

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Breitburn Operating, LP

3. Address of Operator
1111 Bagby Street, Ste 1600 Houston, TX 77002

4. Well Location
 Unit K : 1330 feet from the South line and 1330 feet from the West line
 Section 11 Township 22S Range 35E NMPM County: Lea, NM

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3597 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	PNR <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: Devon Company Rep Notified 10/7/21 <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

02/09/2023: Tag existing CIBP @ 3725'. Circulate 80 bbls 10# MLF. Spot 25 sx Class C cmt to CTOC @ 3479'.
 02/10/2023: Tag TOC @ 3500'. Spot 25 sx Class C cmt to CTOC @ 1661'. WOC. Tag TOC @ 1645'. Perft @ 445'. SQZ / Circulate 100 sx Class C cmt to Surface.

NOTE:

Spud

Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jason McCullough TITLE Operations Manager DATE 10/08/2023

Type or print name Jason McCullough E-mail address: Jason.McCullough@axisofs.com PHONE: 832-995-7713

For State Use Only APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/11/23

Conditions of Approval (if any):





JALMAT FIELD YS UNIT 192

Regulatory

Well Header				
API # 3002536430	State Drilling Permit #	Project JALMAT	Region RG_W_PERMIAN_NM	Area A_JALMAT
Well Sub-Status INACTIVE	Well Type OIL PRODUCER	Well Status PLUGGED & ABANDONED	Well Lift Type PUMPING UNIT	Well Configuration Type VERTICAL
Spud Date	KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Total Depth (ftKB)

Daily Operations			
Rpt #	Start Date	End Date	Summary
1	6/21/2019	6/22/2019	<p>6/19/2019 PUMPER FOUND WATER COMING OUT AROUND THE GROUND, DID OUT AROUND THE WELLHEADS, FOUND HOLE IN THE 2" SURFACE RISER, COMING OFF OF THE 8 5/8" SURFACE CASING, REPAIR THE RISER AND SECURE THE WELL, START CLEANING UP THE RELEASE</p> <p>6/21/2019 HPJSM, SET IN RIG MATT, MIRUPU, UNHANG HEAD, SET IN OPEN TOP TANK AND KILL PUMP, LAY FLOWLINE TO TANK, OPEN WELL AND BLEED DOWN, USING VACUUM TRUCKS TO CONTROL FLOW AND HAUL PW TO SWD, LD POLISH ROD, UNSEAT PUMP, POOH AND LAY DOWN 18- 1", 71, 7/8", 61- 3/4" KD RODS, 8- 1.5" SINKER BARS AND PUMP, SHOP PUMP, RIG UP TUBING TOOLS, INSTALL SAFETY VALVE AND GAUGE, LEAVE WELL FLOWING WATER DOWN THE FLOWLINE, SION</p>
2	6/24/2019	6/25/2019	<p>HPJSM, OPEN WELL, BLEED OFF TO THE PIT, NDWN, UNSET TAC, NUBOP, START PULLING THE TUBING, ALL OF THE TUBING IS BAD PITTED, LAY DOWN 124 JNTS 2 7/8" TUBING, SN, MUD JOINT, MOVE OLD TUBING AWAY FROM WELLHEAD, SET CATWALK AND PIPE RACKS, UNLOAD WORKSTRING FROM THE EUNICE YARD, TALLY AND RIH WITH RBP AND CPW PACKER, SN AND 114 JNTS 2 7/8" TBG, SET RBP AT 3758', SET PACKER AND IT WILL NOT TEST, STILL HAVE WATER FLOW, MOVE RBP UP 1 JOINT TO 3725' AND IT SHUT OFF THE WATER FLOW, TRIED TO TEST RBP BUT IT IS COMMUNICATING, CLOSE WELL IN AND SION</p>
3	6/25/2019	6/26/2019	<p>HPJSM, BLEED WELL TO PIT, PULL PACKER TO 3021', STILL NO TEST, POOH WITH CPW PACKER, RIH WITH AD-1 PACKER, SET PACKER AT 300', ATTEMPT TEST, COMMUNICATED WITH THE SURFACE, PULL UP TESTING CASING COMING UP, CASING TESTED GOOD AT 41', LEAKING STILL BELOW THE PACKER, TEST GOING IN 1 JNT AT A TIME, FOUND THE BOTTOM OF THE LEAK AT 107', CASING TESTED GOOD TO 500# BELOW 107' DOWN TO THE RBP AT 3725', POOH AND LD AD-1 PACKER, CLOSE WELL IN AND SION</p> <p>CONCLUSION: WATER FLOW IS COMING FROM THE FORMATION...</p> <p>GOOD CASING FROM SURFACE TO 41'</p> <p>BAD 5 1/2" CASING FROM 41' TO 107'</p> <p>GOOD CASING FROM 107' TO 3725'</p>
4	6/26/2019	6/27/2019	<p>HPJSM, BLEED WELL DOWN, RIH WIT RETRIEVING TOOL AND UNSET RBP, LET WELL EQUALIZE, POOH WITH RBP, RIH WIT CIBP AND 114 JNTS OF 2 7/8" TBG, SET CIBP AT 3725', POOH AND LAY DOWN WORK STRING, RELEASE ALL RENTAL TOOLS, CLOSE WELL IN WITH 4' TUBING SUB WITH COLLARS ON BOTH ENDS AND A TAPPED BULL PLUG ON TOP WITH 2000# GAUGE, CLOSE WELL IN AND RIG DOWN PULLING UNIT AND MOVE OFF, WELL IS READY TO PLUG</p>



JALMAT FIELD YS UNIT 192

Regulatory

Well Header				
API # 3002536430	State Drilling Permit #	Project JALMAT	Region RG_W_PERMIAN_NM	Area A_JALMAT
Well Sub-Status INACTIVE	Well Type OIL PRODUCER	Well Status PLUGGED & ABANDONED	Well Lift Type PUMPING UNIT	Well Configuration Type VERTICAL
Spud Date	KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Total Depth (ftKB)

Daily Operations			
Rpt #	Start Date	End Date	Summary
1	2/9/2023	2/10/2023	MIRU AXIS WO RIG, CEMENTING EQUIPMENT, AND ALL SUPPORT EQUIPMENT. ND/NU BOP'S AND PREP FLOOR AND HANDLING TOOLS TO TIH W/2 3/8" WORKSTRING. TIH, TAG CIBP, PUMP 25 SK CEMENT PLUG ON TOP OF CIBP, TOO H TO CLEAR TOC. SD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 273678

COMMENTS

Operator: BREITBURN OPERATING LP 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 370080
	Action Number: 273678
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	10/12/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 273678

CONDITIONS

Operator: BREITBURN OPERATING LP 1000 Main Street, Suite 2900 Houston, TX 77002	OGRID: 370080
	Action Number: 273678
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release	10/11/2023