Form 3160-5

UNITED STATES

FORM APPROVED OMB No. 1004-0137

(June 2019) DEPA	ARTMENT OF THE I	INTERIOR		Expir	es: October 31, 2021
	AU OF LAND MAN			5. Lease Serial No. NM	INM0145685
Do not use this fo		ORTS ON WELLS to drill or to re-enter an APD) for such proposals.	,	6. If Indian, Allottee or	Tribe Name
SUBMIT IN T	RIPLICATE - Other instr	uctions on page 2		7. If Unit of CA/Agreen	nent, Name and/or No.
1. Type of Well					
Oil Well Gas W	ell Other			8. Well Name and No.	HORTON FEDERAL/32
2. Name of Operator EOR OPERATIN	G COMPANY			9. API Well No. 300412	20756
3a. Address 575 NORTH DAIRY ASH	HFORD RD, HOUSTON,	3b. Phone No. <i>(include area code)</i> (832) 485-8522)	10. Field and Pool or Ex MILNESAND-SAN A	xploratory Area NDRES/MILNESAND-SAN ANDR
4. Location of Well (Footage, Sec., T.,R. SEC 30/T8S/R35E/NMP	,M., or Survey Description,)		11. Country or Parish, S ROOSEVELT/NM	tate
12. CHEC	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE	OF NOTI	ICE, REPORT OR OTHE	ER DATA
TYPE OF SUBMISSION		TYP	E OF AC	TION	
	ly or recomplete horizontal	ertinent details, including estimated lly, give subsurface locations and mo	Recci Recci Tem Wate starting deasured ar	nd true vertical depths of	all pertinent markers and zones. Attach
	ns. If the operation results i ces must be filed only after	n a multiple completion or recomple	etion in a	new interval, a Form 316	50-4 must be filed once testing has been e operator has detennined that the site

Title 03/02/2023 Signature Date THE SPACE FOR FEDERAL OR STATE OFICE USE Accepted for record -NMOCD gc10/12/2023 Digitally signed by JENNIFER SANCHEZ Approved by **JENNIFER** Date: 2023.03.03 11:22:19 -07'00' **SANCHEZ** Title Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Office

Land & Regulatory Manager

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

WILLIAM BOYD / Ph: (713) 574-7912

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ SENE \ / \ 2305 \ FNL \ / \ 285 \ FEL \ / \ TWSP: \ 8S \ / \ RANGE: \ 35E \ / \ SECTION: \ 30 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ BHL: $SENE \ / \ 2305 \ FNL \ / \ 285 \ FEL \ / \ TWSP: \ 8S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$

Well Name: Horton Federal #032

Well API No: 30-041-20756
Operator: EOR Operating Co.

OGRID#: 257420 U-S-T-R: H-30-8S-35E County: Roosevelt


Proposed P&A Procedure:

- 1) TAG EXISTING 5-1/2" CIBP + CMT.@+/-4,568'; CIRC. WELL W/ M.L.F.; PRES. TEST 5-1/2" CSG.TO 750# X HOLD.
- 2) PUMP (25) SXS. CLASS "C" CMT. @ 3,973'-3,843' (T/S.A.); WOC X TAG TOC.
- 3) PUMP (30) SXS. CLASS "C" CMT. @ 2,750'-2,520' (T/YATES, B/SALT); WOC X TAG TOC.
- 4) PUMP (25) SXS. CLASS "C" CMT. @ 2,300'-2,150' (T/SALT, T/ANHY.); WOC X TAG TOC.
- 5) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, (150) SXS. CLASS "C" CMT. @ 495'-3'.
- 6) DIG OUT X CUT OFF WELL WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE TO CSGS. X INSTALL BELOW GROUND DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

OD: 8-5/8"	OD ID
OD: 8-5/8"	
Weight: 24 Grade: Top: 0 Bottom: 445 Intermediate Csg. OD: Weight: Grade: Top: Bottom: Production Casing OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	OD ID
Grade: Top: 0 Length Depth Tubing Detail (Top Down)	OD ID
Top: 0	OD ID
Bottom: 445	
Intermediate Csg. OD: Weight: Grade: Top: Bottom: Production Casing OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
OD: Weight: Grade: Top: Bottom: Production Casing OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Weight: Grade: Top: Bottom: Production Casing OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Grade: Top: Bottom: Production Casing OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Top: Bottom: Production Casing OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Production Casing OD: 5.5"	
Production Casing OD:	
OD: 5.5" Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Weight: 15.5# Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Grade: Top: 0 Bottom: 4774 TOC 1175 sxs	
Top: 0 Bottom: 4774 TOC 1175 sxs	
Bottom: 4774 TOC 1175 sxs	
TOC 1175 sxs	
1175 sxs	
Count Feet Detail	
N/A	
Top Perf	
4664 4664	
Bottom Perf	
	1
4725	
1994:	1
CIBP set @ 4,618' w/ 50' cmt	
on top 0'	
Pumping Unit Specs	
P.U. Make: N/A	
P.U. Size:	
P.U. SI.:	
TD SPM:	
4,774 Pump Details	
4,774 Pump Details PBTD PUMP SIZE: N/A	
PBTD PUMP SIZE: N/A	

DA & 03/01/2023



Horton Federal 32 30-041-20756 EOR Operating Company March 3, 2023 Conditions of Approval

- 1. Operator shall tag existing CIBP and cement at 4,568'. If tag is shallower contact BLM. If casing test fails, contact BLM.
- 2. Operator shall perf at 3,973' and squeeze class C cement to 3,843' as proposed. WOC and TAG.
- 3. Operator shall perf at 2,750' and squeeze class C cement to 2,520' to seal the top of the Yates formation and bottom of the Salt. WOC and TAG.
- 4. Operator shall perf at 2,310' and squeeze class C cement to 2,150' to seal the top of the Salt formation. WOC and TAG.
- 5. Operator shall perf at 495' and squeeze class c cement to surface to seal the 8-5/8' casing shoe.
- 6. Dry hole marker must be below ground.
- 7. Surface reclamation will need to be completed once the well bore has been plugged. Please contact rflores@blm.gov for additional information.
- 8. This approval will be good for 12 months ending 03/03/2024 instead of the 90 days stated in the general plugging stipulations. If operator needs an extension past 03/03/2024 they will need to submit a sundry notice requesting the extension with reasoning for needing it.
- 9. See Attached for general plugging stipulations.

JAM 03032023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 269999

COMMENTS

Operator:	OGRID:
EOR OPERATING COMPANY	257420
575 N Dairy Ashford Suite 210	Action Number:
Houston, TX 77079	269999
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	10/13/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 269999

CONDITIONS

Operator:	OGRID:
EOR OPERATING COMPANY	257420
575 N Dairy Ashford Suite 210	Action Number:
Houston, TX 77079	269999
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/12/2023