

Well Name: GB JACKSON SA	Well Location: T17S / R30E / SEC 24 / NENW /	County or Parish/State: EDDY / NM
Well Number: 5	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC055264	Unit or CA Name: GRAYBURG JACKSON - SA	Unit or CA Number: NMNM70957X
US Well Number: 3001504311	Well Status: Temporarily Abandoned	Operator: BURNETT OIL COMPANY INCORPORATED

Accepted for record –NMOCD gc10/20/2023

Notice of Intent

Sundry ID: 2752789

Type of Submission: Notice of Intent	Type of Action: Plug and Abandonment
Date Sundry Submitted: 09/22/2023	Time Sundry Submitted: 09:29
Date proposed operation will begin: 10/18/2023	

Procedure Description: MIRU. ND WH, NU BOP *7" annulus will be left open when squeezing plugs to monitor fluid RIH WL - Perf above fish @ 1535' (through 2-7/8 tbg & 7" csg). Sqz 90sx cmt to 1200'. WOC-Tag. Perf/Sqz additional cement if necessary to get TOC to 1200' RIH WL - Perf @ 683' (through 2-7/8 & 7"). Sqz 75sx cmt to 450'. WOC-Tag Cut & pull 2-7/8 tbg @ 285' Cut & pull 7" casing @ 285' RIH WL - Perf @ 275'. Circ +/- 150sx cmt to surface. RDMO. Cut off WH & anchors, clean location.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

GJ5_wbd_20231018104034.pdf

Scanner_20230922_102009_20230922092049.pdf

Well Name: GB JACKSON SA	Well Location: T17S / R30E / SEC 24 / NENW /	County or Parish/State: EDDY / NM
Well Number: 5	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC055264	Unit or CA Name: GRAYBURG JACKSON - SA	Unit or CA Number: NMNM70957X
US Well Number: 3001504311	Well Status: Temporarily Abandoned	Operator: BURNETT OIL COMPANY INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: GREG BRYANT

Signed on: OCT 18, 2023 10:42 AM

Name: BURNETT OIL COMPANY INCORPORATED

Title: P & A Supervisor

Street Address: 11114 W I-20 E

City: ODESSAState: TX

Phone: (432) 235-7024

Email address: GREG@SENDEROWELL.COM

Field

Representative Name: Tyler Deans

Street Address: 87 Square Lake Rd

City: Loco HillsState: NMZip: 88255

Phone: (575)677-2313

Email address: tdeans@burnettoil.com

BLM Point of Contact

BLM POC Name: KEITH P IMMATTY

BLM POC Title: ENGINEER

BLM POC Phone: 5759884722

BLM POC Email Address: KIMMATTY@BLM.GOV

Disposition: Approved

Disposition Date: 10/18/2023

Signature: KEITH IMMATTY

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.5. Lease Serial No. **NMLC055264**

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator **BURNETT OIL COMPANY INCORPORATED**3a. Address **801 CHERRY STREET, UNIT #9, FORT WORTH** 3b. Phone No. (include area code)
(817) 332-51084. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 24/T17S/R30E/NMP7. If Unit of CA/Agreement, Name and/or No.
GRAYBURG JACKSON - SA/NMNM70957X8. Well Name and No. **GB JACKSON SA/5**9. API Well No. **3001504311**10. Field and Pool or Exploratory Area
GRAYBURG/GRAYBURG11. Country or Parish, State
EDDY/NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

MIRU. ND WH, NU BOP

*7" annulus will be left open when squeezing plugs to monitor fluid

RIH WL - Perf above fish @ 1535' (through 2-7/8 tbg & 7" csg). Sqz 90sx cmt to 1200'. WOC-Tag. Perf/Sqz additional cement if necessary to get TOC to 1200'

RIH WL - Perf @ 683' (through 2-7/8 & 7"). Sqz 75sx cmt to 450'. WOC-Tag

Cut & pull 2-7/8 tbg @ 285'

Cut & pull 7" casing @ 285'

RIH WL - Perf @ 275'. Circ +/- 150sx cmt to surface.

RDMO. Cut off WH & anchors, clean location.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
GREG BRYANT / Ph: (432) 235-7024Title **P & A Supervisor**(Electronic Submission)
SignatureDate **10/18/2023****THE SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

KEITH P IMMATTY / Ph: (575) 988-4722 / ApprovedTitle **ENGINEER**Date **10/18/2023**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office **CARLSBAD**

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NENW / 220 FNL / 2420 FWL / TWSP: 17S / RANGE: 30E / SECTION: 24 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

BHL: NENW / 220 FNL / 2420 FWL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

WELL COMPLETION SKETCH

Date: 2/

WELL	GJSAU #5 (fka Jackson B #1)	FIELD	Grayburg Jackson	CO/ST	Eddy Co., NM
Location:	UNIT C, 220' FNL, 2420' FWL, SEC 24, T17S, R30E				
<input type="checkbox"/> PRESENT	<input type="checkbox"/> RECOMM			API #	30-
<input type="checkbox"/> COMPLETION					

PERMANENT WELL BORE DATA

DATA ON THIS CO

Spud: 10/4/1939

Elevation: 3,728' KB
GL

P/S 150sx @ 275'-3'

5-3/4" wash pipe dn to 285', 2/

8-1/4" @ 578'

Cmnt w/ 50 sx

P/S 75sx @ 683'-450' - Tag

Depth		
MD	TVD	Dev.


INSTALLED:

111 jts 2-7/8" tbg (3,412.35')
SN 1.15' (3,413.50')

P/S 90sx @ 1535'-1200' - Tag

push obstruction to 1,537', 2/15/19

Calc TOC @ 1,692'



19/2019

015-04311

COMPLETION

'14/19

10/25/07

}

Burnett Oil CO., Inc.

Date: 2/19/2019

WELL COMPLETION SKETCH

WELL	GJSAU #5 (fka Jackson B #1)	FIELD	Grayburg Jackson	CO/ST	Eddy Co., NM
Location: UNIT C, 220' FNL, 2420' FWL, SEC 24, T17S, R30E					
<input type="checkbox"/> PRESENT COMPLETION		<input type="checkbox"/> RECOMMENDED COMPLETION		API # 30-015-04311	
PERMANENT WELL BORE DATA			DATA ON THIS COMPLETION		

Spud: 10/4/1939

Elevation: KB
3,728' GL8-1/4" @ 578'
Cmnt w/ 50 sx

5-3/4" wash pipe dn to 285', 2/14/19

Depth
MD TVD Dev.

INSTALLED:

10/25/07

111 jts 2-7/8" tbg (3,412.35')
SN 1.15' (3,413.50')

push obstruction to 1,537', 2/15/19

Calc TOC @ 1,692'

7" @ 2,946'
Cmnt w/ 100 sx

Jackson

pay 3,404-08'
pay 3,435-52'

110 SX Plug set 2/8/19

TD 3,460'

Burnett Oil CO., Inc.

Date: 2/19/2019

WELL COMPLETION SKETCH

WELL	GJSAU #5 (fka Jackson B #1)	FIELD	Grayburg Jackson	COUNTY	Eddy Co., NM
Location:	UNIT C, 220' FNL, 2420' FWL, SEC 24, T17S, R30E				
<input type="checkbox"/> PRESENT COMPLETION			<input type="checkbox"/> RECOMMENDED COMPLETION	API #	30-015-04311

PERMANENT WELL BORE DATA**DATA ON THIS COMPLETION**

Spud: 10/4/1939

Elevation: KB
3,728' GL

P/S 115sx @ 170'-3'

5-3/4" wash pipe dn to 285', 2/14/19

8-1/4" @ 578'
Cmnt w/ 50 sx

P/S 50sx @ 683'-528' - Tag

INSTALLED:

10/25/07

111 jts 2-7/8" tbg (3,412.35')
SN 1.15' (3,413.50')

P/S 90sx @ 1535'-1200' - Tag

push obstruction to 1,537', 2/15/19

Calc TOC @ 1,692'

7" @ 2,946'
Cmnt w/ 100 sxpay 3,404-08'
pay 3,435-52'

110 SX Plug set 2/8/19

TD 3,460'

Jackson

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 276999

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 276999
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/20/2023