

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: DAWSON GAS COM

Well Location: T31N / R8W / SEC 31 /
NENW / 36.85987 / -107.719423

County or Parish/State: SAN
JUAN / NM

Well Number: 1S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM013685

Unit or CA Name: DAWSON GAS COM

Unit or CA Number:
NMNM86279

US Well Number: 3004532500

Well Status: Gas Well Shut In

Operator: SIMCOE LLC

Notice of Intent

Sundry ID: 2757227

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 10/19/2023

Time Sundry Submitted: 12:17

Date proposed operation will begin: 11/07/2023

Procedure Description:

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Dawson_Gas_Com_001S_WBD_TA_20231019121709.pdf

Dawson_Gas_Com_001S_WBD_20231019121658.pdf

Dawson_Gas_Com_001S_TA_Procedure_20231019121529.pdf

Well Name: DAWSON GAS COM

Well Location: T31N / R8W / SEC 31 / NENW / 36.85987 / -107.719423

County or Parish/State: SAN JUAN / NM

Well Number: 1S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM013685

Unit or CA Name: DAWSON GAS COM

Unit or CA Number: NMNM86279

US Well Number: 3004532500

Well Status: Gas Well Shut In

Operator: SIMCOE LLC

Conditions of Approval

Specialist Review

Dawson_Gas_Com_1S_ID_2757227_TA_COAs_MHK_10.20.2023_20231020080810.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTY KOST

Signed on: OCT 19, 2023 12:17 PM

Name: SIMCOE LLC

Title: Permitting Agent

Street Address: 1199 MAIN AVE STE 101

City: DURANGO

State: CO

Phone: (719) 251-7733

Email address: CHRISTY.KOST@IKAVENERGY.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736


BLM POC Email Address: MKADE@BLM.GOV

Disposition: Approved


Disposition Date: 10/20/2023

Signature: Matthew Kade

Dawson Gas Com #1S
(C) Sec 31, T31N, R8W
San Juan County
30-045-32500
Temporary Abandonment



Dawson Gas Com #1S
(C) Sec 31, T31N, R8W
San Juan County
30-045-32500



Procedure - Temporary Abandonment

Dawson Gas Com #1S
(C) Sec 31, T31N, R8W
San Juan County
30-045-32500

MIRU service unit.

Pull rodstring/pump/tubing if present in well.

RIH cast iron bridge plug and set at 3040'

Top off casing with 2% KCl w/biocide and corrosion inhibitor

Pressure test casing to 500 psi for 30 min. Pressure shall not decrease more than 50 psi over the 30 min period

Open casing valves to check for flow or pressure change.

Test shall be recorded using a chart recorder with a maximum two hour clock and 1000 pound spring, calibrated within six months prior to MIT of casing

Submit chart, C-103, and wellbore diagram showing well details and plug set depth.

Air gap and blind flange production flow lines.

After a period not to exceed 5 years after the temporary abandonment has been completed, a workover rig will remove the cast iron bridge plug and monitor pressure buildup of the well for a two week period to determine if the well will return to a production status.

If the decision is made to not produce the well, a request for plugging and abandonment will be submitted.

If the decision is made to produce the well, all necessary flow and production lines will be reinstalled for a flow ready status up to and including any removed flowmeters and well ties. Surface facilities will be placed for production purposes.



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Farmington District Office
6251 College Boulevard, Suite A
Farmington, New Mexico 87402
<http://www.blm.gov/nm>

October 20, 2023

CONDITIONS OF APPROVAL

Sundry Notice of Intent ID # 2757227 Proposed Work to Temporary Abandonment

Operator: Simcoe LLC
Lease: NMNM 013685
Agreement: NMNM 86279
Well(s): Dawson Gas Com 1S, API # 30-045-32500
Location: NENW Sec 31 T31N R8W (San Juan County, NM)

The request to temporarily abandon the above well is accepted with the following conditions of approval:

1. After work is completed, send in Sundry Notice – Subsequent Report detailing actual work completed with exact dates (month, day, year). And the updated wellbore schematic. The report must be submitted within 30 days after work is completed.
2. Also, after work is completed, send in a Sundry Notice – Notice of Intent requesting temporary abandonment status. Note approval is based on the discretion of this agency. This request must be submitted within 30 days after work is completed.

Include in the Notice of Intent the following:

- a. Proposed exact expiration date (month, day, year). Cannot be later than 12-months from date of submission. The date can also be when the current TA approval will expire.
 - b. Confirmation of other production on lease, or agreement.
 - c. Plans for the well.
3. This agency reserves the right to modify or rescind approval. A plug or produce order may still be issued at the discretion of the authorized officer.
 4. The lease is currently held by production from other wells. Should production from the lease cease, the BLM may require this well be returned to production or P&A, regardless of the amount of time the TA status is still approved for.

For questions concerning this matter, please contact Matthew Kade, Petroleum Engineer at the BLM Farmington Field Office, at (505) 564-7736 or mkade@blm.gov.

Submit a Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-32500
5. Indicate Type of Lease STATE [] FEE []
6. State Oil & Gas Lease No. NMNM013685
7. Lease Name or Unit Agreement Name Dawson Gas Com
8. Well Number 1S
9. OGRID Number 778
10. Pool name or Wildcat Basin Fruitland Coal
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6,482', GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [] Gas Well [] Other [x]
2. Name of Operator SIMCOE LLC
3. Address of Operator 1199 Main Ave, Suite 101, Durango, CO 81301
4. Well Location Unit Letter C : 675 feet from the North line and 1170 feet from the West line
Section 31 Township 31N Range 8W NMPM San Juan County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [x] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A []
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRU service unit. Pull rodstring/pump/tubing if present in well. RIH cast iron bridge plug and set at 3040'. Top off casing with 2% KCl w/biocide and corrosion inhibitor. Pressure test casing to 500 psi for 30 min. Pressure shall not decrease more than 50 psi over the 30 min period. Open casing valves to check for flow or pressure change. Test shall be recorded using a chart recorder with a maximum two hour clock and 1000 pound spring, calibrated within six months prior to MIT of casing. Submit chart, C-103, and wellbore diagram showing well details and plug set depth. Air gap and blind flange production flow lines. After a period not to exceed 5 years after the temporary abandonment has been completed, a workover rig will remove the cast iron bridge plug and monitor pressure buildup of the well for a two week period to determine if the well will return to a production status. If the decision is made to not produce the well, a request for plugging and abandonment will be submitted. If the decision is made to produce the well, all necessary flow and production lines will be reinstalled for a flow ready status up to and including any removed flowmeters and well ties. Surface facilities will be placed for production purposes.

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Christy Kost TITLE Christy Kost DATE 10/26/23

Type or print name Christy Kost E-mail address: christy.kost@ikavenergy.com PHONE: 970-822-8931

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

Procedure - Temporary Abandonment

Dawson Gas Com #1S
(C) Sec 31, T31N, R8W
San Juan County
30-045-32500

MIRU service unit.

Pull rodstring/pump/tubing if present in well.

RIH cast iron bridge plug and set at 3040'

Top off casing with 2% KCl w/biocide and corrosion inhibitor

Pressure test casing to 500 psi for 30 min. Pressure shall not decrease more than 50 psi over the 30 min period

Open casing valves to check for flow or pressure change.

Test shall be recorded using a chart recorder with a maximum two hour clock and 1000 pound spring, calibrated within six months prior to MIT of casing

Submit chart, C-103, and wellbore diagram showing well details and plug set depth.


Air gap and blind flange production flow lines.

After a period not to exceed 5 years after the temporary abandonment has been completed, a workover rig will remove the cast iron bridge plug and monitor pressure buildup of the well for a two week period to determine if the well will return to a production status.


If the decision is made to not produce the well, a request for plugging and abandonment will be submitted.

If the decision is made to produce the well, all necessary flow and production lines will be reinstalled for a flow ready status up to and including any removed flowmeters and well ties. Surface facilities will be placed for production purposes.

Dawson Gas Com #1S
(C) Sec 31, T31N, R8W
San Juan County
30-045-32500



Dawson Gas Com #1S
(C) Sec 31, T31N, R8W
San Juan County
30-045-32500
Temporary Abandonment



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 279639

CONDITIONS

Operator: SIMCOE LLC 1199 Main Ave., Suite 101 Durango, CO 81301	OGRID: 329736
	Action Number: 279639
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Pressure cannot drop below 500 psi during testing on a TA well. Notify NMOCD 24 hours prior to testing. Bradenhead test required prior to MIT day of MIT.	10/26/2023