District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method
BGT1 Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,
or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
I. Operator:
Address: <u>382 Road 3100</u> Aztec, NM 87410
Facility or well name: Lefkovitz Gas Com B 1
API Number: _30-045-07897 OCD Permit Number:
U/L or Qtr/QtrA Section 25 Township 29N Range 10W County: San Juan
Center of Proposed Design: Latitude 36.700384 Longitude -107.828979 NAD83
Surface Owner: 🗌 Federal 🗌 State 🖾 Private 🗌 Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other Unspecified
 <u>Alternative Method:</u> Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

□ Screen □ Netting □ Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

7.

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

□ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
<u>Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.</u> - ☐ NM Office of the State Engineer - iWATERS database search; ☐ USGS; ☐ Data obtained from nearby wells	□ Yes □ No ⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ⊠ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	□ Yes □ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	□ Yes □ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	🗌 Yes 🗌 No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	□ Yes □ No

Kecewea by OCD: 10/25/2025 3:4/:52 PM	Page 3 of 2
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
<u>Temporary Pit Non-low chloride drilling fluid</u>	
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Permanent Pit or Multi-Well Fluid Management Pit	
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	cuments are 9 NMAC 15.17.9 NMAC
11.	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC 	.15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

.

12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the orattached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Muisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are
^{13.} <u>Proposed Closure</u> : 19.15.17.13 NMAC <i>Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.</i>	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl	uid Management Pit
Alternative Proposed Closure Method: Waste Excavation and Removal	
 Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) 	
In-place Burial On-site Trench Burial Alternative Closure Method	
 ^{14.} Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P	
19.15.17.10 NMAC for guidance.	r
 Ground water is less than 25 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
Form C-144 Oil Conservation Division Page 4 o	f6

	Received by	• OCD :	10/23/2023	3:47:32 PM
--	-------------	----------------	------------	------------

Received by OCD: 10/23/2023 3:47:32 PM		Page 5 of 2
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written app	proval obtained from the municipality	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Min	ning and Mineral Division	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geo 	logy & Mineral Resources; USGS; NM Geolog	gical
Society; Topographic map		Yes No
Within a 100-year floodplain. - FEMA map		🗌 Yes 🗌 No
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate Proof of Surface Owner Notice - based upon the appropriate requirement Construction/Design Plan of Burial Trench (if applicable) based upon th Construction/Design Plan of Temporary Pit (for in-place burial of a dryin Protocols and Procedures - based upon the appropriate requirements of 19 Confirmation Sampling Plan (if applicable) - based upon the appropriate Waste Material Sampling Plan - based upon the appropriate requirements Disposal Facility Name and Permit Number (for liquids, drilling fluids ar Soil Cover Design - based upon the appropriate requirements of Subsecti Re-vegetation Plan - based upon the appropriate requirements of Subsect 	requirements of 19.15.17.10 NMAC s of Subsection E of 19.15.17.13 NMAC e appropriate requirements of Subsection K of ng pad) - based upon the appropriate requirement 9.15.17.13 NMAC requirements of 19.15.17.13 NMAC s of 19.15.17.13 NMAC nd drill cuttings or in case on-site closure standa on H of 19.15.17.13 NMAC ion H of 19.15.17.13 NMAC	19.15.17.11 NMAC nts of 19.15.17.11 NMAC
 17. <u>Operator Application Certification</u>: I hereby certify that the information submitted with this application is true, accurately accurately applied to the information of the submitted with the application of the submitted with the submit	urate and complete to the best of my knowledg	e and belief.
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	
18. OCD Approval: Permit Application (including closure plan) X Closure	Mah/(ddiy)/ OCD Conditions (see attachr	nent)
OCD Representative Signature: <u>Victoria Venegas</u>	Approval Date:	10/31/2023
Title: Environmental Specialist	OCD Permit Number: <u>BGT1</u>	
^{19.} <u>Closure Report (required within 60 days of closure completion)</u> : 19.15.17.1 Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the	r to implementing any closure activities and su f the completion of the closure activities. Plea	
20. Closure Method: ⊠ Waste Excavation and Removal □ On-Site Closure Method □ Alter □ If different from approved plan, please explain.	mative Closure Method 🗌 Waste Removal (Closed-loop systems only)
21. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	-	Please indicate, by a check

.

22. Operator Closure	Certification:	
	t the information and attachments submitted with this closure report is y that the closure complies with all applicable closure requirements ar	
Name (Print):	Cherylene Weston	Title: Operations/Regulatory Tech-Sr.
Signature:	Cherylene Weston	Date: 10/23/2023
e-mail address:	cweston@hilcorp.com	Telephone: 713-289-2615

•

Hilcorp Energy Company San Juan Basin: New Mexico Assets Below Grade Tank Closure Report

Lease Name: Lefkovitz Gas Com B 1 API No.: 30-045-07897

In accordance with Rule 19.15.17.13 NMAC, the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan Requirements:

1. Prior to initiating any BGT closure, except in the case of an emergency, HILCORP will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or one week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner will be notified as soon as practical.

The surface owner was notified by e-mail of the closure process and the notification is attached.

- 2. Notice of closure will be given to the District Division office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name
 - b. Well Name and API Number
 - c. Location

Notification is attached.

3. All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed of at one of HILCORP's approved Salt Water Disposal facilities or at a District Division approved facility.

All recovered liquids were disposed of at an approved SWD facility or an approved District Division facility within 60 days of cessation of operation.

 Solids and sludge's will be shoveled and/or vacuumed out for disposal at one of the District Division approved facilities, depending on the proximity of the BGT site: Envirotech Land Farm (Permit #NM-01-011), JFJ Land Farm % Industrial Ecosystems Inc. (Permit #NM-01-0010B), and Basin Disposal (Permit #NM-01-005).

Any sludge or soil required to be removed to facilitate closure was transported to Envirotech Land Farm (Permit # NM-01-011) and/or JFJ Landfarm % IEI (Permit# NM-01-0010B).

Revised 10/14/2015

5. HILCORP will obtain prior approval from District Division to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the District Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liner materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC. Disposal will be at a licensed disposal facility, presently San Juan County Landfill operated by Waste Management under NMED Permit SWM-052426.

The below-grade tank was disposed of in a division-approved manner. The liner was cleaned per 19.15.35.8.C(1)(m) NMAC and disposed of at the San Juan County Regional Landfill located on CR 3100.

6. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure, will be removed.

All on-site equipment associated with the below-grade tank was removed.

- 7. Following removal of the tank and any liner material, HILCORP will test the soils beneath the BGT as follows:
 - a. At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.
 - b. The laboratory sample shall be analyzed for the constituents listed in Table I of 19.15.17.13.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Table I of 19.15.17.13 and the results are attached.

8. If the District Division and/or HILCORP determine there is a release, HILCORP will comply with 19.15.17.13.C.3b.

A release was not determined for the above referenced well.

9. Upon completion of the tank removal, pursuant to 19.15.17.13.C.3c, if all contaminant concentrations are less than or equal to the parameters listed in Table I of 19.15.17.13 NMAC, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and to prevent ponding.

The tank removal area passed all requirements of Table I of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material which included at least one foot of suitable material to establish vegetation at the site.

Revised 10/14/2015

10. For those portions of the former BGT area no longer required for production activities, HILCORP will seed the disturbed area the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other District Division-approved methods. HILCORP will notify the District Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- Vegetative cover reflects a life form ratio of +/- 50% of pre disturbance levels.
- Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds) OR
- Pursuant to 19.15.17.13.H.5d HILCORP will comply with obligations imposed by other applicable federal or tribal agencies in which there re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment.

Provision 10 will be accomplished pursuant to 19.15.17.H.5d and notification will be submitted upon completion.

11. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The former BGT area is required for production activities and reseeding will be completed upon plug and abandonment, per the procedure noted above.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using District Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner and District Division) (Attached)
- Backfilling & cover installation (See Report)
- Confirmation Sampling Analytical Results (Attached)
- Application Rate & Seeding techniques (See Report)
- Photo Documentation of Reclamation (Attached)

Revised 10/14/2015

Cheryl Weston

From:	Cheryl Weston
Sent:	Friday, June 23, 2023 12:04 PM
То:	jaclyn.burdine1@state.nm.us
Cc:	Mike Murphy; William Shuss; Brandon Sinclair; Clara Cardoza; Keri Hutchins; Ramon
	Hancock; Lisa Jones; Mandi Walker
Subject:	72 Hour BGT Closure Notice- LEFKOVITZ GAS COM B 1 (API# 30-045-07897)
Attachments:	Lefkovitz Gas Com B 1C144 BGT Closure PLAN ONLY OCD Approved.pdf

Subject: 72 Hour BGT Closure Notification

Anticipated Start Date: Wednesday, 6/28/2023 at 9:00 AM

The subject well has a below-grade tank that will be permanently removed. The BGT permit is attached. Please contact me if you have any questions or concerns.

Well Name:	Lefkovitz Gas Com B 1		
API#:	30-045-07897		
Location:	Unit A (NENE), Section	25, T29N, R10W	
Footages:	1150' FNL & 790' FEL		
Operator:	Hilcorp Energy	Surface Owner: Fee	

Reason:

Please Note Required Photos for Closure

- Well site placard
- Photos of the BGT prior to closure
- The sample location or, more preferred, photos of actual sample collection
- Final state of the area after closure.
- Photos will require captioning including direction of photo, date and time of photo and a description of the image contents.

Thanks,



Cheryl L. Weston San Juan South (8-10)/East Regulatory 1111 Travis Street Houston, TX 77002 Ofc: 713-289-2615 <u>cweston@hilcorp.com</u>

Received by	OCD: 10/23/2023 3:47:32 PM		esteroperate d'associatement a stand attachment Referencestication of a standard reference	БЧЧ	ЧJ	CERTIFIED MAIL [®] RECEPtinge 11 of 26 Domestic Mail Only
				m	ЗЪ	For delivery information, visit our website at www.usps.com®.
	Hilcorp			1570	1570	Certified Mail Fee \$ Extra Services & Fees (check box, add fee as appropriate)
		TOP OF ENVEL		E000	E000	Return Receipt (hardcopy) S Return Receipt (electronic) S Certified Mail Restricted Delivery Adult Signature Required S Adult Signature Restricted Delivery
	June 23, 2023			2410	2470	Postage S Total Postage and Fees Com B1
	Transmitted Via	PLA		070	П П	Mines & put mn Mc Mukey
	Certified Mail 7022 2410 0003 1570 364			70	2	Standad No., or poex No.
	1022 2410 0003 1370 304					PS Form 3800, Ap.: / 2015 PSN 7530-02-000-9047 See Reverse for Instruct
						See neverse for instruct

To: James D II & Autumn C McMurry 1327 Woodland Dr Bloomfield, NM 87413

LEFKOVITZ GAS COM B 1 Re: API: 30-045-07897 Unit A (NE/NE) Section 25, T29N, R10W San Juan County, New Mexico

Dear Landowner:

Pursuant to New Mexico Administrative Code § 19.15.17.13 (E) (1) operator shall provide the surface owner of the operator's proposal to close a below- grade tank.

In compliance with this requirement, please consider this letter as notification that Hilcorp San Juan, L.P. intends to close a below-grade tank on the subject well pad. The closure process will begin between 72 hours and one week from this notification.

this not SENDER: COMPLETE THIS SECTION COMPLETE THIS SECTION ON DELIVERY Sincere Complete items 1, 2, and 3. A. Signature Print your name and address on the reverse Agent X so that we can return the card to you. Addressee Attach this card to the back of the mailpiece, B. Received by (Printed Name) C. Date of Delivery or on the front if space permits. Article Addressed to: D. Is delivery address different from item 1? South I I Yes DII\$ HUTUMN C If YES, enter delivery address below: T No 3. Service Type Priority Mail Express® Adult Signature Registered Mail Adult Signature Restricted Delivery Registered Mail Restricted Delivery Certified Mail® 9590 9402 7573 2098 4557 84 Certified Mail Restricted Delivery □ Signature Confirmation™ Collect on Delivery Signature Confirmation Restricted Delivery 2. Article Number (Transfer from service label) Collect on Delivery Restricted Delivery lail 7022 2410 0003 1570 3649 lail Restricted Deliver COM B PS Form 3811, July 2020 PSN 7530-02-000-9053 Domestic Return Receipt

If you have any questions regarding this work, please call within five (5) days of receiving

36.70051°N 107.82906°W

Received by OCR 20/23/20/23 8:47:32 PM

183 deg(T)

Placard

ACCURACY 4 m DATUM WGS84

Hilcorp Energy Company EMERGENCY NUMBER: 505-324-5170 CA# NMNM73895 / 1150' FNL 790' FEL LAT.36.70084 LONG.107.82883

LEFKOVITZ GAS COM B #01 1150' FNL 790' FEL NE/NE SEC 25A T29N R10W LATITUDE 36° .70047554 LONGITUDE 107° .8293149 API # 30-045-07897 SAN JUAN COUNTY, NEW MEXICO

Lefkovitz GC B 1

2023-06-28 09:09:35-06:00

DIRECTION 100 deg(T)

Tank Information

36.70045°N 107.82891°W

ACCURACY 4 as file of 26 DATUM WGS84

MILXL-

LIDE RANK GU. MANUFACTURER SERIAL NUMBER YEAR BUILT. NOMINAL DIAMETER NOMINAL HEIGHT 12F NOMINAL CAPACITY 95 BOTTOM THICKNESS TYPE 3/15" SHELL TAICKNESS. DECK PEGOMAESS **IN ARTSSURE**

Lefkovitz GC B 1

2023-06-28 09:12:29-06:00

Before Removal Lefkovitz GC B 1

DIRECTION

155 deg(T)

C

36.70042°N

107.82895°W

2023-06-28 09:20:58-06:00

ACCURACY 4 age 14 of 26

DATUM WGS84



36.70037°N 107.82897°W

ACCURACY 5 m DATUM WGS84

After Removal with Composite Sample Points

Lefkovitz GC B 1

2023-06-28 09:39:01-06:00 District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Page 16 of 26

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Hilcorp Energy Company	OGRID 372171
Contact Name Cherylene Weston	Contact Telephone 713-289-2615
Contact email cweston@hilcorp.com	Incident # (assigned by OCD)
Contact mailing address 382 Road 3100 Aztec NM 87410	

Location of Release Source

36.700384

Longitude -107.828979 (NAD 83 in decimal degrees to 5 decimal places)

Site Name Lefkovitz Gas Com B 1	Site Type Gas Well
Date Release Discovered N/A	API# (if applicable) 30-045-07897

Unit Letter	Section	Township	Range	County
А	25	29N	10W	San Juan

Surface Owner: State Federal Tribal Private (Name: James D II & Autumn C McMurry)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

No release was encountered during the BGT Closure.

ate of New Mexico Conservation Division	Incident ID District RP	
Conservation Division		
	Facility ID	
	Application ID	
what reason(s) does the responsible par		
-	the OCD? By whom? To whom? Wh	the OCD? By whom? To whom? When and by what means (phone, email, et

Not Required

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:	Cherylene Weston	Title:	Operations/Regulatory Technician – Sr.
Signature:	Cherylene Weston	Date:	10/23/2023
email:	cweston@hilcorp.com	Telephone:	(713) 289-2615
OCD Only			
Received by:		Date:	



July 05, 2023

Kate Kaufman HILCORP ENERGY PO Box 4700 Farmington, NM 87499 TEL: (505) 564-0733 FAX:

RE: Leftkovitz GC B1

OrderNo.: 2306E90

Hall Environmental Analysis Laboratory

TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

4901 Hawkins NE

Albuquerque, NM 87109

Dear Kate Kaufman:

Hall Environmental Analysis Laboratory received 1 sample(s) on 6/29/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report

Hall Environmental Analysis Laboratory, Inc.

Lab Order 2306E90

Date Reported: 7/5/2023

CLIENT: HILCORP ENERGY	Client Sample ID: Bottom Comp
Project: Leftkovitz GC B1	Collection Date: 6/28/2023 9:40:00 AM
Lab ID: 2306E90-001	Matrix: MEOH (SOIL) Received Date: 6/29/2023 7:00:00 AM

Analyses	Result	RL (Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	t: JMT
Chloride	ND	60	mg/Kg	20	6/29/2023 11:39:19 AM	75916
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS				Analys	t: DGH
Diesel Range Organics (DRO)	ND	9.1	mg/Kg	1	6/29/2023 11:01:57 AM	75906
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	6/29/2023 11:01:57 AM	75906
Surr: DNOP	87.8	69-147	%Rec	1	6/29/2023 11:01:57 AM	75906
EPA METHOD 8015D: GASOLINE RANGE					Analys	t: KMN
Gasoline Range Organics (GRO)	ND	3.4	mg/Kg	1	6/29/2023 10:53:00 AM	R97804
Surr: BFB	90.6	15-244	%Rec	1	6/29/2023 10:53:00 AM	R97804
EPA METHOD 8021B: VOLATILES					Analys	t: KMN
Benzene	ND	0.017	mg/Kg	1	6/29/2023 10:53:00 AM	R97804
Toluene	ND	0.034	mg/Kg	1	6/29/2023 10:53:00 AM	R97804
Ethylbenzene	ND	0.034	mg/Kg	1	6/29/2023 10:53:00 AM	R97804
Xylenes, Total	ND	0.068	mg/Kg	1	6/29/2023 10:53:00 AM	R97804
Surr: 4-Bromofluorobenzene	92.4	39.1-146	%Rec	1	6/29/2023 10:53:00 AM	R97804

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level. D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- В Analyte detected in the associated Method Blank
- Е Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range RL Reporting Limit

Page 1 of 5

Client: Project:		CORP ENERGY kovitz GC B1					
Sample ID:	MB-75916	SampType: mblk	Tes	stCode: EPA Method			
Client ID:	PBS	Batch ID: 75916	F	RunNo: 97843			
Prep Date:	6/29/2023	Analysis Date: 6/29/20	123	SeqNo: 3558775	Units: mg/Kg		
Analyte		Result PQL SPI	K value SPK Ref Val	%REC LowLimit	HighLimit %RP[D RPDLimit	Qual
Chloride		ND 1.5					
Sample ID:	LCS-75916	SampType: Ics	Tes	stCode: EPA Method	300.0: Anions		
Client ID:	LCSS	Batch ID: 75916	I	RunNo: 97843			
Prep Date:	6/29/2023	Analysis Date: 6/29/20	123	SeqNo: 3558776	Units: mg/Kg		
Analyte		Result PQL SPI	K value SPK Ref Val	%REC LowLimit	HighLimit %RP[D RPDLimit	Qual
Chloride		14 1.5	15.00 0	92.9 90	110		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

2306E90

05-Jul-23

WO#:

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client:	HILCORI	PENERG	Y									
Project:	Leftkovitz	c GC B1										
Sample ID:	MB-75906	SampT	уре: МЕ	BLK	Tes	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID:	PBS	Batch ID: 75906			F	RunNo: 97	7809					
Prep Date:	6/29/2023	Analysis D	Date: 6/2	29/2023	S	SeqNo: 35	557764	Units: mg/K	g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range (Organics (DRO)	ND	10									
Motor Oil Rang	e Organics (MRO)	ND	50									
Surr: DNOP		8.7		10.00		87.1	69	147				
Sample ID:	LCS-75906	SampT	ype: LC	s	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics		
Client ID:	LCSS	Batch	n ID: 75 9	906	F	RunNo: 97809						
Prep Date:	6/29/2023	Analysis D	Date: 6/2	29/2023	S	SeqNo: 35	557765	Units: mg/K	g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range (Organics (DRO)	37	10	50.00	0	73.2	61.9	130				
Surr: DNOP		4.2		5.000		84.8	69	147				
Sample ID:	2306E90-001AMS	SampT	уре: МS	;	TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID:	Bottom Comp	Batch	n ID: 759	906	RunNo: 97809							
Prep Date:	6/29/2023	Analysis D	Date: 6/2	29/2023	S	SeqNo: 35	558377	Units: mg/K	g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range (Organics (DRO)	36	9.9	49.55	0	73.1	54.2	135				
Surr: DNOP		4.3		4.955		87.3	69	147				
Sample ID:	2306E90-001AMSD	SampT	уре: МS	D	Tes	tCode: EF	PA Method	8015M/D: Die	sel Range	Organics		
Client ID:	Bottom Comp	Batch	n ID: 759	906	F	RunNo: 97	7809					
Prep Date:	6/29/2023	Analysis D	Date: 6/2	29/2023	S	SeqNo: 35	558378	Units: mg/K	g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
•	Organics (DRO)	33	9.1	45.29	0	73.5	54.2	135	8.38	29.2		
Surr: DNOP		4.0		4.529		88.0	69	147	0	0		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

WO#: 2306E90 05-Jul-23

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Project:	HILCORF Leftkovitz	PENERGY GC B1									
Sample ID:	2.5ug gro Ics	SampTy	pe: LC	S	Tes	tCode: El	PA Method	8015D: Gaso	line Range		
Client ID:	LCSS	Batch I	ID: R9	7804	F	RunNo: 9	7804				
Prep Date:		Analysis Da	te: 6/2	29/2023	S	SeqNo: 3	557701	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	24	5.0	25.00	0	94.6	70	130			
Surr: BFB		2100		1000		207	15	244			
Sample ID:	mb	SampTy	pe: ME	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Range		
Client ID:	PBS	Batch I	ID: R9	7804	F	RunNo: 9	7804				
Prep Date:		Analysis Da	te: 6/2	29/2023	S	SeqNo: 3	557702	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	ND	5.0								
Surr: BFB		980		1000		97.6	15	244			
Sample ID:	2306E90-001ams	SampTy	pe: MS	;	TestCode: EPA Method 8015D: Gasoline Range						
Client ID:	Bottom Comp	Batch I	ID: R9 '	7804	RunNo: 97804						
Prep Date:		Analysis Da	te: 6/2	29/2023	S	SeqNo: 3558100 Units			Units: mg/Kg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	16	3.4	16.95	0	94.2	70	130			
Surr: BFB		1400		678.0		208	15	244			
Sample ID:	2306E90-001amsd	SampTy	pe: MS	D	Tes	tCode: El	PA Method	8015D: Gaso	line Range		
Client ID:	Bottom Comp	Batch I	ID: R9	7804	F	RunNo: 9	7804				
Prep Date:		Analysis Da	te: 6/2	29/2023	S	SeqNo: 3	558101	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	16	3.4	16.95	0	92.1	70	130	2.19	20	
Surr: BFB		1400		678.0		205	15	244	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

2306E90

05-Jul-23

WO#:

Client:

Project:

Client ID:

Prep Date:

Analyte

Benzene

Toluene

Ethylbenzene

Sample ID: 100ng btex lcs

LCSS

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Result

0.88

0.91

0.91

SampType: LCS

Batch ID: R97804

PQL

0.025

0.050

0.050

SPK value

1.000

1.000

1.000

SPK Ref Val

0

0

0

Analysis Date: 6/29/2023

HILCORP ENERGY

Leftkovitz GC B1

0.91	0.000	1.000	0	01.0	10	150			
2.7	0.10	3.000	0	90.7	70	130			
0.99		1.000		99.1	39.1	146			
Samp	Туре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Volat	iles		
			F	RunNo: 9 7	7804				
Analysis [Date: 6/2	29/2023	Ş	SeqNo: 3	557705	Units: mg/K	(g		
Result	POI	SPK value	SPK Ref Val	%RFC	I owl imit	_	-	RPDI imit	Qual
				, or (EO	LOWEIN	r ngn Einne			Qua
ND									
0.96		1.000		95.8	39.1	146			
s Samp	Type: MS	5	Tes	tCode: El	PA Method	8021B: Volat	iles		
Batc	h ID: R9	7804	F	RunNo: 9 7	7804				
Analysis I	Date: 6/2	29/2023	Ş	SeqNo: 3	558104	Units: mg/K	(g		
Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
0.59	0.017	0.6780	0	87.0	70	130			
0.61	0.034	0.6780	0	89.7	70	130			
0.61	0.034	0.6780	0	90.7	70	130			
1.8	0.068	2.034	0	90.3	70	130			
0.66		0.6780		97.3	39.1	146			
d Samp	Type: MS	D	TestCode: EPA Method 8021B: Volatiles						
			r	RunNo: 97	7804				
Batc	h ID: R9	7804	г						
Batc Analysis I				SeqNo: 3	558105	Units: mg/K	íg		
		29/2023			558105 LowLimit	Units: mg/K HighLimit	(g %RPD	RPDLimit	Qual
Analysis I	Date: 6/ 2	29/2023	S	SeqNo: 3		C C	-	RPDLimit 20	Qual
Analysis I Result	Date: 6/ 2 PQL	29/2023 SPK value	SPK Ref Val	eqNo: 3: %REC	LowLimit	HighLimit	%RPD		Qual
Analysis I Result 0.56	Date: 6/ 2 PQL 0.017	29/2023 SPK value 0.6780	SPK Ref Val	SeqNo: 3 %REC 82.4	LowLimit 70	HighLimit 130	%RPD 5.45	20	Qual
Analysis I Result 0.56 0.58	Date: 6/ 2 PQL 0.017 0.034	29/2023 SPK value 0.6780 0.6780	SPK Ref Val 0 0	SeqNo: 38 %REC 82.4 84.8	LowLimit 70 70	HighLimit 130 130	%RPD 5.45 5.58	20 20	Qual
Analysis I Result 0.56 0.58 0.58	Date: 6/2 PQL 0.017 0.034 0.034	29/2023 SPK value 0.6780 0.6780 0.6780	SPK Ref Val 0 0 0	SeqNo: 39 %REC 82.4 84.8 86.0	LowLimit 70 70 70	HighLimit 130 130 130	%RPD 5.45 5.58 5.26	20 20 20	Qual
Analysis I Result 0.56 0.58 0.58 1.8	Date: 6/2 PQL 0.017 0.034 0.034	29/2023 SPK value 0.6780 0.6780 0.6780 2.034	SPK Ref Val 0 0 0	SeqNo: 3 %REC 82.4 84.8 86.0 86.3	LowLimit 70 70 70 70	HighLimit 130 130 130 130	%RPD 5.45 5.58 5.26 4.52	20 20 20 20	Qual
Analysis I Result 0.56 0.58 0.58 1.8	Date: 6/2 PQL 0.017 0.034 0.034	29/2023 SPK value 0.6780 0.6780 0.6780 2.034	SPK Ref Val 0 0 0	SeqNo: 3 %REC 82.4 84.8 86.0 86.3	LowLimit 70 70 70 70	HighLimit 130 130 130 130	%RPD 5.45 5.58 5.26 4.52	20 20 20 20	Qual
Analysis I Result 0.56 0.58 0.58 1.8	Date: 6/2 PQL 0.017 0.034 0.034	29/2023 SPK value 0.6780 0.6780 0.6780 2.034	SPK Ref Val 0 0 0 0 0	SeqNo: 38 %REC 82.4 84.8 86.0 86.3 95.9	LowLimit 70 70 70 39.1 ssociated Method	HighLimit 130 130 130 130 130 146	%RPD 5.45 5.58 5.26 4.52	20 20 20 20	Qual
Analysis I Result 0.56 0.58 0.58 1.8 0.65	Date: 6/2 PQL 0.017 0.034 0.034	29/2023 SPK value 0.6780 0.6780 0.6780 2.034	SPK Ref Val 0 0 0 0 0 0 0	SeqNo: 38 %REC 82.4 84.8 86.0 86.3 95.9 tected in the a initiation Rang	LowLimit 70 70 70 70 39.1	HighLimit 130 130 130 130 130 146	%RPD 5.45 5.58 5.26 4.52	20 20 20 20	Qual
Analysis I <u>Result</u> 0.56 0.58 0.58 1.8 0.65 nant Level.	Date: 6/2 PQL 0.017 0.034 0.034	29/2023 SPK value 0.6780 0.6780 0.6780 2.034	B Analyte de E Above Qui J Analyte de	SeqNo: 38 %REC 82.4 84.8 86.0 86.3 95.9 tected in the a mitiation Range tected below of Not In Range	LowLimit 70 70 70 39.1 ssociated Method ge/Estimated Valu quantitation limits	HighLimit 130 130 130 130 130 146	%RPD 5.45 5.58 5.26 4.52	20 20 20 20	
	2.7 0.99 Samp Batc Analysis I Result ND ND ND ND 0.96 Samp Batc Analysis I Result 0.59 0.61 0.61 1.8 0.66	2.7 0.10 0.99	2.7 0.10 3.000 0.99 1.000 SampType: MBLK Batch ID: R97804 Analysis Dite SPK value Analysis PQL SPK value ND 0.025 ND ND 0.050 1.000 ND 0.050 1.000 ND 0.050 1.000 SampType: MS 1.000 MS D.017 0.6780 0.61 0.034 0.6780 0.61 0.034 0.6780 0.	2.7 0.10 3.000 0 0.99 1.000 1.000 SampType: $HBLK$ Tes Batch ID: $R97804$ F Analysis Date: $6/29/2023$ S Result PQL SPK value SPK Ref Value ND 0.025 S S ND 0.050 Intervert S ND 0.050 Intervert Intervert SampType: MS 1.000 Intervert SampType: R Intervert Intervert Analysis Date: $6/29/2023$ S Result PQL SPK value SPK Ref Value 0.59 0.017 0.6780 0 0.61 0.034 0.6780 <td>2.7 0.10 3.000 0 90.7 0.99 1.000 99.1 SampType: MBLK TestCode: Eff Batch ID: R97804 RunNo: 97 Analysis Date: $6/29/2023$ SeqNo: 38 Result PQL SPK value SPK Ref Val %REC ND 0.025 SeqNo: 38 ND 0.050 SeqNo: 38 ND 0.050 SeqNo: 38 ND 0.050 SeqNo: 38 SampType: MS TestCode: Eff Batch ID: R97804 SeqNo: 38 Result PQL SPK value SPK Ref Val %REC Analysis Date: $6/29/2023$ SeqNo: 38 Result PQL SPK value SPK Ref Val %REC 0.61 0.034 0.6780 0 87.0 0.61 0.034 0.6780 0 87.0 0.61 0.034 0.6780 90.3 90.3<!--</td--><td>2.7 0.10 3.000 0 90.7 70 0.99 1.000 99.1 39.1 SampTye: NBLK TestCode: EV Method Batch ID: R97804 RunNo: 97804 Analysis Ditter SP(2023) SeqNo: 357705 Result PQL SPK value SPK Ref Val %REC LowLimit ND 0.025 VE VE VE LowLimit ND 0.050 VE VE VE VE SampTye: NE VE VE VE VE Analysis Date: 6/2 VE VE<td>2.7 0.10 3.000 0 90.7 70 130 0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volat Batch ID: R97804 RunNo: 97804 Analysis Date: 6/29/2023 SeqNo: 3557705 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit ND 0.025 ND 0.050 ND 0.050 ND 0.050 ND 0.050 ND 0.050 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 0.59 0.017 0.6780 0 87.0 70 130 0.61 0.034 0.6780 0 97.3 39.1<td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Batch ID: R97804 RunNo: 97804 Volatiles Volatiles Analysis Date: $6/29/2023$ SeqNo: 3557705 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit ND 0.025 Volation Volation Volation ND ND 0.050 Volation Volation Volation ND ND 0.050 Volation Volation<!--</td--></td></td></td></td>	2.7 0.10 3.000 0 90.7 0.99 1.000 99.1 SampType: MBLK TestCode: Eff Batch ID: R97804 RunNo: 97 Analysis Date: $6/29/2023$ SeqNo: 38 Result PQL SPK value SPK Ref Val %REC ND 0.025 SeqNo: 38 ND 0.050 SeqNo: 38 ND 0.050 SeqNo: 38 ND 0.050 SeqNo: 38 SampType: MS TestCode: Eff Batch ID: R97804 SeqNo: 38 Result PQL SPK value SPK Ref Val %REC Analysis Date: $6/29/2023$ SeqNo: 38 Result PQL SPK value SPK Ref Val %REC 0.61 0.034 0.6780 0 87.0 0.61 0.034 0.6780 0 87.0 0.61 0.034 0.6780 90.3 90.3 </td <td>2.7 0.10 3.000 0 90.7 70 0.99 1.000 99.1 39.1 SampTye: NBLK TestCode: EV Method Batch ID: R97804 RunNo: 97804 Analysis Ditter SP(2023) SeqNo: 357705 Result PQL SPK value SPK Ref Val %REC LowLimit ND 0.025 VE VE VE LowLimit ND 0.050 VE VE VE VE SampTye: NE VE VE VE VE Analysis Date: 6/2 VE VE<td>2.7 0.10 3.000 0 90.7 70 130 0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volat Batch ID: R97804 RunNo: 97804 Analysis Date: 6/29/2023 SeqNo: 3557705 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit ND 0.025 ND 0.050 ND 0.050 ND 0.050 ND 0.050 ND 0.050 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 0.59 0.017 0.6780 0 87.0 70 130 0.61 0.034 0.6780 0 97.3 39.1<td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Batch ID: R97804 RunNo: 97804 Volatiles Volatiles Analysis Date: $6/29/2023$ SeqNo: 3557705 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit ND 0.025 Volation Volation Volation ND ND 0.050 Volation Volation Volation ND ND 0.050 Volation Volation<!--</td--></td></td></td>	2.7 0.10 3.000 0 90.7 70 0.99 1.000 99.1 39.1 SampTye: NBLK TestCode: EV Method Batch ID: R97804 RunNo: 97804 Analysis Ditter SP(2023) SeqNo: 357705 Result PQL SPK value SPK Ref Val %REC LowLimit ND 0.025 VE VE VE LowLimit ND 0.050 VE VE VE VE SampTye: NE VE VE VE VE Analysis Date: 6/2 VE VE <td>2.7 0.10 3.000 0 90.7 70 130 0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volat Batch ID: R97804 RunNo: 97804 Analysis Date: 6/29/2023 SeqNo: 3557705 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit ND 0.025 ND 0.050 ND 0.050 ND 0.050 ND 0.050 ND 0.050 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 0.59 0.017 0.6780 0 87.0 70 130 0.61 0.034 0.6780 0 97.3 39.1<td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td><td>0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Batch ID: R97804 RunNo: 97804 Volatiles Volatiles Analysis Date: $6/29/2023$ SeqNo: 3557705 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit ND 0.025 Volation Volation Volation ND ND 0.050 Volation Volation Volation ND ND 0.050 Volation Volation<!--</td--></td></td>	2.7 0.10 3.000 0 90.7 70 130 0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volat Batch ID: R97804 RunNo: 97804 Analysis Date: 6/29/2023 SeqNo: 3557705 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit ND 0.025 ND 0.050 ND 0.050 ND 0.050 ND 0.050 ND 0.050 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Analysis Date: 6/29/2023 SeqNo: 3558104 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 0.59 0.017 0.6780 0 87.0 70 130 0.61 0.034 0.6780 0 97.3 39.1 <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Batch ID: R97804 RunNo: 97804 Volatiles Volatiles Analysis Date: $6/29/2023$ SeqNo: 3557705 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit ND 0.025 Volation Volation Volation ND ND 0.050 Volation Volation Volation ND ND 0.050 Volation Volation<!--</td--></td>	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0.99 1.000 99.1 39.1 146 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Batch ID: R97804 RunNo: 97804 Volatiles Volatiles Analysis Date: $6/29/2023$ SeqNo: 3557705 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit ND 0.025 Volation Volation Volation ND ND 0.050 Volation Volation Volation ND ND 0.050 Volation Volation </td

TestCode: EPA Method 8021B: Volatiles

LowLimit

70

70

70

Units: mg/Kg

130

130

130

%RPD

RPDLimit

HighLimit

RunNo: 97804

%REC

88.1

90.8

91.0

SeqNo: 3557704

WO#: **2306E90**

Qual

05-Jul-23

Released to Imaging: 10/31/2023 2:08:32 PM

HALL ENVIRONMENTA ANALYSIS LABORATORY	AL TEL: 505-345	ntal Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 3975 FAX: 505-345-4107 w.hallenvironmental.com	Sam	nple Log-In C	Check List
Client Name: Hilcorp Ene	ergy Work Order Num	ber: 2306E90		RcptNo	: 1
Received By: Tracy Cas Completed By: Tracy Cas					
Reviewed By: DAT) (4/20/23 DAD 6-29-23				
Chain of Custody					
1. Is Chain of Custody comp	lete?	Yes	No 🗹	Not Present	
2. How was the sample deliv	ered?	Courier			
Log In 3. Was an attempt made to c	cool the samples?	Yes 🗹	No 🗌	NA 🗌	
4. Were all samples received	at a temperature of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗌	
5. Sample(s) in proper contain	iner(s)?	Yes 🖌	No 🗌		
6. Sufficient sample volume f	or indicated test(s)?	Yes 🔽	No 🗌		
	and ONG) properly preserved?	Yes 🔽	No 🗌		
8. Was preservative added to			No 🗹	NA 🗌	
9. Received at least 1 vial wit	h headspace <1/4" for AQ VOA?	Yes	No 🗌	NA 🗹	
10. Were any sample containers received broken?		Yes	No 🔽	-	
			_	# of preserved bottles checked	
11. Does paperwork match bottle labels?		Yes 🗹	No 🗌	for pH:	r >12 unless noted)
(Note discrepancies on chain of custody) 12. Are matrices correctly identified on Chain of Custody?		Yes 🗹	No 🗌	Adjusted?	
			No 🗌		
13. Is it clear what analyses were requested?14. Were all holding times able to be met? (If no, notify customer for authorization.)			No 🗌	Checked by:	Jub/29/2
Special Handling (if app	olicable)				
15. Was client notified of all d		Yes	No 🗌	NA 🗹	
Person Notified:	Date	:	ayaan dahada		
By Whom:	Via:	eMail Phone	e 📋 Fax	In Person	
Regarding:		and any state in a state of the	et an ta'na an dian		
Client Instructions:	Mailing address and phone number ar	e missing on COC- TM	C 6/29/23		
16. Additional remarks:					
17. <u>Cooler Information</u> Cooler No Temp °C 1 2.6	Condition Seal Intact Seal No Good Yes Yogi	Seal Date Sig	ned By		

Received by OCD: 10/23/2023 3:47:32 PM

-
2
0
1.2
\mathcal{O}
-
\sim
00
12.4
0
-
0

1
~
\sim
<u> </u>
0
_
-
••
\sim
13
\sim
-
0
\sim
-
-
~ ~
-
· mail
0
5
9
õ
~

eceived by OCD: 10/23/2023 3:47:32 PM		Page 25 of 26
Chain-of-Custody Record	Turn-Around Time: / Sam Day	
Client: H i I cor D	□ Standard ⊠ Rush 6 - 2 9 - 23	ANALYSIS LABORATORY
	Project Name:	www.hallenvironmental.com
Mailing Address:	Leftkovitz GC BI	4901 Hawkins NE - Albuquerque, NM 87109
	Project #:	Tel. 505-345-3975 Fax 505-345-4107
Phone #:		Analysis Request
email or Fax#: hrandon. Sinclair Ohilcorp.coProject Manager:	LProject Manager:	*OS
ige:		o [≉] '≄ SWIS
Standard Level 4 (Full Validation)	Kate Kaytman	ся 2 Р 205
:uc	Sampler: Brandon Sinclair	0 / 0 808 4.1)
NELAC Other	1	AO\ O³⁺ sigs 10 o q 20 ges/
))(() ticid b) f) f) f) f) f) f) f) f) f) f) f) f) f)
0		(26i) (AO (70) (26i) (26
	Preservative	PH:s PH:s PH:s PH:s PH:s PH:s PH:s PH:s
Date Time Matrix Sample Name	Type and # Type 2500E40	TI 8 E F R CV 8 8
6-2810940 50:1 Bottom Comp	4 02 iar 600 001	
		1. Constrained and the state of the state
Date: Time: Relinquished by:	L U Date	Remarks:
-	Received by: Via:County Date Time	
CC 2718 1 1 WWW WILL WILLS	where intervals to other eccerctified Laboratorias. This serves as notice of this possibility.	cossibility. Any sub-contracted data will be clearly notated on the analytical report.

Released to Imaging: 10/31/2023 2:08:32 pm

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:	
HILCORP ENERGY COMPANY	372171	
1111 Travis Street	Action Number:	
Houston, TX 77002	278575	
	Action Type:	
	[C-144] Below Grade Tank Plan (C-144B)	
CONDITIONS		

Created By Condition Condition Date 10/31/2023 None vvenegas

Action 278575

.

Page 26 of 26 CONDITIONS

Released to Imaging: 10/31/2023 2:08:32 PM