

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-31424
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. 308712
7. Lease Name or Unit Agreement Name D State
8. Well Number 8
9. OGRID Number 873
10. Pool name or Wildcat Artesia; Glorieta-Yeso (O) (96830)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Apache Corporation	
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705	
4. Well Location Unit Letter <u>B</u> : <u>430</u> feet from the <u>N</u> line and <u>1650</u> feet from the <u>E</u> line Section <u>35</u> Township <u>17S</u> Range <u>28E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☒	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

APACHE IS REQUESTING TO TA WELLBORE

Procedure:

Disconnect, isolate, lock-out surface mechanical and electrical equipment.

POOH all equipment.

Set CIBP @ 2,718 ft.

Set CIBP @ 3762' - dump bail 35' cmt - T Glorieta Perfs - WOC & tag

Dump bail 35 ft of cement on top of CIBP. WOC & Tag

Tag Cement – notify NMOC ready to conduct MIT.

Circulate pkr fluid.

Conduct MIT, increase pressure within prod csg up to 500 psig, and hold for 30min.

Spud Date:

Rig Release Date:

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE Regulatory Analyst DATE 9/28/2023

Type or print name Alicia Fulton E-mail address: alicia.fulton@apachecorp.com PHONE: (432) 818-1088

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 11/3/23

Conditions of Approval (if any):




WBD Proposed - TA

Well Name: D STATE #008 (GRAYBURG/SAN ANDRES)

Reference Datum: KB

API/Surface Loc 3001531424	Surface Legal Location		Field Name Crow Flats (BP)	State/Province New Mexico	Well Purpose Production
Spud Date 2/1/2001 00:00	Original KB Elevation (ft) 3,688.0	Ground Elevation (ft) 3,674.0			KB-Ground Distance (ft) 14.0
PBTD (All) (ftKB) Original Hole - 4,406		Total Depth All (TVD) (ftKB)			

Production, D STATE #8 (GRAYBURG/SAN ANDRES) - Original Hole, 7/28/2023 10:20:49 AM



Wellbore Sections

Section Des	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date
Prod 1	7 7/8	14.0	4,421.0	2/1/2001
Surface	12 1/4	4,421.0	519.0	1/30/2001

Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Surface	8 5/8	24.00	J-55	519.00
Prod 1	5 1/2	17.00	J-55	4,421.00

Cement Stages

Des	String	Top (ftKB)	Btm (ftKB)	Start Date
Primary Cement	Surface, 519.00ftKB, 8 5/8	14.00	519.00	
Primary Cement	Prod 1, 4,421.00ftKB, 5 1/2	14.00	4,421.00	
	Prod 1, 4,421.00ftKB, 5 1/2	2,683.00	2,718.00	

Tubing Strings

Tubing Description	Run Date		String Length (ft)	Set Depth (ftKB)			
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Rod Strings

Rod Description		Run Date		String Length (ft)		Set Depth (ftKB)	
Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)

Other In Hole

Des	Icon	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date
CIBP		4.89	2,718	2,722	7/28/2023

Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total
10/26/2011	PERFORATED	2,768	3,639	No	1.0	35
10/26/2011	PERFORATED	3,883	4,222	No	1.0	20
10/25/2011	PERFORATED	4,290	4,380	No	1.0	

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
4/10/2014		4,406	

Schematic Annotations

Start Date	Depth (ftKB)	Annotation




WBD Current

Well Name: D STATE #008 (GRAYBURG/SAN ANDRES)

Reference Datum: KB

API/Surface Loc 3001531424	Surface Legal Location		Field Name Crow Flats (BP)	State/Province New Mexico	Well Purpose Production
Spud Date 2/1/2001 00:00	Original KB Elevation (ft) 3,688.0	Ground Elevation (ft) 3,674.0			KB-Ground Distance (ft) 14.0
PBTD (All) (ftKB) Original Hole - 4,406		Total Depth All (TVD) (ftKB)			

Production, D STATE #8 (GRAYBURG/SAN ANDRES) - Original Hole, 7/28/2023 10:16:22 AM



Wellbore Sections

Section Description Prod 1	Size (in) 7 7/8	Act Top (ftKB) 14.0	Act Btm (ftKB) 4,421.0	Start Date 2/1/2001
Section Description Surface	Size (in) 12 1/4	Act Top (ftKB) 4,421.0	Act Btm (ftKB) 519.0	Start Date 1/30/2001

Casing Strings

Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)
Surface	8 5/8	24.00	J-55	519.00
Prod 1	5 1/2	17.00	J-55	4,421.00

Cement Stages

String Surface, 519.00ftKB, 8 5/8	Top Depth (ftKB) 14.00	Bottom Depth (ftKB) 519.00
String Prod 1, 4,421.00ftKB, 5 1/2	Top Depth (ftKB) 14.00	Bottom Depth (ftKB) 4,421.00

Tubing Strings

Tubing Description Tubing - Rod Pump		Run Date 12/11/2018	String Length (ft) 4,363.87	Set Depth (ftKB) 4,376.0			
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Tubing	84		T&C Upset	2 7/8	6.50	J-55	2,704.12
Anchor/catcher	1		Baker	5 1/2	23.00	N-80	2.75
Tubing	51		T&C Non-Upset	2 7/8	6.40	J-55	1,623.45
Blast Joint	1		Endura JT	2 7/8	6.40	TK-99	32.45
Seat Nipple	1		Seat Nipple	2 7/8	7.20	N-80	1.10

Rod Strings

Rod Description		Run Date	String Length (ft)	Set Depth (ftKB)			
Rod		12/11/2018	4,358.6	4,350.0			
Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Polished Rod	1		Chromed	1 1/2	6.10	PRC	26.00
Pony Rod	3		Slim	1	4.28	KD	6.00
Sucker Rod	32		S87 W/SM CPLG/FULL	1	2.88	KD	800.00
Sucker Rod	57		S87 W/SM CPLG/FULL	7/8	2.15	KD	1,425.00
Sucker Rod	59		S87 W/SM CPLG/FULL	3/4	1.60	KD	1,475.00
Sucker Rod	24		S87 W/SM CPLG/FULL	1	2.88	KD	600.00
Right Hand Release	1			1	0.00	N/A	0.60
Rod Centralizer	1			1	2.88	KD	2.00
Rod Pump	1	25-150-RHBC -24-4-HVR	George Young	1	0.00	N/A	24.00

Other In Hole

Description	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date
-------------	---------	------------	------------	----------

Perforations

Date	Type	Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total
10/26/2011	PERFORATED	2,768	3,639	No	1.0	35
10/26/2011	PERFORATED	3,883	4,222	No	1.0	20
10/25/2011	PERFORATED	4,290	4,380	No	1.0	

Plug Back Total Depths

Date	Type	Depth (ftKB)	Depth (TVD) (ftKB)
4/10/2014		4,406	

Schematic Annotations

Start Date	Depth (ftKB)	Annotation
------------	--------------	------------

Stimulation Jobs

Hydraulic Frac on 11/1/2011 00:00

Min Top...	Max Bt...	R Treat...	P Treat...	P Treat...	Vol Clea...	Vol Clea...	Vol Slurr...	Vol Slurr...	Mass Pr...	Mass Pr...
						0.00		0.00		0.0

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 269896

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 269896
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/3/2023