

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: POKER LAKE UNIT	Well Location: T24S / R30E / SEC 22 / SESE /	County or Parish/State: EDDY / NM
Well Number: 343H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM02862	Unit or CA Name: CNSOL DLWR PA BDEFHI	Unit or CA Number: NMNM71016AN
US Well Number: 3001538667	Well Status: Producing Oil Well	Operator: XTO PERMIAN OPERATING LLC

Accepted for record –NMOCD gc11/21/2023

Subsequent Report

Sundry ID: 2759592

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/03/2023

Time Sundry Submitted: 07:41

Date Operation Actually Began: 09/25/2023

Actual Procedure: XTO Permian Operating, LLC. respectfully submits this subsequent P&A for approval on the above mentioned well. Please find attachment of P&A summary report and subsequent P&A WBD.

SR Attachments

Actual Procedure

Poker_Lake_Unit_343H_P_A_Summary_report__Sbsq_PA_WBD_20231103074045.pdf

Well Name: POKER LAKE UNIT

Well Location: T24S / R30E / SEC 22 / SESE /

County or Parish/State: EDDY / NM

Well Number: 343H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM02862

Unit or CA Name: CNSOL DLWR PA BDEFHI

Unit or CA Number: NMNM71016AN

US Well Number: 3001538667

Well Status: Producing Oil Well

Operator: XTO PERMIAN OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTEN HOUSTON

Signed on: NOV 03, 2023 07:40 AM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 620-6700

Email address: KRISTEN.HOUSTON@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 11/03/2023

Signature: James A Amos

Poker Lake Unit 343H

API 3001538667

P&A Summary Report

9/25/23: MIRU: BLM dispatch was notified of our rig up and progress. At 7 am. (Roberta Thomson responded at 13:04 pm.)

9/26/23: NU test BOP's 3500 high 250 psig low. TOH w/6,961' 2 7/8 bare tbg. ESP.

9/27/23: MIRU WLU. RIH w/5.89" GR/JB to 7,228'. RIH w/7" CIBP. Set CIBP @ 7214.5'. POH. RDWLU.

9/28/23: PT casing to 520 psi for 30" w/chart. Tst OK. MIRU cmt equip. Plg #1 w/30 sx Type C cmt (mixed @ 14.8 ppg, 1.32 cu ft/sx, 198 cu ft). Pmp dwn tbg w/5.3 bbls cmt. Cmt plg fr/7,214' (CIBP) - 7,064'. TOH 30 jts 2-7/8" tbg. Rev circ cln. WOC 4 hrs.

9/29/23: TIH 23 jts 2-7/8" tbg. Tg TOC fr/plug #1 @ 7,027'. Cmt plg fr/7214; - 7,027'. TOH & LD 75 jts 2-7/8" tbg. Plg #2 w/30 sx Type C cmt t (mixed @ 14.8 ppg, 1.32 cu ft/sx, 198 cu ft). Pmp dwn tbg w/5.7 bbls cmt. Cmt plg fr 4,570'-4,386'. TOH 30 jts 2-7/8" tbg. Rev circ cln. TOH 30 jts 2-7/8" tbg. WOC 4 hrs. TIH and tg cmt @ 4,329'. Cmt plg fr/4,570' - 4,329' (57' above calc TOC). TOH & LD 8 jts tbg. Plg #3 w/40 sx Type C cmt t (mixed @ 14.8 ppg, 1.32 cu ft/sx, 198 cu ft). Pmp dwn tbg w/6 bbls cmt. Cmt plug fr 3,805'-4,050'. TOH 30 jts 2-7/8" tbg. Rev circ cln. TOH 30 jts 2-7/8" tbg. SWI. SDFWE.

9/30/23: TIH w/ 2-7/8" tbg. Tg TOC fr/plug #3 @ 3,808'. Cmt plg fr/ 3,808-4,050'. TOH. Pump Plg #4 w/30 sx Type C cmt t (mixed @ 14.8 ppg, 1.32 cu ft/sx, 198 cu ft). Pmp dwn tbg w/ 4.5 bbls cmt. Cmt plg fr 1105"-1284". TOH 12 jts 2-7/8" tbg. Rev circ cln. TOH. WOC 4 hrs. TIH and tg cmt @ 1,055". POOH LD tbg and prepare to pump surface plug. Pumped surface plug 100' to surface. Weather moved in. SDFW.

10/3/23: ND BOP's, rig down pulling unit and reverse unit. everyone of location. XTO Construction to Cut of csg and install DHM.




Schematic - Wellbore - Vertical

Well Name: **POKER LAKE UNIT 343H**

API/UWI 3001538667	SAP Cost Center ID 1139431001	Permit Number	State/Province New Mexico	County Eddy
Surface Location T24S-R30E-S22	Spud Date 8/17/2011 06:05	Original KB Elevation (ft) 3,417.90	Ground Elevation (ft) 3,395.50	KB-Ground Distance (ft) 22.40

Vertical schematic (actual)



Cement; 0.0-100.0 ftKB; surface plug

Conductor; 24 in; 97.4 ftKB

Casing; Conductor; 20 in; 90.00 lb/ft; F-25; 22.4-97.4 ftKB

Surface; 17 1/2 in; 1,230.0 ftKB

Cement; 1,055.0-1,284.0 ftKB; Tagged 1055' 198 sxs

Casing; Surface; 13 3/8 in; 54.50 lb/ft; J-55; 22.4-1,230.0 ftKB

Intermediate; 12 1/4 in; 3,999.0 ftKB

Cement; 3,808.0-4,050.0 ftKB; Plg #3 w/40 sx cmt. Plg fr/ 3805' - 4050'. '

Casing; Intermediate 1; 9 5/8 in; 40.00 lb/ft; K-55, HCP-110, J-55, H-40; 22.4-3,995.0 ftKB

Cement; 4,329.0-4,570.0 ftKB; Plg #2 w/30 sx cmt. Plg fr/ 4570' - 4386'. '

DV Tool;; 4,494.0

Intermediate; 8 3/4 in; 8,081.0 ftKB

Cement; 7,027.0-7,214.0 ftKB; Plg #1 w/30 sx cmt. Plg fr/7,214' - 7,064'

Bridge Plug - Permanent; 7,214.0-7,215.0 ftKB

TOL;; 8,007.8

Casing; Intermediate 2; 7 in; 26.00 lb/ft; N-80, HCP-110; 22.4-8,065.0 ftKB

Production; 6 1/8 in; 15,303.0 ftKB

Casing; Production; 4 1/2 in; 11.60 lb/ft; HCP-110; 7,991.9-15,253.0 ftKB

TD - Original Hole; 15,303.0 ftKB

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 282422

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 282422
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/21/2023