U.S. Department of the Interior BUREAU OF LAND MANAGEMENT



Well Name	Well Number	US Well Number	Lease Number	Case Number	Operator
KESTREL 1_12	33H	3002548972	NMNM077090	NMNM077090	OXY USA
SAKER 6-7	35H	3002548936	NMNM14164	NMNM14164	OXY USA
KESTREL 1_12	31H	3002548970	NMNM077090	NMNM077090	OXY USA
SAKER 6-7	31H	3002548932	NMNM14164	NMNM14164	OXY USA
KESTREL 1_12	32H	3002548971	NMNM077090	NMNM077090	OXY USA
SAKER 6-7	36H	3002548937	NMNM14164	NMNM14164	OXY USA

Notice of Intent

Sundry ID: 2759335

Type of Submission: Notice of Intent

Type of Action: APD Change

Date Sundry Submitted: 11/02/2023 Time Sundry Submitted: 01:11

Date proposed operation will begin: 09/21/2023

Procedure Description: OXY USA INC. respectfully requests approval to amend the AAPD for the working pressure of the BOP system to be 7M. The highest MASP for the subject wells is ~5300psi. Additionally, Oxy requests a variance for the modified BOP test procedure. The casing outlet valve is covered and cannot be a leak path. The test plug has a weep hole set up that will accommodate a leak path for testing components along and above the mud cross. Please see attachment for schematics and detailed descriptions of wellhead and test plug. The components below the mud cross will not have a leak path and hence will be a 30-minute test. Attached is the test procedure and correspondence explaining the wellhead/ test plug set up.

NOI Attachments

Procedure Description

Saker_Kestrel_BOPTestVarianceEmail9_21_2023forSundry_20231102131105.pdf

Page 1 of 2

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES Signed on: NOV 02, 2023 01:10 PM

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTON State: TX

Phone: (713) 497-2492

Email address: LESLIE_REEVES@OXY.COM

Field

Representative Name:

Street Address:

City: State: Zip

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KEITH P IMMATTY

BLM POC Title: ENGINEER

BLM POC Phone: 5759884722 BLM POC Email Address: KIMMATTY@BLM.GOV

Disposition: Approved **Disposition Date:** 11/07/2023

Signature: Keith Immatty

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

5.	Lease	Serial	No

BURE	EAU OF LAND MANAGEMENT		5. Lease Seriai No.	
	OTICES AND REPORTS ON Worm for proposals to drill or to		6. If Indian, Allottee o	r Tribe Name
	lse Form 3160-3 (APD) for suc			
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well Oil Well Gas We		8. Well Name and No.		
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or I	Exploratory Area
		`		
4. Location of Well (Footage, Sec., T.,R.		11. Country or Parish,	State	
12. CHEC	CK THE APPROPRIATE BOX(ES) TO INC	DICATE NATURE OF NOT	TICE, REPORT OR OTH	HER DATA
TYPE OF SUBMISSION		TYPE OF AC	CTION	
Notice of Intent	Acidize Deep Alter Casing Hydra	_	duction (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair New	Construction Rec	omplete	Other
		_	nporarily Abandon	
Final Abandonment Notice	Convert to Injection Plug Deration: Clearly state all pertinent details, in		ter Disposal	1 1
	ns. If the operation results in a multiple comices must be filed only after all requirements			
14. I hereby certify that the foregoing is t	rue and correct. Name (Printed/Typed)	Title		
		11110		
Signature		Date		
	THE SPACE FOR FEDE	ERAL OR STATE O	FICE USE	
Approved by				
		Title	I	Date
Conditions of approval, if any, are attach certify that the applicant holds legal or exwhich would entitle the applicant to cond				
	U.S.C Section 1212, make it a crime for an		llfully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Batch Well Data

SAKER 6-7 FEDERAL 31H, US Well Number: 3002548932, Case Number: NMNM14164, Lease Number: NMNM14164, Operator: OXY USA INCORPORATED

SAKER 6-7 FEDERAL 36H, US Well Number: 3002548937, Case Number: NMNM14164, Lease Number: NMNM14164, Operator: OXY USA INCORPORATED

SAKER 6-7 FEDERAL 35H, US Well Number: 3002548936, Case Number: NMNM14164, Lease Number: NMNM14164, Operator: OXY USA INCORPORATED

KESTREL 1_12 FEDERAL 31H, US Well Number: 3002548970, Case Number: NMNM077090, Lease Number: NMNM077090, Operator: OXY USA INCORPORATED

KESTREL 1_12 FEDERAL 32H, US Well Number: 3002548971, Case Number: NMNM077090, Lease Number: NMNM077090, Operator: OXY USA INCORPORATED

KESTREL 1_12 FEDERAL 33H, US Well Number: 3002548972, Case Number: NMNM077090, Lease Number: NMNM077090, Operator: OXY USA INCORPORATED

Keith,

Test procedure attached and will be included as part of sundry:

- Inner plug removed and weep hole plugged on test plug
- Remove kill line check valve
- RIH with Test plug on drill pipe and Land out plug in wellhead
- Fill pipe with Freshwater
- Fill BOP stack with freshwater
- Pump through choke line to confirm open.

Each test 10 mins 250 psi low / 7000 Psi high

- Upper pipe ram/outside kill line
- Upper pipe ram/inside kill line
- Test Annular 250 Psi low / 5000 psi high each test 10 mins
- Swap to kill line side.

Each test 10 mins 250 psi low / 7000 Psi high

- Upper pipe ram/HCR / BLM kill line
- Upper pipe ram / Inside Choke valve
- Pull test plug, remove blank from weep hole port and install inner plug
- RIH with test plug

Confirm Required Wait time has passed before testing with no outlet (500 psi all cement blends)

Each test 30 min / 250 Psi low and 7000 psi High

- Test lower pipe rams
- Pull Test Plug
- Fill Stack above Blinds with freshwater
- Close blind rams
- Pump through choke to perform test
- Check valve / Choke Line / Blind Rams / Casing.

Thanks,

Ben Pelton

Drilling Engineer Supervisor, Delaware Basin Occidental Oil & Gas Corp.

Ben Pelton@oxy.com

From: Pelton, Ben R

Sent: Thursday, September 21, 2023 10:35 AM

To: Walls, Christopher < cwalls@blm.gov>; Immatty, Keith P < kimmatty@blm.gov>

Cc: Granier, Garrett E < Garrett Granier@oxy.com >; Reeves, Leslie T < Leslie Reeves@oxy.com >; McKinney, Sarah A

<Sarah McKinney@oxy.com>

Subject: Saker/Kestrel BOP Test Variance

Keith, Chris,

Listed below are the wells:

Kestrel 1-12 Fed Com 31H - 30-025-048970


Kestrel 1-12 Fed Com 31H - 30-025-048971

Kestrel 1-12 Fed Com 31H - 30-025-048972


Saker 6-7 Fed Com 31H - 30-025-48932

Saker 6-7 Fed Com 35H – 30-025-48936 Saker 6-7 Fed Com 36H – 30-025-48937

Here is the setup with test plug installed. Note the green packoff covers and seals the lower casing outlet valve typically open during a BOP test.



We would like to request a lowering BOP test pressures from 10000 psi to 7000 psi. MAASP in the permit is 5300 psi. This would ensure casing is not subjected to additional forces beyond our design factors during the blind/lower pipe ram test listed below. Plan at the start is to plug off the port and remove the inner plug. This would allow the drill pipe ID (DP will be screwed into test plug) to be open acting as the leak path if the test plug leaks. We would alternate pumping through the kill line and choke line side to test upper pipe rams, annular, and our valves, 10 mins each test as normal.



This method would leave two tests that cannot be performed with drill pipe acting as the leak path. Lower pipe rams and blind rams. To test the lower pipe rams we need to open port on top of the test plug and add the inner plug back in. Blind rams would be tested against casing with no test plug installed. Due to no leak path these would be 30 min high/low tests with <10% bleed off.

This was tough to fully describe via email so please reach out if you have any additional questions.

Thanks,

Ben Pelton
Drilling Engineer Supervisor, Delaware Basin
Occidental Oil & Gas Corp.
5 Greenway Plaza, Suite 110 | Houston, TX 77046 | GW5 25.131
O: 713-497-2379 | M: 701-690-8645
Ben Pelton@oxy.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 290557

CONDITIONS

Operator:	OGRID:		
OXY USA INC	16696		
P.O. Box 4294	Action Number:		
Houston, TX 772104294	290557		
	Action Type:		
	[C-103] NOI Change of Plans (C-103A)		

CONDITIONS

Created By		Condition Date
pkautz	None	12/4/2023