Office <u>District I</u> – (575) 393-6161	 PM State of New Mexico Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 		WELL API NO.	Form C=103 Revised August 1, 2011
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505			WELL API NO. 30-025-38576 and 5. Indicate Type STATE ∑ 6. State Oil & Ga V07530-0001	of Lease FEE
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			7. Lease Name or Unit Agreement Name Linam AGI	
	s Well 🛛 Other	8. Wells Number	1 and 2	
2. Name of Operator DCP Operating Company, LP			9. OGRID Number 36785	
3. Address of Operator 6900 E. Layton Ave, Suite 900, Denver CO 80237			10. Pool name or Wildcat	Wildcat
	Township 18S 1. Elevation <i>(Show whether DR</i> 736 GR	Range 37E , <i>RKB</i> , <i>RT</i> , <i>GR</i> , <i>etc</i> .	NMPM	County Lea
2. Check Appropriate Box to Ind	dicate Nature of Notice, Re	eport or Other D	ata	
	Image: Strain	REMEDIAL WOF COMMENCE DR CASING/CEMEN	ILLING OPNS.	ALTERING CASING D P AND A
13. Describe proposed or completed of starting any proposed work). proposed completion or recompl Report for the Month ending October 3	SEE RULE 19.15.7.14 NMAC. etion.	ertinent details, and For Multiple Con	pletions: Attach we	e, including estimated date ellbore diagram of
This is the 138 th monthly submittal of dat nnulus pressure and bottom hole data for erformance of the AGI system, the data uarterly basis for AGI #2.	r Linam AGI #1. Since the data	for both wells prov	vide the best overall	picture of the

All flow this month was directed to AGI #2. Injection parameters being monitored for AGI #1 (currently static) were as follows (Figures 1, 2, 3, 4): Average Injection Rate: 0 scf/hr, Average TAG Injection Pressure: 1,224 psig, Average TAG Temperature: 73 °F, Average Annulus Pressure: 60 psig, Average Pressure Differential: 1,164 psig. Bottom hole (BH) sensors provided the average BH pressure for the entire period of 4,190 psig and BH temperature of 138 °F (Figures 8 and 9). The BH pressure quickly responded to the switchover to AGI #2 and has continued to drop. The BH pressure decreased significantly from last month, in keeping with the previous observations when AGI #1 was idle. This is a very good indication of the continued resilience of the injection zone and the excess capacity available for TAG at current injection rates.

The recorded injection parameters for AGI #2 for the month were: Average Injection Rate 151,224 scf/hr (AGI #2 was the only well used this month), Average Injection Pressure: 1,426 psig, Average TAG Temperature: 102 °F, Average Annulus Pressure: 12 psig, Average Pressure Differential: 1,414 psig (Figures 5, 6, 7).

The Linam AGI #1 and AGI #2 wells are serving as a safe, effective and environmentally friendly system to dispose of, and permanently sequester, Class II wastes consisting of H_2S and CO_2 . The Linam AGI Facility permanently sequestered 4,483 Metric Tons of CO_2 for this month. The two wells provide the required redundancy to the plant that allows for operation with disposal to either or both wells. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE	TITLE Consultant to DCP Operating Company,	LP/ Geolex, Inc. DATE <u>11/3/2023</u>
Type or print name Alberto A. Gutierrez, RG	E-mail address: <u>aag@geolex.com</u>	PHONE: <u>505-842-8000</u>
For State Use Only		
APPROVED BY:	TITLE	DATE
Conditions of Approval (if any):		

Figure #1: Linam AGI #1 and #2 Combined TAG Injection Flow Rate





Figure #2: Linam AGI #1 Surface TAG Injection Pressure and Annular Pressure



Annular Pressure




Figure #3: Linam AGI #1 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection Temperature

Pressure (psig)

Temperature (°F)

Page 4 of 11

Figure #4: Linam AGI #1 TAG Injection Pressure and Casing Annular Pressure Differential





Figure #5: Linam AGI #2 Injection Pressure, Rate and Casing Annulus Pressure



Page 6 of 11

Figure #6: Linam AGI #2 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection Temperature



Page 7 of 11

FIGURE #7: LINAM AGI #2 TAG INJECTION PRESSURE AND CASING ANNULAR PRESSURE DIFFERENTIAL (PSIG)




Figure #8: Linam AGI #1 Bottom Hole Pressure and Temperature






Figure #9: Linam AGI #1 Surface Injection Pressure and Bottom Hole Pressure



CO2 Sequestered (metric tons)

Figure #10: Linam AGI Facility Daily Metric Tons of Carbon Sequestered



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
6900 E. Layton Ave	Action Number:
Denver, CO 80237	289556
	Action Type:
	[C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	12/8/2023

Action 289556

Page 12 of 12

.