

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49028	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 234H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	16	25S	26E	-	644	SOUTH	993	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	9	25S	26E	-	259	NORTH	667	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 4/6/2022	²² Ready Date 9/9/2022	²³ TD 19613'	²⁴ PBTB 19547' 19548	²⁵ Perforations 9636 ft to 19479 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	456'	405 sks		
9.875"	7.625"	9025'	1020 sks		
6.75"	5.5"	19593'	890 sks		

V. Well Test Data

³¹ Date New Oil 9/16/2022	³² Gas Delivery Date 9/16/2022	³³ Test Date 9/30/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2650
³⁷ Choke Size 40/64	³⁸ Oil 444	³⁹ Water 3043	⁴⁰ Gas 5444		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/19/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49028	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 234H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3389'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	25-S	26-E	-	644'	SOUTH	993'	EAST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	9	25-S	26-E	-	259'	NORTH	667'	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature] 7/20/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

03/28/2022

Date of Survey Signature and Seal of Professional Surveyor

[Signature]

 Certificate Number



LEASE NAME & WELL NO.: SCHLITZ FED COM 234H
SECTION 16 TWP. 25-S RGE 26-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 3389'
DESCRIPTION 644' FSL & 993' FEL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

SCHLITZ FED COM 234H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 06/30/2022			
FILE:C_SCHLITZ_FED_COM_234H			
DRAWN BY: GJU			
SHEET : 2 OF 2			



Operator: TapRock Resources LLC
Well Name: Schlitz Fed Com 234H
County: Eddy
State: New Mexico
Rig Name: H&P 466
API: 30-025-49028

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 404' MD – 19,541' MD
Projection to Bit: 19,613' MD
Dates Performed: 04/30/2022 – 5/16/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Schlitz Fed Com 234H

Job Number: ID3399

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 425

Target KBTVD: 9,550.00

Target Inclination: 90.00°

Declination Correction: 7.00°

DF Elevation: 3,416.50

Vertical Section Calculated Along Azimuth: 359.39°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
Total	1	154	0.66	129.00	154	154.00	-0.57	-0.56	0.69	0.43
Total	2	245	0.22	152.03	91	244.99	-1.05	-1.04	1.18	0.51
Total	3	335	0.22	215.49	90	334.99	-1.35	-1.34	1.16	0.26
MWD	4	404	0.13	216.54	69	403.99	-1.52	-1.51	1.04	0.13
MWD	5	515	0.48	112.38	111	514.99	-1.80	-1.78	1.39	0.47
MWD	6	609	0.40	100.87	94	608.99	-2.02	-2.00	2.08	0.13
MWD	7	703	0.48	67.73	94	702.99	-1.94	-1.91	2.76	0.28
MWD	8	798	0.62	50.07	95	797.98	-1.47	-1.43	3.53	0.23
MWD	9	893	0.62	44.27	95	892.98	-0.78	-0.73	4.28	0.07
MWD	10	987	0.57	22.47	94	986.97	0.01	0.07	4.81	0.25
MWD	11	1081	0.84	26.86	94	1080.96	1.06	1.11	5.30	0.29
MWD	12	1175	1.63	66.41	94	1174.94	2.19	2.26	6.84	1.19
MWD	13	1269	1.32	83.73	94	1268.91	2.82	2.92	9.14	0.57
MWD	14	1421	3.12	263.82	152	1420.86	2.59	2.66	6.77	2.92
MWD	15	1515	1.36	258.10	94	1514.78	2.12	2.16	3.13	1.89
MWD	16	1609	1.23	138.66	94	1608.77	1.14	1.17	2.71	2.38
MWD	17	1704	2.55	117.92	95	1703.72	-0.64	-0.59	5.25	1.54
MWD	18	1799	1.98	173.64	95	1798.65	-3.29	-3.21	7.30	2.29
MWD	19	1893	2.64	196.67	94	1892.58	-6.97	-6.90	6.86	1.20
MWD	20	1986	1.05	242.37	93	1985.53	-9.40	-9.34	5.49	2.20
MWD	21	2081	1.10	275.59	95	2080.51	-9.70	-9.66	3.81	0.65
MWD	22	2175	1.58	254.15	94	2174.49	-9.94	-9.92	1.66	0.73
MWD	23	2270	2.51	192.45	95	2269.44	-12.31	-12.31	-0.05	2.36
MWD	24	2364	4.18	183.84	94	2363.27	-17.73	-17.74	-0.72	1.85
MWD	25	2459	5.89	176.37	95	2457.90	-26.05	-26.06	-0.64	1.92
MWD	26	2553	7.16	173.03	94	2551.29	-36.69	-36.69	0.37	1.41
MWD	27	2647	7.25	172.85	94	2644.55	-48.41	-48.39	1.82	0.10
MWD	28	2742	7.08	169.07	95	2738.81	-60.12	-60.09	3.68	0.53
MWD	29	2836	7.38	167.22	94	2832.06	-71.72	-71.66	6.11	0.40
MWD	30	2930	6.81	167.49	94	2925.34	-83.08	-82.99	8.66	0.61
MWD	31	3025	6.95	167.66	95	3019.66	-94.22	-94.10	11.10	0.15
MWD	32	3119	6.73	166.52	94	3112.99	-105.15	-105.02	13.60	0.28
MWD	33	3213	6.95	157.38	94	3206.32	-115.80	-115.62	17.08	1.18
MWD	34	3307	7.43	153.51	94	3299.58	-126.54	-126.31	21.97	0.73
MWD	35	3402	6.86	153.25	95	3393.85	-137.16	-136.88	27.27	0.60
MWD	36	3496	7.34	157.73	94	3487.13	-147.78	-147.45	32.07	0.78
MWD	37	3590	7.65	163.53	94	3580.32	-159.38	-159.00	36.12	0.87
MWD	38	3684	8.79	161.86	94	3673.36	-172.25	-171.83	40.13	1.24
MWD	39	3779	10.15	160.81	95	3767.06	-187.10	-186.63	45.14	1.44
MWD	40	3874	9.27	158.88	95	3860.70	-202.20	-201.68	50.65	0.99
MWD	41	3969	8.79	158.52	95	3954.52	-216.15	-215.57	56.06	0.51
MWD	42	4064	8.22	157.38	95	4048.48	-229.23	-228.59	61.34	0.63
MWD	43	4158	7.65	157.12	94	4141.58	-241.25	-240.56	66.35	0.61
MWD	44	4252	8.92	157.03	94	4234.59	-253.78	-253.03	71.63	1.35
MWD	45	4348	9.71	158.26	96	4329.33	-268.22	-267.41	77.53	0.85
MWD	46	4442	8.97	158.26	94	4422.08	-282.45	-281.58	83.18	0.79
MWD	47	4537	8.22	156.77	95	4516.01	-295.62	-294.70	88.60	0.82
MWD	48	4631	7.60	156.41	94	4609.12	-307.55	-306.57	93.74	0.66
MWD	49	4725	8.22	165.91	94	4702.23	-319.81	-318.78	97.87	1.54
MWD	50	4819	8.62	174.17	94	4795.22	-333.36	-332.31	100.22	1.35
MWD	51	4913	8.57	174.26	94	4888.16	-347.35	-346.29	101.63	0.06
MWD	52	5006	8.00	173.90	93	4980.19	-360.69	-359.62	103.01	0.62
MWD	53	5100	7.65	173.99	94	5073.31	-373.43	-372.34	104.37	0.37
MWD	54	5194	6.64	174.43	94	5166.58	-385.08	-383.97	105.55	1.08
MWD	55	5287	7.52	167.93	93	5258.87	-396.40	-395.28	107.34	1.28
MWD	56	5381	7.34	165.47	94	5352.09	-408.25	-407.10	110.13	0.39
MWD	57	5474	7.16	164.41	93	5444.34	-419.62	-418.44	113.18	0.24
MWD	58	5569	7.65	154.30	95	5538.55	-431.07	-429.84	117.52	1.46
MWD	59	5664	6.95	150.88	95	5632.78	-441.84	-440.56	123.06	0.87
MWD	60	5758	6.55	147.27	94	5726.13	-451.38	-450.04	128.72	0.62
MWD	61	5852	6.95	147.27	94	5819.48	-460.74	-459.33	134.70	0.43
MWD	62	5947	7.3	149.29	95	5913.75	-470.83	-469.35	140.89	0.45
MWD	63	6042	7.12	152.02	95	6008.00	-481.28	-479.74	146.73	0.41
MWD	64	6136	6.2	153.07	94	6101.36	-491.00	-489.41	151.76	0.99
MWD	65	6231	4.75	155.18	95	6195.92	-499.19	-497.56	155.74	1.54

MWD	66	6326	5.58	172.15	95	6290.54	-507.36	-505.70	158.02	1.82
MWD	67	6419	7.38	177.6	93	6382.95	-517.81	-516.15	158.89	2.04
MWD	68	6514	7.16	173.03	95	6477.18	-529.80	-528.12	159.86	0.65
MWD	69	6608	5.71	172.85	94	6570.59	-540.26	-538.58	161.15	1.54
MWD	70	6702	4.7	168.81	94	6664.20	-548.70	-547.00	162.48	1.14
MWD	71	6797	3.6	160.81	95	6758.95	-555.35	-553.63	164.22	1.31
MWD	72	6891	2.95	163.01	94	6852.80	-560.47	-558.73	165.90	0.70
MWD	73	6985	2.29	166.7	94	6946.70	-564.62	-562.87	167.03	0.72
MWD	74	7079	1.67	171.27	94	7040.64	-567.81	-566.06	167.67	0.68
MWD	75	7172	1.71	154.92	93	7133.60	-570.41	-568.65	168.47	0.52
MWD	76	7267	2.29	136.02	95	7228.54	-573.08	-571.30	170.39	0.92
MWD	77	7361	1.89	121.61	94	7322.48	-575.27	-573.47	173.01	0.70
MWD	78	7456	1.89	97.26	95	7417.43	-576.32	-574.48	175.90	0.84
MWD	79	7550	1.76	117.21	94	7511.38	-577.21	-575.34	178.72	0.69
MWD	80	7645	1.76	179.71	95	7606.35	-579.35	-577.47	180.03	1.92
MWD	81	7739	2.46	166.52	94	7700.28	-582.76	-580.87	180.50	0.90
MWD	82	7833	2.37	170.39	94	7794.20	-586.65	-584.75	181.30	0.20
MWD	83	7927	1.98	153.51	94	7888.13	-590.03	-588.12	182.35	0.79
MWD	84	8022	1.67	133.65	95	7983.09	-592.47	-590.54	184.08	0.74
MWD	85	8116	1.27	140.42	94	8077.06	-594.24	-592.29	185.74	0.46
MWD	86	8210	0.92	137.87	94	8171.04	-595.61	-593.65	186.91	0.38
MWD	87	8305	0.7	139.8	95	8266.03	-596.63	-594.66	187.79	0.23
MWD	88	8399	0.66	156.5	94	8360.02	-597.57	-595.60	188.38	0.21
MWD	89	8493	0.66	150.7	94	8454.02	-598.54	-596.57	188.86	0.07
MWD	90	8587	0.75	156.06	94	8548.01	-599.58	-597.60	189.37	0.12
MWD	91	8681	0.66	169.6	94	8642.00	-600.68	-598.70	189.72	0.20
MWD	92	8776	1.1	151.14	95	8736.99	-602.02	-600.03	190.26	0.55
MWD	93	8870	1.32	143.85	94	8830.97	-603.70	-601.70	191.33	0.29
MWD	94	8963	1.23	150.17	93	8923.95	-605.44	-603.43	192.46	0.18
MWD	95	8991	1.23	156.15	28	8951.94	-605.98	-603.96	192.73	0.46
MWD	96	9110	0.62	175.93	119	9070.92	-607.80	-605.77	193.30	0.57
MWD	97	9205	17.76	1.11	95	9164.46	-593.71	-591.68	193.62	19.34
MWD	98	9298	30.55	356.10	93	9249.15	-555.77	-553.76	192.28	13.92
MWD	99	9393	45.27	351.18	95	9323.91	-497.94	-495.99	185.42	15.81
MWD	100	9487	55.74	0.50	94	9383.69	-425.76	-423.86	180.62	13.49
MWD	101	9581	62.07	10.87	94	9432.31	-345.98	-343.99	188.82	11.59
MWD	102	9675	65.67	17.02	94	9473.74	-264.38	-262.17	209.20	7.01
MWD	103	9769	67.38	16.32	94	9511.18	-182.06	-179.58	233.93	1.94
MWD	104	9864	80.84	8.23	95	9537.17	-93.23	-90.54	253.08	16.35
MWD	105	9958	92.22	0.85	94	9542.86	0.00	2.78	260.46	14.41
MWD	106	10052	88.57	0.32	94	9542.21	93.96	96.75	261.42	3.92
MWD	107	10146	87.38	358.39	94	9545.53	187.90	190.68	260.36	2.41
MWD	108	10240	89.85	359.09	94	9547.81	281.86	284.62	258.29	2.73
MWD	109	10334	89.36	1.73	94	9548.45	375.83	378.61	258.97	2.86
MWD	110	10427	87.34	1.90	93	9551.13	468.71	471.52	261.91	2.18
MWD	111	10522	87.52	2.34	95	9555.39	563.50	566.36	265.42	0.50
MWD	112	10616	88.09	1.55	94	9558.99	657.34	660.24	268.61	1.04
MWD	113	10710	87.69	1.11	94	9562.45	751.22	754.15	270.79	0.63
MWD	114	10804	88.09	358.83	94	9565.91	845.15	848.08	270.74	2.46
MWD	115	10898	89.05	358.47	94	9568.26	939.11	942.02	268.53	1.09
MWD	116	10993	89.93	359.44	95	9569.11	1034.10	1037.00	266.79	1.38
MWD	117	11086	90.11	359.27	93	9569.07	1127.10	1129.99	265.75	0.27
MWD	118	11180	89.98	359.79	94	9569.00	1221.10	1223.99	264.98	0.57
MWD	119	11274	89.89	359.00	94	9569.11	1315.10	1317.98	263.98	0.85
MWD	120	11369	90.42	359.53	95	9568.85	1410.10	1412.97	262.76	0.79
MWD	121	11463	91.47	0.58	94	9567.30	1504.07	1506.96	262.85	1.58
MWD	122	11558	90.33	359.79	95	9565.81	1599.05	1601.94	263.16	1.46
MWD	123	11652	89.19	358.74	94	9566.20	1693.05	1695.93	261.96	1.65
MWD	124	11746	89.19	358.56	94	9567.53	1787.03	1789.90	259.74	0.19
MWD	125	11840	90.11	1.02	94	9568.10	1881.02	1883.89	259.40	2.79
MWD	126	11934	91.21	2.78	94	9567.02	1974.92	1977.82	262.51	2.21
MWD	127	12028	90.59	2.43	94	9565.54	2068.76	2071.71	266.78	0.76
MWD	128	12122	89.71	2.17	94	9565.30	2162.63	2165.64	270.56	0.98
MWD	129	12217	88.66	2.08	95	9566.65	2257.51	2260.56	274.08	1.11
MWD	130	12311	88.04	2.52	94	9569.36	2351.35	2354.44	277.85	0.81
MWD	131	12405	88.09	2.43	94	9572.53	2445.16	2448.30	281.91	0.11
MWD	132	12500	88.00	1.55	95	9575.77	2540.01	2543.19	285.20	0.93
MWD	133	12594	88.00	1.55	94	9579.05	2633.89	2637.10	287.75	0.00
MWD	134	12690	87.47	359.88	96	9582.85	2729.78	2733.01	288.94	1.82
MWD	135	12785	89.76	357.68	95	9585.14	2824.74	2827.95	286.92	3.34
MWD	136	12848	91.60	356.72	63	9584.39	2887.68	2890.87	283.84	3.29
MWD	137	12880	91.25	356.19	32	9583.60	2919.63	2922.80	281.86	1.98
MWD	138	12974	92.57	356.63	94	9580.46	3013.45	3016.56	275.98	1.48
MWD	139	13037	93.27	356.19	63	9577.26	3076.28	3079.35	272.04	1.31
MWD	140	13069	93.27	356.28	32	9575.43	3108.18	3111.23	269.94	0.28
MWD	141	13163	92.13	358.04	94	9571.00	3202.00	3205.01	265.29	2.23
MWD	142	13258	91.82	359.44	95	9567.73	3296.93	3299.92	263.21	1.51
MWD	143	13352	91.21	358.65	94	9565.24	3390.90	3393.88	261.64	1.06
MWD	144	13446	90.59	358.47	94	9563.77	3484.88	3487.84	259.28	0.69

MWD	145	13541	89.49	358.47	95	9563.70	3579.86	3582.80	256.74	1.16
MWD	146	13635	87.91	358.39	94	9565.83	3673.82	3676.74	254.17	1.68
MWD	147	13729	89.85	358.04	94	9567.67	3767.78	3770.67	251.24	2.10
MWD	148	13824	89.80	357.16	95	9567.96	3862.73	3865.58	247.26	0.93
MWD	149	13918	91.38	358.21	94	9566.99	3956.68	3959.50	243.46	2.02
MWD	150	14013	92.97	358.65	95	9563.39	4051.60	4054.39	240.86	1.74
MWD	151	14107	92.44	358.21	94	9558.95	4145.48	4148.25	238.29	0.73
MWD	152	14202	87.65	357.77	95	9558.88	4240.42	4243.16	234.96	5.06
MWD	153	14296	87.34	357.86	94	9562.98	4334.30	4337.01	231.38	0.34
MWD	154	14389	89.19	0.76	93	9565.80	4427.24	4429.94	230.26	3.70
MWD	155	14484	88.35	0.67	95	9567.84	4522.19	4524.91	231.45	0.89
MWD	156	14577	88.31	0.06	93	9570.55	4615.14	4617.87	232.04	0.66
MWD	157	14672	93.76	1.73	95	9568.83	4710.05	4712.80	233.52	6.00
MWD	158	14767	94.02	2.34	95	9562.39	4804.73	4807.53	236.89	0.70
MWD	159	14861	91.38	1.29	94	9557.96	4898.53	4901.36	239.86	3.02
MWD	160	14956	90.07	1.20	95	9556.76	4993.47	4996.33	241.92	1.38
MWD	161	15050	89.23	1.11	94	9557.33	5087.43	5090.31	243.82	0.90
MWD	162	15144	89.80	1.46	94	9558.13	5181.37	5184.28	245.92	0.71
MWD	163	15238	88.13	1.73	94	9559.83	5275.28	5278.23	248.54	1.80
MWD	164	15332	88.31	0.41	94	9562.75	5369.19	5372.16	250.29	1.42
MWD	165	15426	89.67	359.53	94	9564.40	5463.17	5466.15	250.25	1.72
MWD	166	15521	88.57	358.39	95	9565.86	5558.16	5561.12	248.52	1.67
MWD	167	15615	90.07	359.00	94	9566.98	5652.14	5655.08	246.38	1.72
MWD	168	15709	90.95	358.39	94	9566.14	5746.13	5749.05	244.24	1.14
MWD	169	15803	91.43	359.71	94	9564.19	5840.10	5843.02	242.68	1.49
MWD	170	15898	90.33	359.79	95	9562.73	5935.09	5938.00	242.27	1.16
MWD	171	15992	88.79	359.62	94	9563.45	6029.08	6032.00	241.78	1.65
MWD	172	16085	91.47	359.41	93	9563.24	6122.07	6124.98	241.00	2.89
MWD	173	16180	93.19	359.44	95	9559.38	6216.99	6219.90	240.04	1.81
MWD	174	16290	91.91	358.04	110	9554.49	6326.87	6329.76	237.63	1.72
MWD	175	16368	90.68	357.42	78	9552.72	6404.81	6407.67	234.54	1.77
MWD	176	16462	88.75	356.98	94	9553.19	6498.74	6501.56	229.95	2.11
MWD	177	16556	90.90	0.41	94	9553.48	6592.71	6595.51	227.81	4.31
MWD	178	16650	92.53	1.64	94	9550.66	6686.63	6689.45	229.49	2.17
MWD	179	16745	89.14	359.27	95	9549.28	6781.58	6784.42	230.24	4.35
MWD	180	16811	88.00	358.30	66	9550.93	6847.55	6850.38	228.84	2.27
MWD	181	16839	88.22	358.65	28	9551.85	6875.54	6878.35	228.10	1.48
MWD	182	16933	86.59	358.04	94	9556.11	6969.42	6972.21	225.39	1.85
MWD	183	17027	87.16	357.33	94	9561.23	7063.24	7066.00	221.59	0.97
MWD	184	17120	89.14	356.01	93	9564.23	7156.08	7158.78	216.19	2.56
MWD	185	17214	88.75	357.60	94	9565.96	7249.96	7252.62	210.96	1.74
MWD	186	17308	89.14	358.74	94	9567.69	7343.92	7346.55	207.95	1.28
MWD	187	17402	90.55	0.67	94	9567.95	7437.91	7440.55	207.47	2.54
MWD	188	17497	89.67	1.02	95	9567.77	7532.88	7535.53	208.87	1.00
MWD	189	17591	91.16	1.73	94	9567.09	7626.82	7629.50	211.13	1.76
MWD	190	17685	88.22	0.41	94	9567.59	7720.77	7723.47	212.88	3.43
MWD	191	17780	88.75	0.67	95	9570.11	7815.71	7818.43	213.78	0.62
MWD	192	17875	92.70	358.65	95	9568.90	7910.68	7913.40	213.21	4.67
MWD	193	17970	92.53	358.47	95	9564.57	8005.57	8008.27	210.83	0.26
MWD	194	18064	90.73	358.04	94	9561.90	8099.51	8102.19	207.97	1.97
MWD	195	18159	93.32	359.27	95	9558.54	8194.44	8197.09	205.74	3.02
MWD	196	18253	94.02	0.41	94	9552.52	8288.24	8290.89	205.48	1.42
MWD	197	18347	93.93	0.50	94	9546.01	8381.99	8384.67	206.22	0.14
MWD	198	18441	87.25	358.74	94	9545.04	8475.93	8478.60	205.60	7.35
MWD	199	18536	91.34	0.06	95	9546.21	8570.90	8573.57	204.60	4.52
MWD	200	18630	89.32	358.56	94	9545.67	8664.89	8667.55	203.47	2.68
MWD	201	18725	91.25	3.13	95	9545.19	8759.83	8762.51	204.87	5.22
MWD	202	18820	89.63	3.84	95	9544.46	8854.58	8857.33	210.65	1.86
MWD	203	18843	88.84	3.75	23	9544.77	8877.51	8880.27	212.17	3.46
MWD	204	18914	91.08	5.51	71	9544.82	8948.21	8951.04	217.90	4.01
MWD	205	19008	89.14	3.04	94	9544.64	9041.86	9044.76	224.91	3.34
MWD	206	19102	89.23	0.76	94	9545.98	9135.75	9138.70	228.02	2.43
MWD	207	19196	92.92	4.01	94	9544.21	9229.58	9232.57	231.93	5.23
MWD	208	19290	90.46	2.52	94	9541.44	9323.31	9326.37	237.28	3.06
MWD	209	19384	90.99	358.91	94	9540.25	9417.26	9420.33	238.45	3.88
MWD	210	19479	86.77	357.07	95	9542.11	9512.19	9515.23	235.12	4.85
MWD	211	19541	84.31	355.84	62	9546.93	9573.92	9576.92	231.30	4.43
PTB	212	19613	84.31	355.84	72	9554.07	9645.42	9648.38	226.11	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49028											
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN											
3. State Oil & Gas Lease No.											
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM			
								6. Well Number: 234H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	P	16	25S	26E	-	644	SOUTH	993	EAST	EDDY	
BH:	A	9	25S	26E	-	259	NORTH	667	EAST	EDDY	
13. Date Spudded 4/6/2022	14. Date T.D. Reached 5/16/2022		15. Date Rig Released 5/19/2022			16. Date Completed (Ready to Produce) 9/9/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3389 GR		
18. Total Measured Depth of Well 19613 ft			19. Plug Back Measured Depth 19547 ft			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9636 ft to 19479 ft								WOLFCAMP			
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13.375"		54.5		456'		17.5"		405 sks		0	
7.625"		29.7		9025'		9.875"		1020 sks		0	
5.5"		20		19593'		6.75"		890 sks		0	
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET	PACKER SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 9636 ft to 19479 ft, 1 SPF, .55 inch holes with 572 total shots						9636 ft to 19479 ft		44 stage frac with 25,353,070 lbs of 100 mesh sand			
28. PRODUCTION											
Date First Production 9/16/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing					
Date of Test 9/30/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 444	Gas - MCF 5444	Water - Bbl. 3043	Gas - Oil Ratio 12261				
Flow Tubing Press. 0	Casing Pressure 2650	Calculated 24-Hour Rate	Oil - Bbl. 444	Gas - MCF 5444	Water - Bbl. 3043	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By			
31. List Attachments C-102, Directional Survey											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature 		Printed Name Jeff Trlica				Title Regulatory Analyst				Date 10/18/2022	
E-mail Address jtrlica@taprock.com											

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	692		Quaternary				
692	1129		Rustler				
1129	1702		Top of Salt				
1702	1919		Base of Salt				
1919	1947		Lamar				
1947	2924		Bell Canyon				
2924	3807		Cherry Canyon				
3807	5435		Brushy Canyon				
5435	5835		Bone Spring				
5835	6346		Avalon				
6346	6902		1st Bone Spring Sand				
6902	8229		2nd Bone Spring Sand				
8229	8569		3rd Bone Spring Sand				
8569	8881		Wolfcamp A				
8881	9411		Wolfcamp B				
9411			Wolfcamp C				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151772

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151772
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151772

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151772
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/19/2023