

Well Name: JUNIPER 9	Well Location: T24N / R10W / SEC 9 / SWSW / 36.323728 / -107.906529	County or Parish/State: SAN JUAN / NM
Well Number: 14	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM101058	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453063600S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2764896

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/06/2023	Time Sundry Submitted: 03:11
Date Operation Actually Began: 11/03/2023	

Actual Procedure: Dugan Production P&A'd the well on 11/03/2023 per the following procedure: 1) MI&RU Aztec 481 and cement equipment. Spot in & NU BOP. 2) PU & tally 2-3/8" J-55, 4.7# tubing for workstring. 3) RIH & tag 5½" CIBP @ 1480' for original TA status of well. Fruitland Coal perforations @ 1518'-1534'. Load and circulate hole. Pressure test casing to 650 psi for 30 mins. Casing tested good. 4) Spot inside Plug I above CIBP @ 1480' w/35 sks (40.25 cu ft) Class G neat cement to 1178' to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displace w/4.5 bbls. Plug I, inside 5½" casing, 1178'-1480', Fruitland, 35 sks, 40.25 cu ft. 5) Spot inside Plug II from 557' w/75 sks Class G neat cement (86.25 cu ft) to cover the surface casing shoe & Kirtland-Ojo Alamo tops. Fill up and circulate cement out of 5½" casing. LD all tubing. Cut wellhead off. TOC inside 5½" casing & inside the annulus. Plug II, inside 5½" casing, 0-557', Kirtland-Ojo Alamo-Surface, 75 sks, 86.25 cu ft. 6) Fill up cellar & install dry hole marker w/25 sks, 28.75 cu ft Class G neat cement. 7) Clean location. Rig down Aztec 481 and move. Clay Yazzie from BLM Farmington FO witnessed job. Well P&A'd 11/03/2023.

SR Attachments

Actual Procedure

- Juniper_9_14_Post_PA_completed_wellbore_schematic_20231206151022.pdf
- Juniper_9_14_Post_PA_work_20231206151012.pdf

Well Name: JUNIPER 9	Well Location: T24N / R10W / SEC 9 / SWSW / 36.323728 / -107.906529	County or Parish/State: SAN JUAN / NM
Well Number: 14	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM101058	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453063600S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 06, 2023 03:09 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO Box 420

City: FarmingtonState: NM

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: FarmingtonState: NMZip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 12/06/2023


Signature: Matthew Kade

Dugan Production P&A'd the well on 11/03/2023 per the following procedure:

- MI&RU Aztec 481 and cement equipment. Spot in & NU BOP.
- PU & tally 2-3/8" J-55, 4.7# tubing for workstring.
- RIH & tag 5½" CIBP @ 1480' for original TA status of well. Fruitland Coal perforations @ 1518'-1534'. Load and circulate hole. Pressure test casing to 650 psi for 30 mins. Casing tested good.
- Spot inside Plug I above CIBP @ 1480' w/35 sks (40.25 cu ft) Class G neat cement to 1178' to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displace w/4.5 bbls. **Plug I, inside 5½" casing, 1178'-1480', Fruitland, 35 sks, 40.25 cu ft.**
- Spot inside Plug II from 557' w/75 sks Class G neat cement (86.25 cu ft) to cover the surface casing shoe & Kirtland-Ojo Alamo tops. Fill up and circulate cement out of 5½" casing. LD all tubing. Cut wellhead off. TOC inside 5½" casing & inside the annulus. **Plug II, inside 5½" casing, 0-557', Kirtland-Ojo Alamo-Surface, 75 sks, 86.25 cu ft.**
- Fill up cellar & install dry hole marker w/25 sks, 28.75 cu ft Class G neat cement.
- Clean location. Rig down Aztec 481 and move. Clay Yazzie from BLM Farmington FO witnessed job. **Well P&A'd 11/03/2023.**

Completed Wellbore Schematic

Juniper 9 #14
30-045-30636
Basin Fruitland
1075' FSL & 975' FWL
S9 T24N R10W
San Juan County, NM
Lat:36.3236961 Long:-107.906517



8-5/8" 24# casing @ 140'. Cemented with 135 sks Class B cement.
Hole size: 12-1/4". Circulate 7 bbls cement to surface.

Plug II, inside 5 1/2" casing, 0-557', Kirtland-Ojo Alamo-Surface, 75 sks, 86.25 Cu.ft.

5 1/2" 15.5# casing @ 1687'. Hole size: 7-7/8"

Cemented production casing w/ 211 sks Class B followed by 85 sks Class B.
Circulated 20 bbls cement to surface.

Set 5 1/2" CIBP @ 1480'. Plug I, Inside 5 1/2" casing, 1178'-1480', Fruitland, 35 sks, 40.25 Cu.ft.

Fruitland Coal Perforated @ 1518' – 1534'

PBTD @ 1645, TD 1690'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 292029

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 292029
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 11/3/2023	12/18/2023