

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49404	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 333578	⁸ Property Name CHICKEN NOODLE FED COM	⁹ Well Number 301H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
F	11	26S	25E	-	2376	NORTH	1517	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	2	26S	25E	-	246	NORTH	1007	WEST	EDDY
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	P	6/30/2023							

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
174238	ENTERPRISE CRUDE OIL LLC 210 PARK AVE, SUITE 1600 OKLAHOMA CITY, OK 73102	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
12/3/2022	3/23/2023	16713'	16643'	9355 ft to 16559 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	312'	330 sks		
9.875"	7.625"	8545'	1275 sks		
6.75"	5.5"	16713'	795 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
6/30/2023	6/30/2023	7/26/2023	24 hrs.	2572	678
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
0/64	88	382	2471		Pumping
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/21/2023		
Date: 8/4/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT


¹ API Number 30-015-49404	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 333578	⁵ Property Name CHICKEN NOODLE FED COM	⁶ Well Number 301H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3644'

¹⁰ Surface Location									
UL or lot no. F	Section 11	Township 26-S	Range 25-E	Lot Idn -	Feet from the 2376'	North/South line NORTH	Feet from the 1517'	East/West line WEST	County EDDY

¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. D	Section 2	Township 26-S	Range 25-E	Lot Idn -	Feet from the 246'	North/South line NORTH	Feet from the 1007'	East/West line WEST	County EDDY

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)
2376' FNL - SEC. 11
1517' FWL - SEC. 11
X=529886 Y=384829
LAT.: N 32.0579693
LONG.: W 104.3702976

KICK OFF POINT (KOP)
2622' FNL - SEC. 11
976' FWL - SEC. 11
X=529338 Y=384586
LAT.: N 32.0573012
LONG.: W 104.3720668
MD=8720' TVD=8679'

FIRST TAKE POINT (FTP)
2312' FNL - SEC. 11
956' FWL - SEC. 11
X=529327 Y=384896
LAT.: N 32.0581532
LONG.: W 104.3721025
MD=9347' TVD=9169'

LAST TAKE POINT (LTP)
328' FNL - SEC. 2
1006' FWL - SEC. 2
X=529443 Y=392169
LAT.: N 32.0781468
LONG.: W 104.3717366
MD=16629' TVD=9276'

BOTTOM HOLE LOCATION (BHL)
246' FNL - SEC. 2
1007' FWL - SEC. 2
X=529444 Y=392251
LAT.: N 32.0783726
LONG.: W 104.3717320
MD=16711' TVD=9278'

¹⁷OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 3/17/2023

Signature _____ Date _____
Jeff Trlica

Printed Name _____
jtrlica@taprk.com


E-mail Address _____

¹⁸SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

11/14/2022

Date of Survey _____
Signature and Seal of Professional Surveyor _____

Certificate Number _____



NEW MEXICO EAST
NAD 1983
SURFACE LOCATION (SHL)

2376' FNL - SEC. 11
1517' FWL - SEC. 11
X=529886 Y=384829
LAT.: N 32.0579693
LONG.: W 104.3702976

KICK OFF POINT (KOP)
2622' FNL - SEC. 11
976' FWL - SEC. 11
X=529338 Y=384586
LAT.: N 32.0573012
LONG.: W 104.3720668
MD=8720' TVD=8679'


FIRST TAKE POINT (FTP)
2312' FNL - SEC. 11
956' FWL - SEC. 11
X=529327 Y=384896
LAT.: N 32.0581532
LONG.: W 104.3721025
MD=9347' TVD=9169'

LAST TAKE POINT (LTP)
328' FNL - SEC. 2
1006' FWL - SEC. 2
X=529443 Y=392169
LAT.: N 32.0781468
LONG.: W 104.3717366
MD=16629' TVD=9276'

BOTTOM HOLE LOCATION (BHL)

246' FNL - SEC. 2
1007' FWL - SEC. 2
X=529444 Y=392251
LAT.: N 32.0783726
LONG.: W 104.3717320
MD=16711' TVD=9278'

LEASE NAME & WELL NO.: CHICKEN NOODLE 301H
SECTION 11 TWP. 26-S RGE 25-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 3644'
DESCRIPTION 2376' FNL & 1517' FWL



Ramon A. Dominguez, P.S. No. 24508
March 3, 2023



481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

CHICKEN NOODLE 301H AS-DRILLED	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 3/3/2023			
FILE:AD_CHICKEN_NOODLE_FED_COM_301H			
DRAWN BY: IMU			
SHEET : 2 OF 2			



Operator: TapRock Resources LLC
Well Name: Chicken Noodle Fed Com #301H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-49404

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 193' MD – 16,653' MD
Projection to Bit: 16,713' MD
Dates Performed: 12/03/2022 – 12/31/2022
Type of Survey: MWD

Sincerely,

Patrick Bateman
MWD Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Chicken Noodle Fed Com 301H**
 Job Number: **ID3780**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **9267**
 Target Inclination: **90.00°**
 Declination Correction: **7.04°**
 DF Elevation: **3670**

Vertical Section Calculated Along Azimuth: **0.52°**
 Survey Calculation Method: **Minimum Curvature**

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
MWD	1	193.00	0.57	238.37	193	193.00	-0.51	-0.50	-0.82	0.30
MWD	2	265.00	0.79	214.37	72	264.99	-1.11	-1.10	-1.40	0.49
MWD	3	405.00	1.05	237.05	140	404.97	-2.62	-2.60	-3.02	0.32
MWD	4	497.00	0.62	235.20	92	496.96	-3.38	-3.34	-4.14	0.47
MWD	5	590.00	0.92	247.25	93	589.96	-3.96	-3.91	-5.24	0.36
MWD	6	682.00	0.48	267.55	92	681.95	-4.27	-4.22	-6.31	0.54
MWD	7	774.00	0.18	318.00	92	773.95	-4.19	-4.12	-6.79	0.42
MWD	8	866.00	0.22	248.12	92	865.95	-4.15	-4.08	-7.05	0.25
MWD	9	958.00	0.22	332.67	92	957.95	-4.06	-3.99	-7.30	0.32
MWD	10	1050.00	0.18	356.84	92	1049.95	-3.76	-3.69	-7.38	0.10
MWD	11	1142.00	0.22	82.98	92	1141.95	-3.59	-3.53	-7.22	0.30
MWD	12	1234.00	1.76	153.47	92	1233.93	-4.83	-4.77	-6.41	1.85
MWD	13	1326.00	2.90	149.25	92	1325.85	-8.07	-8.03	-4.59	1.25
MWD	14	1418.00	3.69	156.28	92	1417.70	-12.76	-12.74	-2.21	0.96
MWD	15	1509.00	4.13	175.09	91	1508.49	-18.69	-18.69	-0.75	1.48
MWD	16	1604.00	3.38	201.19	95	1603.29	-24.72	-24.71	-1.47	1.94
MWD	17	1699.00	3.34	227.12	95	1698.14	-29.24	-29.20	-4.51	1.59
MWD	18	1795.00	3.69	233.45	96	1793.96	-33.03	-32.95	-9.04	0.54
MWD	19	1890.00	3.21	232.74	95	1888.78	-36.50	-36.38	-13.61	0.51
MWD	20	1985.00	3.38	254.45	95	1983.63	-38.90	-38.74	-18.43	1.32
MWD	21	2081.00	4.70	254.19	96	2079.39	-40.79	-40.57	-24.94	1.38
MWD	22	2177.00	5.45	255.77	96	2175.01	-43.06	-42.76	-33.14	0.79
MWD	23	2272.00	6.64	250.06	95	2269.48	-46.13	-45.74	-42.68	1.40
MWD	24	2367.00	7.74	254.54	95	2363.74	-49.81	-49.32	-54.01	1.30
MWD	25	2462.00	8.18	253.13	95	2457.82	-53.59	-52.99	-66.64	0.51
MWD	26	2557.00	6.51	254.89	95	2552.04	-57.06	-56.35	-78.31	1.77
MWD	27	2652.00	8.18	252.34	95	2646.25	-60.62	-59.81	-89.95	1.79
MWD	28	2747.00	8.35	251.46	95	2740.27	-64.98	-64.05	-102.93	0.22
MWD	29	2843.00	9.36	247.07	96	2835.12	-70.37	-69.31	-116.73	1.27
MWD	30	2938.00	11.21	248.92	95	2928.59	-76.84	-75.64	-132.46	1.98
MWD	31	3033.00	10.02	245.75	95	3021.97	-83.70	-82.36	-148.61	1.39
MWD	32	3128.00	9.32	245.14	95	3115.62	-90.46	-88.99	-163.13	0.74
MWD	33	3223.00	9.76	248.21	95	3209.30	-96.82	-95.21	-177.59	0.71
MWD	34	3318.00	10.02	249.09	95	3302.89	-102.89	-101.15	-192.78	0.32
MWD	35	3414.00	9.36	246.81	96	3397.52	-109.08	-107.20	-207.76	0.80
MWD	36	3509.00	8.79	245.14	95	3491.33	-115.30	-113.30	-221.45	0.66
MWD	37	3604.00	8.40	252.17	95	3585.27	-120.60	-118.47	-234.64	1.18
MWD	38	3699.00	8.26	254.63	95	3679.27	-124.65	-122.41	-247.83	0.40
MWD	39	3795.00	9.14	252.25	96	3774.16	-128.93	-126.56	-261.74	0.99
MWD	40	3890.00	9.49	249.09	95	3867.91	-134.15	-131.65	-276.24	0.65
MWD	41	3985.00	8.31	246.10	95	3961.76	-139.85	-137.23	-289.83	1.33
MWD	42	4081.00	8.62	245.49	96	4056.72	-145.77	-143.03	-302.72	0.34
MWD	43	4176.00	8.66	243.99	95	4150.64	-151.97	-149.12	-315.63	0.24
MWD	44	4271.00	8.35	252.78	95	4244.60	-157.27	-154.29	-328.64	1.41
MWD	45	4367.00	8.31	259.46	96	4339.59	-160.72	-157.63	-342.12	1.01
MWD	46	4462.00	9.19	252.25	95	4433.48	-164.42	-161.20	-356.10	1.48
MWD	47	4557.00	10.33	249.35	95	4527.11	-169.87	-166.51	-371.29	1.31

MWD	48	4653.00	9.71	247.95	96	4621.64	-176.09	-172.59	-386.85	0.69
MWD	49	4748.00	8.92	246.37	95	4715.39	-182.18	-178.55	-401.02	0.87
MWD	50	4843.00	9.01	250.85	95	4809.23	-187.70	-183.94	-414.80	0.74
MWD	51	4939.00	9.27	249.44	96	4904.01	-193.01	-189.12	-429.14	0.36
MWD	52	5034.00	8.31	247.68	95	4997.90	-198.42	-194.41	-442.66	1.05
MWD	53	5129.00	7.21	248.83	95	5092.02	-203.29	-199.18	-454.57	1.17
MWD	54	5225.00	6.51	245.14	96	5187.34	-207.85	-203.64	-465.12	0.86
MWD	55	5320.00	6.07	247.86	95	5281.76	-212.10	-207.80	-474.66	0.56
MWD	56	5415.00	5.32	241.09	95	5376.30	-216.19	-211.82	-483.17	1.06
MWD	57	5511.00	4.13	238.10	96	5471.97	-220.23	-215.80	-490.00	1.27
MWD	58	5606.00	3.21	220.44	95	5566.78	-224.11	-219.63	-494.63	1.52
MWD	59	5702.00	3.03	220.97	96	5662.63	-228.10	-223.59	-498.04	0.19
MWD	60	5797.00	4.88	226.42	95	5757.40	-232.82	-228.27	-502.61	1.98
MWD	61	5893.00	4.84	222.46	96	5853.06	-238.68	-234.07	-508.30	0.35
MWD	62	5988.00	3.12	236.79	95	5947.83	-243.10	-238.45	-513.17	2.08
MWD	63	6084.00	2.42	271.50	96	6043.72	-244.51	-239.83	-517.38	1.86
MWD	64	6178.00	3.03	291.45	94	6137.62	-243.59	-238.87	-521.68	1.19
MWD	65	6274.00	3.12	277.48	96	6233.48	-242.37	-237.60	-526.63	0.78
MWD	66	6368.00	3.30	271.94	94	6327.33	-241.99	-237.17	-531.87	0.38
MWD	67	6463.00	1.23	335.58	95	6422.26	-241.00	-236.15	-535.03	3.12
MWD	68	6558.00	0.97	321.16	95	6517.25	-239.45	-234.60	-535.95	0.40
MWD	69	6653.00	0.88	335.58	95	6612.23	-238.17	-233.31	-536.76	0.26
MWD	70	6748.00	1.01	359.48	95	6707.22	-236.67	-231.80	-537.07	0.43
MWD	71	6843.00	0.84	14.25	95	6802.21	-235.16	-230.29	-536.90	0.31
MWD	72	6939.00	0.18	351.04	96	6898.21	-234.32	-229.46	-536.75	0.71
MWD	73	7034.00	0.75	211.83	95	6993.20	-234.71	-229.84	-537.11	0.94
MWD	74	7129.00	1.49	227.91	95	7088.18	-236.07	-231.20	-538.35	0.84
MWD	75	7224.00	1.23	7.30	95	7183.17	-235.90	-231.01	-539.14	2.69
MWD	76	7319.00	2.15	37.89	95	7278.13	-233.47	-228.60	-537.91	1.32
MWD	77	7415.00	0.92	76.65	96	7374.10	-231.85	-227.00	-536.06	1.61
MWD	78	7510.00	0.57	132.37	95	7469.09	-231.99	-227.14	-534.97	0.80
MWD	79	7605.00	0.48	150.04	95	7564.09	-232.64	-227.80	-534.42	0.19
MWD	80	7700.00	0.57	274.58	95	7659.09	-232.95	-228.11	-534.69	0.98
MWD	81	7796.00	0.92	246.54	96	7755.08	-233.23	-228.38	-535.87	0.52
MWD	82	7891.00	1.19	238.37	95	7850.06	-234.07	-229.20	-537.41	0.32
MWD	83	7986.00	0.97	239.16	95	7945.04	-235.01	-230.13	-538.94	0.23
MWD	84	8081.00	1.10	231.16	95	8040.03	-236.01	-231.11	-540.34	0.20
MWD	85	8176.00	1.14	243.55	95	8135.01	-237.02	-232.11	-541.90	0.26
MWD	86	8272.00	1.27	216.48	96	8230.99	-238.31	-233.39	-543.39	0.60
MWD	87	8367.00	1.49	199.34	95	8325.96	-240.33	-235.40	-544.42	0.49
MWD	88	8462.00	1.45	199.70	95	8420.93	-242.64	-237.70	-545.24	0.04
MWD	89	8552.00	1.19	210.95	90	8510.91	-244.52	-239.57	-546.10	0.41
MWD	90	8630.00	1.36	213.50	78	8588.89	-245.99	-241.04	-547.03	0.23
MWD	91	8720.00	1.32	211.03	90	8678.86	-247.78	-242.82	-548.15	0.08
MWD	92	8814.00	6.33	332.06	94	8772.69	-244.15	-239.16	-551.14	7.55
MWD	93	8908.00	16.79	350.78	94	8864.68	-226.16	-221.13	-555.76	11.68
MWD	94	9001.00	25.89	354.12	93	8951.21	-192.67	-187.60	-560.00	9.87
MWD	95	9096.00	37.76	359.22	95	9031.80	-142.80	-137.70	-562.53	12.80
MWD	96	9190.00	49.01	1.68	94	9100.01	-78.34	-73.24	-561.88	12.10
MWD	97	9284.00	67.16	1.42	94	9149.50	1.10	6.18	-559.75	19.31
MWD	98	9378.00	77.58	359.83	94	9177.93	90.56	95.64	-558.81	11.20
MWD	99	9472.00	84.75	0.36	94	9192.36	183.38	188.46	-558.65	7.65
MWD	100	9593.00	89.85	2.38	121	9198.06	304.19	309.25	-555.76	4.53
MWD	101	9684.00	88.53	2.12	91	9199.34	395.14	400.16	-552.19	1.48
MWD	102	9778.00	87.82	1.85	94	9202.34	489.06	494.06	-548.93	0.81
MWD	103	9873.00	88.92	3.52	95	9205.04	583.95	588.91	-544.48	2.10
MWD	104	9966.00	86.20	1.94	93	9209.00	676.78	681.71	-540.06	3.38
MWD	105	10061.00	86.02	1.59	95	9215.44	771.54	776.45	-537.14	0.41
MWD	106	10155.00	85.89	0.36	94	9222.07	865.30	870.20	-535.54	1.31
MWD	107	10250.00	87.82	0.36	95	9227.29	960.15	965.05	-534.95	2.03
MWD	108	10343.00	87.96	359.83	93	9230.71	1053.09	1057.98	-534.79	0.59

MWD	109	10438.00	89.89	3.08	95	9232.49	1148.04	1152.92	-532.38	3.98
MWD	110	10532.00	89.05	3.08	94	9233.36	1241.94	1246.78	-527.33	0.89
MWD	111	10627.00	92.62	4.75	95	9231.98	1336.75	1341.53	-520.85	4.15
MWD	112	10722.00	91.69	3.52	95	9228.41	1431.49	1436.21	-514.00	1.62
MWD	113	10815.00	91.43	3.52	93	9225.87	1524.33	1529.00	-508.29	0.28
MWD	114	10910.00	90.24	3.17	95	9224.49	1619.20	1623.83	-502.75	1.31
MWD	115	11004.00	90.02	3.61	94	9224.28	1713.08	1717.66	-497.19	0.52
MWD	116	11099.00	89.05	2.03	95	9225.05	1808.00	1812.54	-492.52	1.95
MWD	117	11194.00	87.78	1.33	95	9227.67	1902.94	1907.46	-489.74	1.53
MWD	118	11288.00	91.30	1.94	94	9228.43	1996.90	2001.40	-487.05	3.80
MWD	119	11382.00	90.07	358.69	94	9227.31	2090.88	2095.38	-486.54	3.70
MWD	120	11476.00	92.79	359.48	94	9224.96	2184.81	2189.33	-488.04	3.01
MWD	121	11571.00	91.21	358.87	95	9221.64	2279.72	2284.26	-489.41	1.78
MWD	122	11665.00	92.70	0.54	94	9218.44	2373.65	2378.20	-489.89	2.38
MWD	123	11759.00	90.29	0.18	94	9215.98	2467.61	2472.16	-489.30	2.59
MWD	124	11853.00	88.26	359.66	94	9217.17	2561.60	2566.14	-489.43	2.23
MWD	125	11947.00	88.88	359.92	94	9219.52	2655.56	2660.11	-489.78	0.72
MWD	126	12042.00	87.56	359.57	95	9222.47	2750.50	2755.06	-490.20	1.44
MWD	127	12136.00	87.38	359.57	94	9226.62	2844.40	2848.97	-490.90	0.19
MWD	128	12230.00	89.10	0.01	94	9229.51	2938.34	2942.92	-491.25	1.89
MWD	129	12324.00	89.98	359.75	94	9230.26	3032.33	3036.92	-491.44	0.98
MWD	130	12417.00	92.13	1.59	93	9228.55	3125.31	3129.89	-490.36	3.04
MWD	131	12511.00	89.14	357.46	94	9227.51	3219.26	3223.85	-491.14	5.42
MWD	132	12604.00	91.16	359.66	93	9227.26	3312.19	3316.81	-493.47	3.21
MWD	133	12699.00	89.89	358.51	95	9226.39	3407.15	3411.79	-494.99	1.80
MWD	134	12792.00	90.81	359.22	93	9225.83	3500.11	3504.76	-496.83	1.25
MWD	135	12885.00	91.38	0.18	93	9224.05	3593.08	3597.74	-497.32	1.20
MWD	136	12980.00	92.09	0.89	95	9221.17	3688.04	3692.70	-496.43	1.06
MWD	137	13074.00	92.13	0.80	94	9217.71	3781.97	3786.62	-495.05	0.10
MWD	138	13168.00	89.93	359.66	94	9216.02	3875.95	3880.60	-494.67	2.64
MWD	139	13262.00	88.26	359.66	94	9217.51	3969.92	3974.58	-495.23	1.78
MWD	140	13356.00	91.21	0.18	94	9217.94	4063.91	4068.57	-495.36	3.19
MWD	141	13449.00	90.59	0.10	93	9216.48	4156.89	4161.56	-495.13	0.67
MWD	142	13544.00	86.81	358.87	95	9218.63	4251.83	4256.51	-495.99	4.18
MWD	143	13636.00	89.41	359.31	92	9221.67	4343.75	4348.44	-497.45	2.87
MWD	144	13730.00	87.82	357.64	94	9223.94	4437.65	4442.37	-499.95	2.45
MWD	145	13823.00	91.12	357.99	93	9224.80	4530.53	4535.29	-503.49	3.57
MWD	146	13918.00	94.15	359.39	95	9220.43	4625.37	4630.15	-505.66	3.51
MWD	147	14013.00	91.08	359.83	95	9216.10	4720.25	4725.04	-506.31	3.26
MWD	148	14107.00	91.03	0.36	94	9214.37	4814.23	4819.02	-506.15	0.57
MWD	149	14200.00	88.97	1.59	93	9214.37	4907.22	4912.00	-504.57	2.58
MWD	150	14294.00	89.45	2.12	94	9215.67	5001.18	5005.94	-501.53	0.76
MWD	151	14388.00	89.85	3.00	94	9216.24	5095.12	5099.85	-497.33	1.03
MWD	152	14482.00	86.55	3.35	94	9219.19	5188.96	5193.64	-492.12	3.53
MWD	153	14575.00	88.35	3.79	93	9223.33	5281.73	5286.37	-486.34	1.99
MWD	154	14670.00	91.08	4.23	95	9223.80	5376.55	5381.12	-479.70	2.91
MWD	155	14764.00	85.10	0.54	94	9226.93	5470.39	5474.93	-475.78	7.47
MWD	156	14859.00	87.74	0.98	95	9232.87	5565.19	5569.73	-474.53	2.82
MWD	157	14954.00	90.02	3.00	95	9234.72	5660.13	5664.64	-471.23	3.21
MWD	158	15050.00	88.75	2.38	96	9235.75	5756.05	5760.53	-466.72	1.47
MWD	159	15146.00	88.57	1.77	96	9238.00	5851.99	5856.44	-463.25	0.66
MWD	160	15239.00	88.66	1.42	93	9240.25	5944.95	5949.37	-460.66	0.39
MWD	161	15335.00	89.10	0.80	96	9242.12	6040.92	6045.34	-458.80	0.79
MWD	162	15431.00	90.02	0.45	96	9242.86	6136.92	6141.33	-457.75	1.03
MWD	163	15526.00	88.44	0.01	95	9244.14	6231.91	6236.31	-457.37	1.73
MWD	164	15621.00	87.38	0.10	95	9247.60	6326.84	6331.25	-457.28	1.12
MWD	165	15716.00	87.16	359.39	95	9252.13	6421.72	6426.14	-457.70	0.78
MWD	166	15812.00	86.33	0.01	96	9257.58	6517.56	6521.98	-458.21	1.08
MWD	167	15907.00	86.73	359.92	95	9263.33	6612.38	6616.81	-458.26	0.43
MWD	168	16003.00	87.87	0.36	96	9267.85	6708.27	6712.70	-458.03	1.27
MWD	169	16099.00	89.05	0.45	96	9270.43	6804.23	6808.66	-457.35	1.23

MWD	170	16195.00	89.58	0.98	96	9271.58	6900.22	6904.65	-456.15	0.78
MWD	171	16290.00	90.99	3.08	95	9271.10	6995.18	6999.58	-452.79	2.66
MWD	172	16386.00	89.67	1.94	96	9270.55	7091.12	7095.48	-448.58	1.82
MWD	173	16482.00	88.75	1.42	96	9271.87	7187.09	7191.43	-445.77	1.10
MWD	174	16577.00	88.04	0.71	95	9274.54	7282.04	7286.37	-444.00	1.06
MWD	175	16653.00	88.57	1.06	76	9276.78	7358.01	7362.33	-442.83	0.84
PTB	176	16713.00	88.57	1.06	60	9278.28	7417.99	7422.30	-441.72	0.00

Well Name: CHICKEN NOODLE FED COM	Well Location: T26S / R25E / SEC 11 / SENW / 32.0579697 / -104.3702977	County or Parish/State: EDDY / NM
Well Number: 301H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM113397	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549404	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2724695

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 04/06/2023	Time Sundry Submitted: 09:15
Date Operation Actually Began: 03/05/2023	

Actual Procedure: 2/27/2023: Pressure test casing to 5000 psi for 30 minutes, good test. 3/5/2023 to 3/17/2023: Perforate from 9355 ft to 16559 ft, 1 SPF, .55 inch holes with 364 total shots. 28 stage frac with 19,954,870 lbs of 100 mesh sand. 3/21/2023 to 3/22/2023: Drill out plugs Plug Back Measured depth at 16643 ft MD, 9277 ft TVD. 3/23/2023: Ready to produce

Well Name: CHICKEN NOODLE FED COM	Well Location: T26S / R25E / SEC 11 / SENW / 32.0579697 / -104.3702977	County or Parish/State: EDDY / NM
Well Number: 301H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM113397	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549404	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: APR 06, 2023 09:14 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/07/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49404										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CHICKEN NOODLE FED COM		
								6. Well Number: 301H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	F	11	26S	25E	-	2376	NORTH	1517	WEST	EDDY
BH:	D	2	26S	25E	-	246	NORTH	1007	WEST	EDDY
13. Date Spudded 12/3/2022	14. Date T.D. Reached 12/31/2022		15. Date Rig Released 1/2/2023			16. Date Completed (Ready to Produce) 3/23/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3644 GR		
18. Total Measured Depth of Well 16713 ft			19. Plug Back Measured Depth 16643 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9355 ft to 16559 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		312'		17.5"		330 sks		0
7.625"		29.7		8545'		9.875"		1275 sks		0
5.5"		20		16713'		6.75"		795 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2.875	8926	8902		
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 9355 ft to 16559 ft, 1 SPF, .55 inch holes with 364 total shots.						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						9355 ft to 16559 ft		28 stage frac with 19,954,870 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 6/30/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/26/2023	Hours Tested 24 hrs	Choke Size 0/64	Prod'n For Test Period	Oil - Bbl 88	Gas - MCF 2471	Water - Bbl. 382	Gas - Oil Ratio 28080			
Flow Tubing Press. 2572	Casing Pressure 678	Calculated 24-Hour Rate	Oil - Bbl. 88	Gas - MCF 2471	Water - Bbl. 382	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name Jeff Trlica			Title Regulatory Specialist			Date 8/4/2023		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	88		Quaternary					
88	456		Rustler					
456	1491		Top of Salt					
1491	1693		Base of Salt					
1693	1731		Lamar					
1731	2584		Bell Canyon					
2584	3613		Cherry Canyon					
3613	5233		Brushy Canyon					
5233	5815		Bone Spring					
5815	6078		Avalon					
6078	6951		1st Bone Spring Sand					
6951	7954		2nd Bone Spring Sand					
7954	8312		3rd Bone Spring Sand					
8312	8572		Wolfcamp A					
8572	9021		Wolfcamp B					
9021			Wolfcamp C					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 248364

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 248364
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 248364

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 248364
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/21/2023