

Submit 1 Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60164
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Injection Well		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator State of New Mexico formerly Canyon E&P Company		6. State Oil & Gas Lease No. 16496
3. Address of Operator 1625 N. French Drive, Hobbs, N 88240		7. Lease Name or Unit Agreement Name Double L Queen Unit
4. Well Location Unit Letter <u>E</u> : <u>1650</u> feet from the <u>N</u> line and <u>990</u> feet from the <u>W</u> line Section <u>25</u> Township <u>14S</u> Range <u>29E</u> NMPM Chaves County		8. Well Number. 004
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GR 3813'		9. OGRID Number 269864
		10. Pool name or Wildcat Double L Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

A-Plus P&A plugged and abandoned the above well on October 25, 2023 per the following P&A report.

9/25/23: MOL. Held JSA. Prepare road to location and location and spot equipment. Rig up plugging equipment and rig. Check well pressures, no pressure on well. RU tbg equipment for 2-3/8" fiberglass tbg. PU on tbg, stuck, WOO. Secure well and SDFD.

9/26/23: Held JSA. RU MYT slip grip elevators and pull on stuck tbg @ packer. RU A Plus WL, RIH w/ jet cutter and cut tbg above packer @ 1870'. TOO H w/ 2-3/8" fiberglass tbg, dragging. Lots of paraffin and packer came with tbg. RU A Plus WL, RIH w/GRJB, 3 runs, 1st to only 1400', 2nd to 1650', 3rd to 1890'. TOH and LD GRJB, RIH w/ 4.5" CIBP, set @ 1870', POH and RD WL. RU plugging equipment, pressure test pump lines to 1500#, function test pop off. Load well. Secure well and SDFD.

9/27/23: Held JSA. Load well, lvl had dropped 100 bbls. RU JSI WL, RIH to run CBL from 1870' to surface, well keeps losing fluid, try to load well 95 bbls, did not load. Logging tool stopped working due to losing fluid, RD WL. TIH w/ 58 jnts, RU pump.

Plug #1. Spot 25 sxs Class C cmt from 1870' to 1700' 1.32 yield, 25 sxs inside casing. TOO H and WOC overnight. Secure well and SDFD.

9/28/23: Held JSA. Try to load well, pumped 90 bbls, did not load. TIH to tag Plug #1, did not tag. TOO H. TIH w/ 4-1/2" packer to isolate hole, tracked down to 1840' above CIBP; no tag. TOO H and call for orders. TIH

Plug #1A. Spot 30 sxs Class C cmt from 1840' to 1700' 1.32 yield, 30 sxs inside. Calcium. TOO H and WOC for 2.5 hrs. TIH and tag Plug #1A @ 1650'. Secure well and SDFD.

9/29/23: Held JSA. RU pump to tbg and establish circulation, circ well clean w/ 60 bbls. TOO H. Call and wait on JSI WL for CBL. RU JSI WL, RIH and run CBL, RD JSI WL. Secure well and SDFD.

10/2/23: Held JSA. RU A Plus WL, RIH and perf @ 1335', RD WL. Standby, rain and lightning. TIH w/ 4-1/2" packer. RU pump and try to est. ROI, pressured up to 500#, no rate. TOO H. TIH to 1390', RU pump and est circ.

Plug #2. Spot 25 sxs Class C cmt from 1395' to 1295' 1.32 yield, 25 sxs inside. TOO H and WOC overnight. Secure well and SDFN.

10/3/23: Held JSA. Standby, equipment maintenance. Secure well and SDFD.

10/4/23: Held JSA. TIH and tag Plug #2 @1070'. TOOHL. RU A Plus WL, RIH and perf @ 411', RD WL. RU pump and est circ and circ clean.

Plug #3. Spot 140 sxs Class C cmt from 411' to surface; 1.32 yield. TOOHL. RD plugging equipment. ND BOP. MOL. SDFN.

10/25/23: Travel to location. Dig out, cut off, and removed wellhead. TOC @ surface in annulus. Weld on and install P&A marker @ 33.0767894N /-103.9869170W. MOL.


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE RTA Engineer DATE 11/6/23
Type or print name John Lindenberg E-mail address: nelleaplus well.com PHONE: 505 486 6958
For State Use Only John Garcia
APPROVED BY: _____ TITLE Supervisor DATE 12/22/23
Conditions of Approval (if any): _____

Double L Queen Unit 004 **As Plugged on 10/25/2023**

Double L Queen

Unit E, 1650' FNL & 990' FWL, Section 25, T14S, R29E
 Chaves County, NM, API #30-005-60164





District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 283786

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 283786
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	12/22/2023