

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49451	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 333578	⁸ Property Name CHICKEN NOODLE FED COM	⁹ Well Number 402H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
F	11	26S	25E	-	2376	NORTH	1547	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	2	26S	25E	-	151	NORTH	1649	WEST	EDDY
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	P	7/2/2023							

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
174238	ENTERPRISE CRUDE OIL LLC 210 PARK AVE, SUITE 1600 OKLAHOMA CITY, OK 73102	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
12/4/2022	3/24/2023	15989'	15975'	8407 ft to 15890 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	318'	330 sks		
12.25"	9.625"	1792'	585 sks		
8.75"/7.875	5.5"	15990'	1905 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
7/2/2023	7/2/2023	7/26/2023	24 hrs.	613	299
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
64/64	946	2874	2815		Pumping
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
			Approved by: Sarah McGrath		
			Title: Petroleum Specialist - A		
			Approval Date: 12/27/2023		
			File 3160-4 within 10 days of BLM Approval		
Date: 8/4/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49451	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 333578	⁵ Property Name CHICKEN NOODLE FED COM	⁶ Well Number 402H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3644'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	11	26-S	25-E	-	2376'	NORTH	1547'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	2	26-S	25-E	-	151'	NORTH	1649'	WEST	EDDY

¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8114
--------------------------------------	-------------------------------	----------------------------------	-------------------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)
2376' FNL - SEC. 11
1547' FWL - SEC. 11
X=529916 Y=384829
LAT.: N 32.0579688
LONG.: W 104.3702008

KICK OFF POINT (KOP)
2609' FNL - SEC. 11
1659' FWL - SEC. 11
X=530022 Y=384595
LAT.: N 32.0573276
LONG.: W 104.3698591
MD=7902' TVD=7888'

FIRST TAKE POINT (FTP)(FPP)
2547' FNL - SEC. 11
1659' FWL - SEC. 11
X=530023 Y=384657
LAT.: N 32.0574974
LONG.: W 104.3698547
MD=8179' TVD=8156'

BOTTOM HOLE LOCATION (BHL)
LAST TAKE POINT (LTP)
151' FNL - SEC. 2
1649' FWL - SEC. 2
X=530087 Y=392352
LAT.: N 32.0786499
LONG.: W 104.3696593
MD=15989' TVD=8423'

¹⁷OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 3/17/2023

Signature _____ Date _____
Jeff Trlica

Printed Name _____
jtrlica@taprk.com

E-mail Address _____

¹⁸SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

11/14/2022

Date of Survey _____
Signature and Seal of Professional Surveyor




8/7/2023 9:16:28 AM
Certificate Number _____



SCALE: 1" = 2000'

0' 1000' 2000'

SECTION 11, TOWNSHIP 26-S, RANGE 25-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)

2376' FNL - SEC. 11
1547' FWL - SEC. 11
X=529916 Y=384829
LAT.: N 32.0579688
LONG.: W 104.3702008

KICK OFF POINT (KOP)

2609' FNL - SEC. 11
1659' FWL - SEC. 11
X=530022 Y=384595
LAT.: N 32.0573276
LONG.: W 104.3698591
MD=7902' TVD=7888'

FIRST TAKE POINT (FTP)(FPP)

2547' FNL - SEC. 11
1659' FWL - SEC. 11
X=530023 Y=384657
LAT.: N 32.0574974
LONG.: W 104.3698547
MD=8179' TVD=8156'

BOTTOM HOLE LOCATION (BHL)

LAST TAKE POINT (LTP)
151' FNL - SEC. 2
1649' FWL - SEC. 2
X=530087 Y=392352
LAT.: N 32.0786499
LONG.: W 104.3696593
MD=15989' TVD=8423'

LEASE NAME & WELL NO.: CHICKEN NOODLE 402H
SECTION 11 TWP 26-S RGE 25-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 3644'
DESCRIPTION 2376' FNL & 1547' FWL



481 WINSKOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



8/7/2023 9:16:29 AM

Ramon A. Dominguez, P.S. No. 24508

CHICKEN NOODLE
402H
AS-DRILLED

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 3/2/2023

FILE: AD_CHICKEN_NOODLE_FED_COM_402H_REV1

DRAWN BY: IMU

SHEET: 2 OF 2



Operator: TapRock Resources LLC
Well Name: Chicken Noodle Fed Com #402H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-49451

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 132' MD – 15,933' MD
Projection to Bit: 15,990' MD
Dates Performed: 12/04/2022 – 12/23/2022
Type of Survey: MWD

Sincerely,

Patrick Bateman
MWD Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Chicken Noodle Fed Com 402H**
 Job Number: **ID3782**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **8425**
 Target Inclination: **90.00°**
 Declination Correction: **7.04°**
 DF Elevation: **3670**

Vertical Section Calculated Along Azimuth: **0.54°**

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
MWD	1	132.00	0.66	240.21	132	132.00	-0.38	-0.38	-0.66	0.50
MWD	2	224.00	0.66	221.58	92	223.99	-1.05	-1.04	-1.47	0.23
MWD	3	266.00	0.92	223.51	42	265.99	-1.48	-1.46	-1.86	0.62
MWD	4	413.00	0.57	257.70	147	412.98	-2.51	-2.47	-3.39	0.37
MWD	5	505.00	1.05	210.86	92	504.97	-3.34	-3.30	-4.27	0.85
MWD	6	598.00	0.75	324.68	93	597.96	-3.58	-3.53	-5.06	1.63
MWD	7	690.00	0.70	0.01	92	689.95	-2.53	-2.48	-5.41	0.48
MWD	8	782.00	0.57	20.31	92	781.95	-1.54	-1.49	-5.25	0.28
MWD	9	874.00	0.84	16.62	92	873.94	-0.46	-0.41	-4.90	0.30
MWD	10	966.00	0.48	49.05	92	965.93	0.45	0.49	-4.41	0.55
MWD	11	1058.00	1.45	35.08	92	1057.92	1.66	1.69	-3.45	1.08
MWD	12	1150.00	1.19	29.89	92	1149.90	3.45	3.47	-2.31	0.31
MWD	13	1242.00	1.14	79.11	92	1241.88	4.47	4.48	-0.93	1.06
MWD	14	1334.00	2.42	127.54	92	1333.84	3.48	3.46	1.51	2.03
MWD	15	1426.00	3.08	142.48	92	1425.73	0.36	0.32	4.55	1.05
MWD	16	1517.00	4.35	160.06	91	1516.54	-4.79	-4.86	7.22	1.86
MWD	17	1612.00	4.04	170.69	95	1611.29	-11.47	-11.55	8.99	0.88
MWD	18	1737.00	4.62	156.63	125	1735.93	-20.41	-20.52	11.70	0.96
MWD	19	1900.00	4.35	156.19	163	1898.44	-32.04	-32.20	16.80	0.17
MWD	20	1995.00	5.14	168.32	95	1993.11	-39.48	-39.66	19.11	1.34
MWD	21	2091.00	5.98	168.14	96	2088.66	-48.57	-48.77	21.01	0.88
MWD	22	2186.00	6.90	159.27	95	2183.06	-58.72	-58.95	24.05	1.42
MWD	23	2281.00	6.86	156.10	95	2277.38	-69.20	-69.47	28.37	0.40
MWD	24	2376.00	6.02	156.19	95	2371.78	-78.91	-79.22	32.68	0.88
MWD	25	2471.00	5.27	156.98	95	2466.32	-87.45	-87.79	36.39	0.79
MWD	26	2566.00	5.58	154.70	95	2560.89	-95.60	-95.98	40.07	0.40
MWD	27	2661.00	7.34	156.37	95	2655.28	-105.30	-105.72	44.48	1.86
MWD	28	2757.00	7.96	155.84	96	2750.43	-116.93	-117.40	49.66	0.65
MWD	29	2852.00	7.74	155.93	95	2844.54	-128.72	-129.25	54.96	0.23
MWD	30	2947.00	7.16	155.49	95	2938.74	-139.90	-140.47	60.03	0.61
MWD	31	3042.00	5.85	156.37	95	3033.12	-149.68	-150.30	64.42	1.38
MWD	32	3137.00	4.92	151.27	95	3127.70	-157.65	-158.30	68.32	1.10
MWD	33	3233.00	6.95	159.44	96	3223.18	-166.66	-167.35	72.34	2.29
MWD	34	3328.00	6.86	159.62	95	3317.50	-177.33	-178.05	76.33	0.10
MWD	35	3423.00	6.42	154.96	95	3411.86	-187.42	-188.18	80.56	0.73
MWD	36	3518.00	6.15	155.93	95	3506.29	-196.83	-197.64	84.88	0.31
MWD	37	3614.00	5.27	153.73	96	3601.81	-205.44	-206.29	88.93	0.94
MWD	38	3709.00	4.48	150.65	95	3696.47	-212.55	-213.44	92.68	0.88
MWD	39	3804.00	3.96	150.39	95	3791.21	-218.61	-219.52	96.12	0.55
MWD	40	3900.00	3.65	146.17	96	3887.00	-224.00	-224.94	99.46	0.43
MWD	41	3995.00	3.38	146.35	95	3981.82	-228.81	-229.79	102.69	0.28
MWD	42	4090.00	2.07	122.62	95	4076.71	-232.04	-233.04	105.69	1.79
MWD	43	4185.00	2.15	125.34	95	4171.65	-233.97	-235.00	108.59	0.13
MWD	44	4281.00	0.88	138.70	96	4267.61	-235.54	-236.60	110.55	1.36
MWD	45	4376.00	0.40	180.27	95	4362.61	-236.42	-237.47	111.03	0.67
MWD	46	4472.00	0.92	200.75	96	4458.60	-237.48	-238.53	110.75	0.59
MWD	47	4567.00	1.01	207.61	95	4553.59	-238.94	-239.99	110.09	0.15

MWD	48	4662.00	1.10	197.50	95	4648.57	-240.56	-241.60	109.43	0.22
MWD	49	4758.00	0.92	296.82	96	4744.56	-241.10	-242.13	108.47	1.61
MWD	50	4852.00	1.19	285.92	94	4838.54	-240.50	-241.52	106.85	0.36
MWD	51	4948.00	1.23	282.40	96	4934.52	-240.03	-241.03	104.89	0.09
MWD	52	5043.00	1.49	264.38	95	5029.50	-239.95	-240.93	102.66	0.52
MWD	53	5139.00	1.67	255.51	96	5125.46	-240.45	-241.40	100.07	0.32
MWD	54	5234.00	0.70	264.12	95	5220.44	-240.87	-241.81	98.15	1.04
MWD	55	5329.00	1.14	196.36	95	5315.43	-241.84	-242.77	97.31	1.15
MWD	56	5425.00	1.58	222.90	96	5411.40	-243.74	-244.66	96.14	0.79
MWD	57	5521.00	1.85	271.15	96	5507.36	-244.70	-245.60	93.69	1.48
MWD	58	5616.00	1.23	249.00	95	5602.33	-245.06	-245.93	91.20	0.89
MWD	59	5711.00	1.89	197.24	95	5697.30	-246.94	-247.79	89.78	1.56
MWD	60	5807.00	1.36	222.28	96	5793.26	-249.30	-250.15	88.55	0.91
MWD	61	5902.00	1.23	226.24	95	5888.24	-250.86	-251.69	87.05	0.17
MWD	62	5997.00	0.75	57.14	95	5983.23	-251.22	-252.05	86.84	2.08
MWD	63	6093.00	1.32	63.11	96	6079.22	-250.37	-251.21	88.35	0.60
MWD	64	6187.00	0.97	105.92	94	6173.20	-250.08	-250.94	90.08	0.95
MWD	65	6281.00	2.95	52.48	94	6267.14	-248.80	-249.69	92.77	2.66
MWD	66	6377.00	2.24	39.21	96	6363.05	-245.81	-246.73	95.91	0.96
MWD	67	6472.00	2.81	32.18	95	6457.95	-242.38	-243.32	98.33	0.68
MWD	68	6567.00	1.54	28.05	95	6552.88	-239.27	-240.22	100.17	1.35
MWD	69	6662.00	1.63	15.92	95	6647.85	-236.83	-237.80	101.14	0.36
MWD	70	6757.00	1.58	15.30	95	6742.81	-234.26	-235.23	101.86	0.06
MWD	71	6853.00	0.88	20.14	96	6838.79	-232.29	-233.26	102.46	0.74
MWD	72	6948.00	0.35	28.75	95	6933.78	-231.35	-232.33	102.85	0.56
MWD	73	7043.00	0.57	147.31	95	7028.78	-231.48	-232.47	103.24	0.84
MWD	74	7138.00	1.23	194.51	95	7123.77	-232.87	-233.85	103.24	0.99
MWD	75	7234.00	0.88	352.80	96	7219.76	-233.14	-234.12	102.89	2.16
MWD	76	7329.00	0.97	1.94	95	7314.75	-231.61	-232.59	102.83	0.18
MWD	77	7424.00	0.57	165.68	95	7409.75	-231.27	-232.25	102.97	1.61
MWD	78	7519.00	0.62	141.95	95	7504.74	-232.12	-233.11	103.41	0.26
MWD	79	7614.00	1.01	32.62	95	7599.74	-231.82	-232.81	104.17	1.42
MWD	80	7710.00	0.53	102.14	96	7695.73	-231.19	-232.19	105.06	1.00
MWD	81	7782.00	0.66	142.04	72	7767.72	-231.58	-232.59	105.65	0.59
MWD	82	7807.00	0.53	151.09	25	7792.72	-231.79	-232.80	105.79	0.64
MWD	83	7902.00	0.31	247.60	95	7887.72	-232.28	-233.28	105.76	0.68
MWD	84	7997.00	10.11	359.04	95	7982.23	-224.02	-225.02	105.39	10.77
MWD	85	8093.00	16.75	1.15	96	8075.56	-201.74	-202.74	105.52	6.93
MWD	86	8188.00	25.67	4.23	95	8164.04	-167.45	-168.46	107.32	9.46
MWD	87	8283.00	36.70	0.54	95	8245.19	-118.37	-119.40	109.11	11.78
MWD	88	8379.00	47.65	355.88	96	8316.24	-54.11	-55.12	106.82	11.86
MWD	89	8474.00	59.47	351.31	95	8372.59	21.55	20.63	98.09	13.02
MWD	90	8570.00	73.41	357.55	96	8410.90	108.81	107.96	89.83	15.69
MWD	91	8665.00	86.20	2.47	95	8427.69	202.08	201.24	89.92	14.39
MWD	92	8733.00	89.41	1.94	68	8430.30	269.99	269.13	92.54	4.78
MWD	93	8825.00	90.15	1.15	92	8430.65	361.97	361.09	95.02	1.18
MWD	94	8917.00	90.99	1.15	92	8429.73	453.96	453.07	96.86	0.91
MWD	95	9010.00	90.81	1.42	93	8428.27	546.94	546.04	98.95	0.35
MWD	96	9101.00	90.02	1.33	91	8427.61	637.93	637.01	101.13	0.87
MWD	97	9193.00	91.03	1.33	92	8426.77	729.92	728.98	103.27	1.10
MWD	98	9285.00	89.80	1.06	92	8426.10	821.91	820.95	105.19	1.37
MWD	99	9377.00	89.98	0.62	92	8426.28	913.91	912.94	106.53	0.52
MWD	100	9469.00	88.70	0.01	92	8427.34	1005.90	1004.93	107.04	1.54
MWD	101	9560.00	88.88	0.18	91	8429.26	1096.87	1095.91	107.19	0.27
MWD	102	9652.00	90.02	359.92	92	8430.14	1188.86	1187.91	107.27	1.27
MWD	103	9748.00	88.88	0.45	96	8431.07	1284.86	1283.90	107.58	1.31
MWD	104	9843.00	88.79	359.66	95	8433.00	1379.83	1378.88	107.67	0.84
MWD	105	9938.00	89.93	359.83	95	8434.06	1474.82	1473.87	107.25	1.21
MWD	106	10034.00	88.92	1.24	96	8435.02	1570.81	1569.86	108.15	1.81
MWD	107	10129.00	89.19	1.77	95	8436.59	1665.78	1664.81	110.64	0.63
MWD	108	10225.00	90.07	1.94	96	8437.21	1761.75	1760.76	113.75	0.93

MWD	109	10320.00	91.12	2.82	95	8436.22	1856.70	1855.67	117.69	1.44
MWD	110	10416.00	90.33	1.94	96	8435.01	1952.64	1951.58	121.68	1.23
MWD	111	10511.00	91.21	2.29	95	8433.73	2047.59	2046.50	125.18	1.00
MWD	112	10606.00	89.89	2.21	95	8432.82	2142.54	2141.42	128.91	1.39
MWD	113	10702.00	90.73	1.94	96	8432.30	2238.51	2237.36	132.39	0.92
MWD	114	10797.00	89.98	1.15	95	8431.71	2333.49	2332.32	134.95	1.15
MWD	115	10893.00	91.08	0.98	96	8430.82	2429.48	2428.30	136.74	1.16
MWD	116	10988.00	90.29	0.01	95	8429.69	2524.47	2523.28	137.56	1.32
MWD	117	11084.00	88.97	358.95	96	8430.31	2620.45	2619.28	136.69	1.76
MWD	118	11179.00	90.68	358.69	95	8430.60	2715.40	2714.25	134.73	1.82
MWD	119	11274.00	90.42	359.75	95	8429.69	2810.37	2809.24	133.44	1.15
MWD	120	11370.00	88.88	0.80	96	8430.27	2906.36	2905.23	133.90	1.94
MWD	121	11464.00	90.07	1.15	94	8431.13	3000.35	2999.21	135.50	1.32
MWD	122	11560.00	90.02	0.45	96	8431.06	3096.35	3095.20	136.84	0.73
MWD	123	11655.00	88.22	1.42	95	8432.52	3191.33	3190.17	138.39	2.15
MWD	124	11751.00	89.89	2.65	96	8434.10	3287.28	3286.09	141.79	2.16
MWD	125	11846.00	91.43	3.44	95	8433.01	3382.18	3380.95	146.84	1.82
MWD	126	11942.00	90.46	2.29	96	8431.42	3478.09	3476.81	151.64	1.57
MWD	127	12037.00	89.76	1.15	95	8431.24	3573.06	3571.77	154.49	1.41
MWD	128	12133.00	90.15	0.62	96	8431.32	3669.06	3667.76	155.97	0.69
MWD	129	12228.00	90.77	0.01	95	8430.55	3764.06	3762.75	156.49	0.92
MWD	130	12323.00	89.63	359.83	95	8430.22	3859.05	3857.75	156.36	1.21
MWD	131	12419.00	90.95	359.75	96	8429.74	3955.04	3953.74	156.01	1.38
MWD	132	12514.00	89.67	0.10	95	8429.22	4050.03	4048.74	155.89	1.40
MWD	133	12610.00	89.80	359.75	96	8429.67	4146.02	4144.74	155.76	0.39
MWD	134	12705.00	88.40	0.36	95	8431.16	4241.00	4239.72	155.85	1.61
MWD	135	12801.00	89.76	0.71	96	8432.70	4336.99	4335.71	156.75	1.46
MWD	136	12896.00	87.30	359.75	95	8435.14	4431.95	4430.66	157.13	2.78
MWD	137	12991.00	87.65	359.48	95	8439.32	4526.84	4525.57	156.49	0.47
MWD	138	13086.00	88.53	358.95	95	8442.49	4621.76	4620.51	155.19	1.08
MWD	139	13181.00	89.89	359.48	95	8443.80	4716.73	4715.49	153.89	1.54
MWD	140	13277.00	90.73	358.87	96	8443.28	4812.70	4811.47	152.51	1.08
MWD	141	13372.00	92.09	358.60	95	8440.94	4907.62	4906.42	150.41	1.46
MWD	142	13468.00	93.27	357.99	96	8436.45	5003.44	5002.27	147.56	1.38
MWD	143	13563.00	92.62	358.16	95	8431.57	5098.22	5097.09	144.37	0.71
MWD	144	13658.00	92.44	358.43	95	8427.38	5193.06	5191.96	141.55	0.34
MWD	145	13754.00	90.86	358.87	96	8424.61	5288.96	5287.89	139.29	1.71
MWD	146	13849.00	89.63	358.51	95	8424.21	5383.91	5382.86	137.11	1.35
MWD	147	13944.00	90.20	358.08	95	8424.35	5478.84	5477.82	134.29	0.75
MWD	148	14040.00	89.14	359.22	96	8424.90	5574.78	5573.78	132.03	1.62
MWD	149	14135.00	90.46	359.31	95	8425.23	5669.76	5668.77	130.81	1.39
MWD	150	14231.00	89.45	0.10	96	8425.31	5765.74	5764.77	130.31	1.34
MWD	151	14326.00	90.15	0.80	95	8425.64	5860.74	5859.77	131.06	1.04
MWD	152	14422.00	89.58	2.03	96	8425.87	5956.73	5955.73	133.43	1.41
MWD	153	14517.00	90.20	2.12	95	8426.05	6051.69	6050.67	136.87	0.66
MWD	154	14613.00	89.36	2.21	96	8426.42	6147.65	6146.60	140.50	0.88
MWD	155	14708.00	89.54	2.21	95	8427.33	6242.61	6241.53	144.16	0.19
MWD	156	14804.00	89.58	1.33	96	8428.07	6338.58	6337.48	147.12	0.92
MWD	157	14899.00	90.42	0.98	95	8428.07	6433.58	6432.46	149.04	0.96
MWD	158	14995.00	89.98	0.89	96	8427.73	6529.57	6528.44	150.61	0.47
MWD	159	15090.00	90.55	0.80	95	8427.29	6624.57	6623.43	152.01	0.61
MWD	160	15185.00	90.59	1.15	95	8426.35	6719.56	6718.41	153.62	0.37
MWD	161	15280.00	91.25	1.06	95	8424.82	6814.54	6813.38	155.45	0.70
MWD	162	15375.00	90.59	0.98	95	8423.30	6909.53	6908.35	157.15	0.70
MWD	163	15470.00	90.81	0.98	95	8422.14	7004.52	7003.33	158.77	0.23
MWD	164	15566.00	90.37	1.59	96	8421.15	7100.50	7099.30	160.92	0.78
MWD	165	15661.00	91.03	1.68	95	8419.99	7195.48	7194.26	163.63	0.70
MWD	166	15756.00	90.07	1.15	95	8419.07	7290.46	7289.22	165.98	1.15
MWD	167	15851.00	88.48	0.89	95	8420.28	7385.45	7384.20	167.67	1.70
MWD	168	15933.00	89.27	1.15	82	8421.89	7467.43	7466.17	169.13	1.01
PTB	169	15990.00	89.27	1.15	57	8422.61	7524.42	7523.15	170.27	0.00

Well Name: CHICKEN NOODLE FED COM	Well Location: T26S / R25E / SEC 11 / SENW / 32.0579692 / -104.3702009	County or Parish/State: EDDY / NM
Well Number: 402H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM113397	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549451	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2724699

Type of Submission: Subsequent Report

Date Sundry Submitted: 04/06/2023

Date Operation Actually Began: 03/05/2023

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 09:17

Actual Procedure: 2/27/2023: Pressure test casing to 5000 psi for 30 minutes, good test. 3/5/2023 to 3/18/2023: Perforate from 8407 ft to 15890 ft, 1 SPF, .55 inch holes with 390 total shots. 30 stage frac with 18,890,030 lbs of 100 mesh sand. 3/22/2023 to 3/23/2023: Drill out plugs Plug Back Measured depth at 15975 ft MD, 8419 ft TVD. 3/24/2023: Ready to produce

Received by OCD: 12/27/2023 7:36:34 AM

Page 11 of 15

Well Name: CHICKEN NOODLE FED COM	Well Location: T26S / R25E / SEC 11 / SENW / 32.0579692 / -104.3702009	County or Parish/State: EDDY / NM
Well Number: 402H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM113397	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549451	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: APR 06, 2023 09:17 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/07/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49451										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CHICKEN NOODLE FED COM		
								6. Well Number: 402H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	F	11	26S	25E	-	2376	NORTH	1547	WEST	EDDY
BH:	C	2	26S	25E	-	151	NORTH	1649	WEST	EDDY
13. Date Spudded 12/4/2022	14. Date T.D. Reached 12/23/2022		15. Date Rig Released 12/25/2022			16. Date Completed (Ready to Produce) 3/24/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3644 GR		
18. Total Measured Depth of Well 15989 ft			19. Plug Back Measured Depth 15975 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8407 ft to 15890 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		318'		17.5"		330 sks		0
9.625"		40		1792'		12.25"		585 sks		0
5.5"		20		15990'		8.75"/7.875"		1905 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2.875	8188	8164		
26. Perforation record (interval, size, and number) Perforate from 8407 ft to 15890 ft, 1 SPF, .55 inch holes with 390 total shots.						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 8407 ft to 15890 ft 30 stage frac with 18,890,030 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 7/2/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/26/2023	Hours Tested 24 hrs	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 946	Gas - MCF 2815	Water - Bbl. 2874	Gas - Oil Ratio 2976			
Flow Tubing Press. 613	Casing Pressure 299	Calculated 24-Hour Rate	Oil - Bbl. 946	Gas - MCF 2815	Water - Bbl. 2874	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Specialist			Date 8/4/2023	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	85		Quaternary					
85	453		Rustler					
453	1488		Top of Salt					
1488	1690		Base of Salt					
1690	1728		Lamar					
1728	2581		Bell Canyon					
2581	3657		Cherry Canyon					
3657	5257		Brushy Canyon					
5257	5842		Bone Spring					
5842	6087		Avalon					
6087	7037		1st Bone Spring Sand					
7037	7968		2nd Bone Spring Sand					
7968	8327		3rd Bone Spring Sand					
8327			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 297650

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 297650
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 297650

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 297650
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval	12/27/2023