

Well Name: SANTA FE	Well Location: T25S / R37E / SEC 27 / SWSW / 32.0958584 / -103.1571561	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM93034	Unit or CA Name: SANTA FE FED. COM.	Unit or CA Number: NMNM71105
US Well Number: 3002526563	Well Status: Abandoned	Operator: FAE II OPERATING LLC

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLAI

NMOCD 1/23/24

X 7

Subsequent Report

Sundry ID: 2770307

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/17/2024

Date Operation Actually Began: 12/01/2023

Type of Action: Plug and Abandonment

Time Sundry Submitted: 01:01

Actual Procedure: 12/01/2023: MIRU P&A rig, lay down polished rod and 3 joints of tubing. Install WH flange & N/U BOP. S.D. 12/04/2023: Checked well, no pressure. RIH w/ 88 joints and bit to 2,750' to confirm clear. POOH w/ tubing, RBIH w/ 5-1/2" CIBP and set @ 2,743'. Circulated well with 64 bbls 9.5# mud. Mix and pump 35 SX 14.8# Class C cement from 2,743' – 2,396' (displaced with 9.2 bbls 9.5# mud). Pull 20 stands, S.D. and WOC overnight. 12/05/2023: Checked well, no pressure. RIH & tag TOC @ 2,418' (cement plug f/ 2,418' – 2743'). Mix and pump 30 SX 14.8# Class C cement from 1,100' – 799' (displaced with 3.1 bbls 9.5# mud). WOC for 4 hrs. RIH & tag TOC @ 816' (cement plug f/ 1,100' – 816'). S.D. 12/06/2023: R/U W/L, RIH & perforate @ 532'. Establish inj rate, mix and pump 120 SX 14.8# Class C cement, filling up both 5-1/2" production casing and 8-5/8" surface casing to surface. Verified cement circulated to surface on both casing strings. L/D all tubing and wash equipment. S.D. 12/07/2023: Verified cement to surface on both production and surface casing, R/D P&A rig. Dug out and cut off WH 3' B.G.L., welded on steel plate to casing and installed 4" OD x 4' tall above ground dry hole marker. Plugging Operations Completed: 12/06/2023

Received by OCD: 1/23/2024 10:22:06 AM

Well Name: SANTA FE

Well Location: T25S / R37E / SEC 27 / SWSW / 32.0958584 / -103.1571561

County or Parish/State: LEA / NM

Well Number: 01

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM93034

Unit or CA Name: SANTA FE FED. COM.

Unit or CA Number: NMNM71105

US Well Number: 3002526563

Well Status: Abandoned

Operator: FAE II OPERATING LLC

SR Attachments

Actual Procedure

WBD_Santa_Fe_Federal_001_CURRENT_PA_2023_12_06_20240117130141.pdf

SR Conditions of Approval

Specialist Review

3002526563_Santa_Fe_01_SR_Plugging_20240122134420.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: VANESSA NEAL

Signed on: JAN 17, 2024 01:02 PM

Name: FAE II OPERATING LLC

Title: Reservoir Engineer

Street Address: 11757 KATY FREEWAY, SUITE 1000

City: HOUSTON State: TX

Phone: (832) 219-0990

Email address: VANESSA@FAENERGYUS.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 01/22/2024

Signature: James A Amos

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSW / 660 FSL / 660 FWL / TWSP: 25S / RANGE: 37E / SECTION: 27 / LAT: 32.0958584 / LONG: -103.1571561 (TVD: 0 feet, MD: 0 feet)

BHL: SWSW / 660 FSL / 660 FWL / TWSP: 25S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

01/18/2024

Well Name: SANTA FE	Well Location: T25S / R37E / SEC 27 / SWSW / 32.0958584 / -103.1571561	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM93034	Unit or CA Name: SANTA FE FED. COM.	Unit or CA Number: NMNM71105
US Well Number: 3002526563	Well Status: Producing Gas Well	Operator: FAE II OPERATING LLC

Subsequent Report

Sundry ID: 2770307

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/17/2024

Time Sundry Submitted: 01:01

Date Operation Actually Began: 12/01/2023

Actual Procedure: 12/01/2023: MIRU P&A rig, lay down polished rod and 3 joints of tubing. Install WH flange & N/U BOP. S.D. 12/04/2023: Checked well, no pressure. RIH w/ 88 joints and bit to 2,750' to confirm clear. POOH w/ tubing, RBIH w/ 5-1/2" CIBP and set @ 2,743'. Circulated well with 64 bbls 9.5# mud. Mix and pump 35 SX 14.8# Class C cement from 2,743' - 2,396' (displaced with 9.2 bbls 9.5# mud). Pull 20 stands, S.D. and WOC overnight. 12/05/2023: Checked well, no pressure. RIH & tag TOC @ 2,418' (cement plug f/ 2,418' - 2743'). Mix and pump 30 SX 14.8# Class C cement from 1,100' - 799' (displaced with 3.1 bbls 9.5# mud). WOC for 4 hrs. RIH & tag TOC @ 816' (cement plug f/ 1,100' - 816'). S.D. 12/06/2023: R/U W/L, RIH & perforate @ 532'. Establish inj rate, mix and pump 120 SX 14.8# Class C cement, filling up both 5-1/2" production casing and 8-5/8" surface casing to surface. Verified cement circulated to surface on both casing strings. L/D all tubing and wash equipment. S.D. 12/07/2023: Verified cement to surface on both production and surface casing. R/D P&A rig. Dug out and cut off WH 3' B.G.L., welded on steel plate to casing and installed 4" OD x 4" tall above ground dry hole marker. Plugging Operations Completed: 12/06/2023

ABD 12-6-23 Reclamation Due 6-6-24

Accepted for Record 1-22-24
James C. Amos

Well Name: SANTA FE	Well Location: T25S / R37E / SEC 27 / SWSW / 32.0958584 / -103.1571561	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM93034	Unit or CA Name: SANTA FE FED. COM.	Unit or CA Number: NMNM71105
US Well Number: 3002526563	Well Status: Producing Gas Well	Operator: FAE II OPERATING LLC

SR Attachments**Actual Procedure**

WBD_Santa_Fe_Federal_001_CURRENT_PA_2023_12_06_20240117130141.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: VANESSA NEAL**Signed on:** JAN 17, 2024 01:02 PM**Name:** FAE II OPERATING LLC**Title:** Reservoir Engineer**Street Address:** 11757 KATY FREEWAY, SUITE 1000**City:** HOUSTON**State:** TX**Phone:** (832) 219-0990**Email address:** VANESSA@FAENERGYUS.COM**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:**

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
**Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.**

5. Lease Serial No. NMNM93034

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator FAE II OPERATING LLC

3a. Address 11757 KATY FREEWAY SUITE 725, HOUSTON 3b. Phone No. (include area code)
(832) 706-00494. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC 27/T25S/R37E/NMP7. If Unit of CA/Agreement, Name and/or No.
SANTA FE FED. COM./NMNM71105

8. Well Name and No. SANTA FE/01

9. API Well No. 3002526563

10. Field and Pool or Exploratory Area
JALMAT-TAN-YATES-7RVRS/JALMAT-TAN-YATES-7I11. Country or Parish, State
LEA/NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

12/01/2023: MIRU P&A rig, lay down polished rod and 3 joints of tubing. Install WH flange & N/U BOP. S.D.

12/04/2023: Checked well, no pressure. RIH w/ 88 joints and bit to 2,750 to confirm clear. POOH w/ tubing, R/BH w/ 5-1/2 CIBP and set @ 2,743. Circulated well with 64 bbls 9.5# mud. Mix and pump 35 SX 14.8# Class C cement from 2,743 2,396 (displaced with 9.2 bbls 9.5# mud). Pull 20 stands, S.D. and WOC overnight.

12/05/2023: Checked well, no pressure. RIH & tag TOC @ 2,418 (cement plug f/ 2,418 2743). Mix and pump 30 SX 14.8# Class C cement from 1,100 799 (displaced with 3.1 bbls 9.5# mud). WOC for 4 hrs. RIH & tag TOC @ 816 (cement plug f/ 1,100 816). S.D.

12/06/2023: R/U W/L, RIH & perforate @ 532. Establish inj rate, mix and pump 120 SX 14.8# Class C cement, filling up both 5-1/2 production casing and 8-5/8 surface casing to surface. Verified cement circulated to surface on both casing strings. L/D all tubing and wash equipment. S.D.

12/07/2023: Verified cement to surface on both production and surface casing, R/D P&A rig. Dug out and cut off WH 3 B.G.L., welded on steel plate to casing and installed 4 OD x 4 tall above ground dry hole marker.

Plugging Operations Completed: 12/06/2023

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
VANESSA NEAL / Ph: (832) 219-0990

Title Reservoir Engineer

Signature (Electronic Submission)

Date 01/17/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Additional Information

Location of Well

0. SHL: SWSW / 660 FSL / 660 FWL / TWSP: 25S / RANGE: 37E / SECTION: 27 / LAT: 32.0958584 / LONG: -103.1571561 (TVD: 0 feet, MD: 0 feet)

BHL: SWSW / 660 FSL / 660 FWL / TWSP: 25S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Well Name: Santa Fe Federal #001 Lease No: LC-032579-e Lease Type: Federal
 Township: 25-S Range: 37-E Sec: 27M Location: 660' FSL & 660' FWL
 County: Lea State: NM API: 30-025-26563 Formation: Jalmat; TANSILL-YATES-SEVEN RIVER

Surface Csg

Size: 8-5/8"
 Wt.&Thrd: 28#
 Grade: Grade B ST&C
 Set @: 482'
 Sxs cmt: 325 sxs
 Circ: 70 sxs
 TOC: Surface
 Hole Size: 12-1/4"

Perf @ 532'

Cmt sqz csg (120 sxs) 0'-532'

Cmt plug (30 sxs) 816'-1100'

Cmt plug (35 sxs) 2418'-2743'
 CIBP 2743'

Production Csg

Size: 5-1/2"
 Wt.&Thrd: 17#
 Grade: J-55 ST&C
 Set @: 3400'
 Sxs Cmt: 550 sxs
 Circ: 75 sxs
 TOC: Surface
 Hole Size: 7-7/8"

CURRENT

PBTD 3376'
 TD 3400'

KB: 3023'DF: GL: 3012'Spud Date: 11/21/1979Compl. Date: 12/13/1979**History - Highlights**

April 2022: Unsuccessful workover.

December 2023: P&A Well

39. GEOLOGIC MARKERS		
NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Rustler	880	95
Salado Salt	975	1545
Tansil	2520	160
Yates	2680	310
Seven Rivers	2990	365
Queen	3355	21

All info from OCD well files ONLY

YATES (Top @ 2680')

2793', 2800', 2808', 2812', 2820', 2834', 2845', 2850', 2856', 2863', 2873', 2877',
 2963', 2971', 2979' (1 SPF) - Dec 1979

Acidize w/ 4,000 gals 15% MCA

Frac w/ 70,000 gals slick water & 134,000# sand

SEVEN RIVERS (Top @ 2990')**QUEEN (Top @ 3355')****Tubulars - Capacities and Performance**

Well Name: **Santa Fe Federal #001** Lease No: **LC-032579-e** Lease Type: **Federal**
 Township: **25-S** Range: **37-E** Sec: **27M** Location: **660' FSL & 660' FWL**
 County: **Lea** State: **NM** API: **30-025-26563** Formation: **Jalmat; TANSILL-YATES-SEVEN RIVER**

CURRENT**Surface Csg**

Size: **8-5/8"**
 Wt.&Thrd: **28#**
 Grade: **Grade B ST&C**
 Set @: **482'**
 Sxs cmt: **325 sxs**
 Circ: **70 sxs**
 TOC: **Surface**
 Hole Size: **12-1/4"**

KB: **3023'**
 DF:
 GL: **3012'**
 Spud Date: **11/21/1979**
 Compl. Date: **12/13/1979**

Perf @ 532'
 Cmt sqz csg (120 sxs) 0'-532'

Cmt plug (30 sxs) 816'-1100'

SALT (975'-2520')

Cmt plug (35 sxs) 2418'-2743'
 CIBP 2743'

YATES (Top @ 2680')

2793', 2800', 2808', 2812', 2820', 2834', 2845', 2850', 2856', 2863', 2873', 2877',
 2963', 2971', 2979' (1 SPF) - Dec 1979

Acidize w/ 4,000 gals 15% MCA

Frac w/ 70,000 gals slick water & 134,000# sand

SEVEN RIVERS (Top @ 2990')**Production Csg**

Size: **5-1/2"**
 Wt.&Thrd: **17#**
 Grade: **J-55 ST&C**
 Set @: **3400'**
 Sxs Cmt: **550 sxs**
 Circ: **75 sxs**
 TOC: **Surface**
 Hole Size: **7-7/8"**

QUEEN (Top @ 3355')

PBTD 3376'
 TD 3400'

History - Highlights

April 2022: Unsuccessful workover.
 December 2023: P&A Well

38. GEOLOGIC MARKERS		
NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Rustler	880	95
Salado Salt	975	1545
Tansil	2520	160
Yates	2680	310
Seven Rivers	2990	365
Queen	3355	21

All info from OCD well files ONLY

Tubulars - Capacities and Performance

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 306713

COMMENTS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 306713
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	1/23/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 306713

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 306713
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	1/23/2024