U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report
01/31/2024

Well Name: HORN 22-27-34 FED COM Well Location: T26S / R29E / SEC 15 /

SESE / 32.037654 / -103.9669553

County or Parish/State: EDDY /

NN

Well Number: 421H Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM21767

Unit or CA Name:

Unit or CA Number:

**US Well Number: 3001549835** 

Well Status: Drilling Well

Operator: WPX ENERGY

PERMIAN LLC

Accepted for record –NMOCD gc1/31/2024

'LONG VO Digitally signed by LONG VO Date: 2024.01.31 08:53:48 -06'00'

## **Notice of Intent**

Sundry ID: 2772619

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/31/2024

Time Sundry Submitted: 06:15

Date proposed operation will begin: 01/31/2024

**Procedure Description:** Attention Long Vo Devon Energy Production Co., L.P. (Devon) respectfully request to plug and abandon the subject well with the attached PA procedure. A drilling plan, directional plan and new plat will be provided in a separate sundry to proceed with the new SHL for the new wellbore.

# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

## **Procedure Description**

HORN\_22\_27\_34\_FED\_COM\_421H\_wellbore\_schematic.pdf\_20240131061455.pdf

Received by OCD: Well Relate: ADRING AM 4 FED COM Well Location: T26S / R29E / SEC 15 /

SESE / 32.037654 / -103.9669553

County or Parish/State: EDDY /

Page 2 of 12

Zip:

Well Number: 421H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM21767

Unit or CA Name:

**Unit or CA Number:** 

**US Well Number: 3001549835** 

Well Status: Drilling Well

Operator: WPX ENERGY PERMIAN LLC

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: CHELSEY GREEN** Signed on: JAN 31, 2024 06:15 AM

Name: WPX ENERGY PERMIAN LLC Title: Regulatory Compliance Professional Street Address: 333 West Sheridan Avenue City: Oklahoma City State: OK

Phone: (405) 228-8595

Email address: Chelsey.Green@dvn.com

#### **Field**

**Representative Name:** 

Street Address:

City: State:

Phone:

**Email address:** 

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT		5. Lease Serial No. NMNM21767	
SUNDRY NOTICES AND REPORTS ON W Do not use this form for proposals to drill or to abandoned well. Use Form 3160-3 (APD) for suc	o re-enter an	6. If Indian, Allottee or	Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on pag	ge 2	7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well  Oil Well  Gas Well  Other		8. Well Name and No.	HORN 22-27-34 FED COM/421H
2. Name of Operator WPX ENERGY PERMIAN LLC		9. API Well No. 3001549835	
	(include area code)	10. Field and Pool or E	
(539) 573-02	12		RPLE SAGE WOLFCAMP GAS
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 15/T26S/R29E/NMP		11. Country or Parish, State  EDDY/NM	
12. CHECK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF AC	TION	
	raulic Fracturing Rec	luction (Start/Resume) lamation	Water Shut-Off Well Integrity
Subsequent Report = =	=	omplete porarily Abandon	Other
Final Abandonment Notice Convert to Injection Plug	Back Wate	er Disposal	
the Bond under which the work will be perfonned or provide the Bond No. on f completion of the involved operations. If the operation results in a multiple con completed. Final Abandonment Notices must be filed only after all requirement is ready for final inspection.)  Attention Long Vo  Devon Energy Production Co., L.P. (Devon) respectfully request to plu with the attached PA procedure. A drilling plan, directional plan and ne a separate sundry to proceed with the new SHL for the new wellbore.	npletion or recompletion in a ts, including reclamation, have the second of the subject of the s	new interval, a Form 31 ve been completed and the	60-4 must be filed once testing has been
14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )  CHELSEY GREEN / Ph: (405) 228-8595	Regulatory Complia	ance Professional	
ONEEDET ONEEN 7111. (400) 220 0000	Title		
(Electronic Submission) Signature	Date	01/31/20	24
THE SPACE FOR FEDI	ERAL OR STATE OF	FICE USE	
Approved by	Title	D	rate
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.	nt or	1	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.


**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

## **Additional Information**

#### **Location of Well**

0. SHL: SESE / 1038 FSL / 1194 FEL / TWSP: 26S / RANGE: 29E / SECTION: 15 / LAT: 32.037654 / LONG: -103.9669553 ( TVD: 0 feet, MD: 0 feet )
PPP: NWNE / 100 FNL / 1860 FEL / TWSP: 26S / RANGE: 29E / SECTION: 22 / LAT: 32.0347426 / LONG: -103.969111 ( TVD: 9765 feet, MD: 9900 feet )
PPP: NWSE / 2653 FNL / 1858 FEL / TWSP: 26S / RANGE: 29E / SECTION: 22 / LAT: 32.0275848 / LONG: -103.9691079 ( TVD: 10289 feet, MD: 12783 feet )
PPP: NWNE / 0 FSL / 1860 FEL / TWSP: 26S / RANGE: 29E / SECTION: 27 / LAT: 32.0202669 / LONG: -103.9691048 ( TVD: 10289 feet, MD: 15446 feet )
PPP: NWSE / 2644 FSL / 1858 FEL / TWSP: 26S / RANGE: 29E / SECTION: 27 / LAT: 32.0129907 / LONG: -103.9695117 ( TVD: 10289 feet, MD: 18095 feet )
PPP: NWNE / 1322 FNL / 1860 FEL / TWSP: 26S / RANGE: 29E / SECTION: 27 / LAT: 32.0168228 / LONG: -103.9692915 ( TVD: 10289 feet, MD: 16700 feet )
PPP: SWSE / 1322 FSL / 1861 FEL / TWSP: 26S / RANGE: 29E / SECTION: 27 / LAT: 32.0093561 / LONG: -103.9697206 ( TVD: 10298 feet, MD: 19419 feet )
PPP: NWNE / 0 FNL / 1840 FEL / TWSP: 26S / RANGE: 29E / SECTION: 34 / LAT: 32.0025419 / LONG: -103.9698965 ( TVD: 10298 feet, MD: 21900 feet )
BHL: LOT 11 / 50 FSL / 1830 FEL / TWSP: 26S / RANGE: 29E / SECTION: 34 / LAT: 32.0002381 / LONG: -103.9698551 ( TVD: 10289 feet, MD: 22738 feet )



Received by OCD: 1/31/2024 9:22:53 AM

# Horn 22-27-34 Fed Com 421H

- o API# 30-015-49835
- o Surface Casing: 10.75" 45.5 J-55 BTC set @ 459.9
- o Open Hole: 490' (10' of new formation)
- o Balance Cement plug left in hole (25 bbls of 17 ppg Class H Premium Cement of 260ft) left in hole to ensure rig could move off safely

  145 sx of Class H Premium Cement

Weight - 17 ppg Yield - 0.99 ft<sup>3</sup>/sx Water - 3.79 gal/sx Volume - 25.57 bbls

o Plugging Plan:

Ensure no pressure on wellbore. RIH open ended with tubing and tag bottom plug. Rig up cement company and test lines to 2000 psi. Mix and pump cement to surface, pull out of hole with tubing.

Cut off well head cut 3' below ground level and weld on ¼" thick plate with identifier. Fill cellar to surface.

85-sx-of-€lass-€ 110 Sacks Class C


Weight 14.8 ppg Yield 1.32 ft<sup>3</sup>/sx

Water – 6.32 gal/sx

Volume – 20 bbls fill from 259' inside casing shoe to surface

o Schematic Below on pg. 2

Received by OCD: 1/31/2024 9:22:53 AM



# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.** 

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. Below Ground Level Cap: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



# **United States Department of the Interior**

#### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

# **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 309805

## **CONDITIONS**

Operator:	OGRID:
WPX Energy Permian, LLC	246289
Devon Energy - Regulatory	Action Number:
Oklahoma City, OK 73102	309805
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

#### CONDITIONS

Created By		Condition Date
gcordero	None	1/31/2024