ceived by UCD: D/31/2024 3:17:49 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repo
Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 2 / SWSW / 32.153547 / -103.961651	County or Parish/State: EDDY / NM
Well Number: 31H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154802100X1	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Accepted for record –NMOCD gc2/1/2024

Notice of Intent

Sundry ID: 2772022

Type of Submission: Notice of Intent

Date Sundry Submitted: 01/26/2024

Date proposed operation will begin: 02/12/2024

Type of Action: Temporary Abandonment Time Sundry Submitted: 07:33 3

Procedure Description: OXY USA INC. respectfully requests approval to pull the existing RBP and officially TA the subject well with a CIBP. The proposed plan, current WBD and proposed WBD is attached for reference. This well has future utility and we would like to use it to test the shallower Bone Spring formations above the whipstock.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

CB_31H_TA_NOI_20240126073221.pdf

Received by OCD: 1/31/2024 3:17:49 PM Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 2 / SWSW / 32.153547 / -103.961651	County or Parish/State: EDBY ? of I NM
Well Number: 31H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 300154802100X1	Well Status: Drilling Well	Operator: OXY USA INCORPORATED
)

Conditions of Approval

Specialist Review

CORRAL_BLUFF_11_14_FEDERAL_COM_31H___TA_1_YEAR_20240131135528.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTON

Phone: (713) 497-2492

Email address: LESLIE_REEVES@OXY.COM

Field

Representative Name: Street Address: City: Phone: Email address:

State:

State: TX

BLM Point of Contact

BLM POC Name: KEITH P IMMATTY BLM POC Phone: 5759884722 Disposition: Approved Signature: KEITH IMMATTY BLM POC Title: ENGINEER

Zip:

BLM POC Email Address: KIMMATTY@BLM.GOV

Signed on: JAN 26, 2024 07:31 AM

Disposition Date: 01/31/2024

Received by OCD: 1/31/2024 3:17:49 PM

eceiveu by OCD. 1/31/20	24 3.1/.47 F MI		ruge 5 c
Form 3160-5 (June 2019)	UNITED STA DEPARTMENT OF TH BUREAU OF LAND MA	E INTERIOR	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.
Do not use		PORTS ON WELLS Is to drill or to re-enter an (APD) for such proposals.	6. If Indian, Allottee or Tribe Name
	IIT IN TRIPLICATE - Other in	nstructions on page 2	7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well	Gas Well Other		8. Well Name and No.
2. Name of Operator			9. API Well No.
3a. Address		3b. Phone No. <i>(include area code)</i>	10. Field and Pool or Exploratory Area
4. Location of Well (Footage, S	ec., T.,R.,M., or Survey Descript	ion)	11. Country or Parish, State
1	2. CHECK THE APPROPRIAT	E BOX(ES) TO INDICATE NATURE C	DF NOTICE, REPORT OR OTHER DATA
TYPE OF SUBMISSION	I	TYPE	E OF ACTION
Notice of Intent	Acidize Alter Casing	Deepen [Hydraulic Fracturing	Production (Start/Resume) Water Shut-Off Reclamation Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete Other
Final Abandonment Noti			Water Disposal
the proposal is to deepen di the Bond under which the v completion of the involved	rectionally or recomplete horizo vork will be perfonned or provid operations. If the operation resu thent Notices must be filed only a	ntally, give subsurface locations and mere e the Bond No. on file with BLM/BIA. F lts in a multiple completion or recompleted	starting date of any proposed work and approximate duration thereof. It asured and true vertical depths of all pertinent markers and zones. Atta Required subsequent reports must be filed within 30 days following tion in a new interval, a Form 3160-4 must be filed once testing has be tion, have been completed and the operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)		
	Title	
Signatura	Date	
Signature I		
THE SPACE FOR FEDE	RAL OR STATE OF	FICE USE
Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		llfully to make to any department or agency of the United Stat

(Instructions on page 2)

Released to Imaging: 2/1/2024 11:17:12 AM

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSW / 575 FSL / 645 FWL / TWSP: 25S / RANGE: 29E / SECTION: 2 / LAT: 32.153547 / LONG: -103.961651 (TVD: 0 feet, MD: 0 feet) PPP: NWNW / 100 FNL / 380 FWL / TWSP: 25S / RANGE: 29E / SECTION: 11 / LAT: 32.151691 / LONG: -103.962513 (TVD: 10331 feet, MD: 10680 feet) PPP: NWNW / 2 FSL / 384 FWL / TWSP: 25S / RANGE: 29E / SECTION: 14 / LAT: 32.137371 / LONG: -103.96251 (TVD: 10334 feet, MD: 15897 feet) BHL: SWSW / 20 FSL / 330 FWL / TWSP: 25S / RANGE: 29E / SECTION: 14 / LAT: 32.122825 / LONG: -103.962506 (TVD: 10336 feet, MD: 21188 feet)

Notice of Intent to TA-Procedure

30-015-48021

Oxy USA, Inc.


10# MLF between plugs. Utilize above ground steel tanks

- 1. Pull RBP at 5005'.
- 2. Set CIBP @ 9300'. Dump 35' of Class H cmt. WOC and tag.
- 3. Test to 500 psi for 30 minutes.

API 30-015-48021


OXY USA INC

CURRENT WBD



API 30-015-48021 OXY USA INC

PROPOSED TA WBD



Notice of Intent to TA-Procedure

30-015-48021

Oxy USA, Inc.

10# MLF between plugs. Utilize above ground steel tanks


- 1. Pull RBP at 5005'.
- 2. Set CIBP @ 9300'. Dump 35' of Class H cmt. WOC and tag.
- 3. Test to 500 psi for 30 minutes.

Please review COA below.

API 30-015-48021


OXY USA INC

CURRENT WBD



API 30-015-48021 OXY USA INC

PROPOSED TA WBD



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	310118
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)
	·

CONDITIONS

Created By		Condition Date
gcordero	None	2/1/2024

CONDITIONS

Page 13 of 13

Action 310118