

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-28409
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator SILVERBACK OPERATING II, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 19707 West IH 10, Suite 201 San Antonio, TX 78257		7. Lease Name or Unit Agreement Name Patriot AIZ
4. Well Location Unit Letter N : 860 feet from the South line and 1980 feet from the West line Section 21 Township 19S Range NMPM County Eddy		8. Well Number 010
11. Elevation (Show whether EDR, RKB, RT, GR, etc.) 3493		9. OGRID Number 330968
		10. Pool name or Wildcat N. SEVEN RIVERS; GLORIETA-YESO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Silverback Operating II, LLC has plugged and abandoned this well. Please see attached plugging report and wellbore schematics.

well plugged 12/21/23

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Heather Treffert*

TITLE Field Operations Analyst

DATE 12/28/2023

Type or print name Heather Treffert

E-mail address: htreffert@silverbackexp.com

PHONE: 575-689-5332

For State Use Only

APPROVED BY: *[Signature]* TITLE

Staff Manager

DATE 2/9/24

Conditions of Approval (if any):

Patriot AIZ #10
30-015-28409
21-19S-25E

Silverback Operating summary of P&A for this well :

1. MIRU plugging unit and kill well as needed.
2. POOH w/ rods and pump.
3. ND pumping tee and NU BOP.
4. POOH w/ 2-7/8" tbg string.
5. (12/20/2023) spot 25sks Cl C cmt plug from 3,790'-3,645' WOC. Tagged plug @3
6. Set CIBP@ 3,540' to cover Glorieta perfs
7. Spot 25sks Cl C cmt plug from 3,540'-3,395' WOC. Tagged plug @3,395' Circ. we
MW.
8. (12/21/2023) PU, spot 25sks Cl C cmt plug from 2,343'-2,185'. WOC. Tagged plug
9. PU, spot 25sks ClC cmt plug from 1,108'-948'. WOC. Tagged plug @ 948' LD 26jt:
10. RIH with AAA well log and perf @400'. POOH with WL. Pumped 20bbls MW.
11. Circulate and squeezed perfs with 100 sx class C cmt from 400' to surface.
12. Cut off wellhead and install plugged well marker. Clean location as needed.

},645'

ell with 140bbls of

g @2,185'

s and set 7"pkr.

Patriot AIZ #10 Actual Post P&A

Sec-TWN-RNG: 21-19S-25E

30-015-28409

Footage Calls:	1980' FNL 660' FWL
----------------	--------------------

	Elev
--	-------------

Lat/Long (NAD83):

32.64093

-104.4913

	KB 10.5'
--	-----------------

CASING DETAIL

[illegible]

FORMATION TOPS

FORMATION	TOP (FT)	FORMATION	TOP	
San Andres	700			
Glorieta	2,276			
Bone Springs	3,711			
Wolfcamp	5,671			

TUBING DETAIL

OD	GRADE	WGHT	TOP	BASE

PERFORATION DETAIL

	FORMATION	TOP	BASE	TREATMENT
A	Canyon	7,661	7,750	NA
B	Glorieta	3,554	3,614	1 spf (61 total)
C	Squeeze perms	400	400	
D				
E				

CEMENT PLUGS

#	sx	Class	Top	Bottom	Ht	Notes	Tag
1	25	C	3,645	3,790	145		N
2	25	C	3,395	3,540	145	CIBP at 3540'	Y
3	25	C	2,185	2,343	158		
4	25	C	948	1,106	158		
5	100	C	0	400	400	Perf'd at 400', circ cmt	
6						out 7"x9 5/8" annulus,	
7						left 7" full of cmt	

COMMENTS
7" csg filled with cmt from sqz perms to surface

Sqz perfs at 400'

Cmt plug 948'-1106'

Cmt plug 2185'-2343'

**CIBP @ 3,540'. CI C cmt plug
3,395'-3,540'**

Yeso Perfs 3,554-3,614'

Cmt plug 3645'-3790'

Cmt plug 5530'-6142'
105 sks

CIBP @ 7,611'

A

DV Tool @6,098

B

PBTD:	8,154	MD
TD:	8,320	MD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 298248

CONDITIONS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 298248
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/9/2024