

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-42252
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator SILVERBACK OPERATING II, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 19707 West IH 10, Suite 201 San Antonio, TX 78257		7. Lease Name or Unit Agreement Name ROY AET COM
4. Well Location Unit Letter A: 990 feet from the North line and 15 feet from the East line Section 17 Township 19S Range 25E NMPM County Eddy		8. Well Number 9H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3531' GR		9. OGRID Number 330968
10. Pool name or Wildcat N. SEVEN RIVERS; GLORIETA-YESO		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Silverback Operating II, LLC has plugged and abandoned this well. Please see attached plugging report and wellbore schematics.

well plugged 10/19/23

Spud Date: Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Heather Treffert*

TITLE Field Operations Analyst

DATE 12/15/2023

Type or print name Heather Treffert

E-mail address: htreffert@silverbackexp.com

PHONE: 575-689-5332

For State Use Only

APPROVED BY: *[Signature]* TITLE *Staff Manager* DATE *2/9/23*

Conditions of Approval (if any):

Roy AET COM #9H

API: 30-015-42252

Post Plugging Summary

10/17/2023; MIRU P&A unit. Set CIBP @2,747'. Spot plug #1 w/ 25sx class C cmt 3.7mix 14.4 disp 33 cu./ft 14.8ppg EOT @2,747'.

10/18/2023: Tag plug #1 @2,475'. Perf @1,525' and check injection. None observed. Spoke with David Alavarado and decided to drop 50' and spot Plug #2. Spotted plug #2 w/ EOT @ 1,275' 30sc class C cmt 4.5 mix 7.3 disp 39.6 cu./ft 14.8ppg. WOC. Tag plug #2 @1,265'. Spot plug #3 w/ EOT @253' 25sx class C cmt 3.7mix 33cu./ft14.8ppg. Conducted successful bubble test.

10/19/2023: RD P&A unit and equipment. Cutoff well head and install PA marker. Clean up location and mobilize out.

ROY AET COM #9H Post Plugging

Sec-TWN-RNG:		17-19S-25E-Unit A (Surface)				30-015-42252			
Footage Calls:		990' FNL 15' FEL (Surface)				Elev 3531' GR			
Lat/Long (NAD83):		32.395618,-104.295403 (Surface Location)							
CASING DETAIL									
#	HOLE	CSG	WGHT	GRADE	Top	Depth	TOC	SX	
A	14 3/4	9 5/8	36	J-55	0	1,398	circulated	735sx, Tailed 240sx	
B	7 7/8	5 1/2	17	L-80	0	7,298	circulated	300sx, Tailed 940sx	
C									
FORMATION TOPS									
FORMATION			TOP (FT)	FORMATION			TOP		
San Andres			680						
Glorieta			2,190						
Yeso			2,370						
TUBING DETAIL									
OD		GRADE	WGHT	TOP	BASE				
2 7/8					2,164				
PERFORATION DETAIL									
	FORMATION			TOP	BASE	TREATMENT			
A	Yeso			2,797	7,244	Acidized w/ 69,839 gals 20% HCl acid, frac with total of 6,000,740# 40/70 sand			
B									
C									
D									
E									
PLUGS									
#	sx	Class	Top	Bottom	Ht	Notes		Tag	
1	25	C	2,475	2,747	272	CIBP & cmt plug to cover yeso perfs		Y	
2	30	C	1,265	1,575	310	Perf and check injection. Cmt plug across surface shoe.			
3	25	C	0	253	253	Surface plug			
4									
5									
6									
7									

COMMENTS

Surface plug Cl C cmt: 0-253'

CI C cmt plug 1,265'-1,575'
Perf @ 1,525'. No injection
observed.

KOP @2080' @3.5 deg

CIBP @ 2,747' CI C cmt plug
2,475'-2,747'

Top of perfs 2797'

Sticking point 5500'

PBTD:	7,390	MD
TD:	7,390	MD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 295231

CONDITIONS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 295231
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/9/2024