eived by QCD i JApplophae Dainel:3:	Didic of fiew file			Form C-103		
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natu	ıral Resources	WELL API NO.	Revised July 18, 2013		
<u>District II</u> – (575) 748-1283	OH CONGEDUATION	DIVICION		45-35552		
811 S. First St., Artesia, NM 88210		OIL CONSERVATION DIVISION		5. Indicate Type of Lease		
District III – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fran		STATE \(\Sigma\)			
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87	7505	6. State Oil & Gas E-	Lease No. 5383-6		
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPO	TICES AND REPORTS ON WELLS	UG BACK TO A		Unit Agreement Name Lodge Com		
PROPOSALS.)  1. Type of Well: Oil Well	ICATION FOR PERMIT" (FORM C-101) FO Gas Well  Other	жэсн	8. Well Number	M		
2. Name of Operator			9. OGRID Number			
HILCORP ENERGY COMPA	NY		10. Pool name or V	72171 Vildage		
3. Address of Operator 382 Road 3100, Aztec, NM 874	410			ruitland Coal		
4. Well Location						
Unit Letter I : 214		·	·	_line		
Section 32	Township 30N  11. Elevation (Show whether DR.	Range 08W		County San Juan		
	6217		.)			
			<u> </u>			
12. Check A	Appropriate Box to Indicate Na	ture of Notice,	Report or Other Da	nta		
NOTICE OF IN	NTENTION TO:	SUE	SEQUENT REP	ORT OF:		
PERFORM REMEDIAL WORK		REMEDIAL WO		ALTERING CASING		
TEMPORARILY ABANDON ☐	CHANGE PLANS	COMMENCE DR	RILLING OPNS.	AND A		
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	IT JOB □			
DOWNHOLE COMMINGLE	_		_			
CLOSED-LOOP SYSTEM						
OTHER: RECOMPLETE		OTHER:				
of starting any proposed wo proposed completion or reco	-	For Multiple Cor	npletions: Attach well	bore diagram of		
	sts permission to recomplete the subj					
	saverde/Dakota. Please see the attac	ched procedure, cu	rrent and proposed we	llbore diagram, plat and		
natural gas management plan. A	closed loop system will be used.					
		_		-		
and Dotor	Dia Dalassa Dat					
oud Date:	Rig Release Dat	e:				
				=		
1 20 1 1 1 0	1		11 1' 6			
nereby certify that the information a	above is true and complete to the bes	st of my knowledge	e and belief.			
GNATURE <u>Cherylene W</u>	zstonTITLE_Operation	ns/Regulatory Tech	nician – SrDATE_	12/05/2023		
ype or print name Cherylene	e Weston E-mail address:	cweston@hilcorp	o.com PHONE: _(7	13) 289-2615		
or State Use Only						
PPROVED BY: Dean R	Molline TITLE Petro	leum Enginee	DATE	02/27/2024		
onditions of Approval (if any):	SEFIAST	PAGE FOR C	OA			
ased to Imaging: 2/27/2024 3:58:	14 PM SEE LAGT		<b>5</b> / (			

# **Beaver Lodge Com 1M**


API#: 3004535552


# **Fruitland Coal Recompletion Procedure**

12/4/2023

#### Procedure:

- 1. MIRU PU and associated equipment. Kill well and NDWH.
- 2. NUBOP, unseat tubing, tag for fill and lay down 2-3/8" string
- 3. Set 4.5" CIBP at +/-4100' to isolate existing Mesaverde and Dakota Perforations
- 4. RU wellcheck and MIT wellbore to 500 PSI
- 5. Perforate and frac the Fruitland Coal from 2785' to 3116'.
- 6. MI flow back and flow well to relieve pressure if needed.
- 7. MIRU service rig and test BOP's.
- 8. Cleanout sand and plugs to PBTD.
- 9. TIH and land 2-3/8" production tubing in Dakota.
- 10. ND BOP's, NU production tree.
- 11. RDMO service rig & turn well over to production as commingled Fruitland Coal/Mesaverde/Dakota producer.





Form C-102 August 1, 2011

Permit 355134

#### District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II** 

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-045-35552	2. Pool Code 71629	3. Pool Name BASIN FRUITLAND COAL (GAS)
4. Property Code 319133	5. Property Name BEAVER LODGE COM	6. Well No. 001M
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6217


#### 10. Surface Location

Γ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
-	[]	32	30N	08W		2149	S	544	E	SAN JUAN

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	P Section	32	Township 30N	Range 08W	Lot Idn	Feet From 1116	N/S Line	Feet From 723	E/W Line E	County SAN JUAN
12. Dedicate	d Acres 20.00			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston
Title: Cherylene Weston
Date: 12/04/2023

#### **SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Marshall W. Lindeen

Date of Survey: 1/17/2014 Certificate Number: 17078

# State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

# NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

# Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp E	nergy Compan	ıy	OGRID:	372171	Date:	12 / 05 / 2023
II. Type:   Original	Amendment	due to □ 19.15.27	7.9.D(6)(a) NMAC	C □ 19.15.27.9.D(	(6)(b) NMAC 🗆 (	Other.
If Other, please describe	:					
<b>III. Well(s):</b> Provide the be recompleted from a s					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Beaver Lodge Com 1M	3004535552	P-32-30N-08W	1116 FSL, 723 FEL	0 bbl/d	195 mcf/d	1.2 bbl/d
V. Anticipated Schedul proposed to be recomple  Well Name	le: Provide the		ation for each new		vell or set of wells  Initial F	
Beaver Lodge Com 1M	3004535552					<u>2024</u>
VII. Operational Practices Subsection A through F	tices:  Attacle of 19.15.27.8 Interpretation	h a complete desc NMAC.	cription of the act	ions Operator wil	l take to comply	at to optimize gas capture.  with the requirements of tices to minimize venting

# Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. $\square$ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 w	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or portion, of	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well-	(s).

_								
$\Box$	A 44 1 4	O 4	9 1 4		1 4	•	4 41 '	sed line pressure
	A Hach I	Inerator	c nian to	manage n	raduction	in rechance	TO THE INCRESS	sea line nressiire

XIV. Confidentiality:   Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information
for which confidentiality is asserted and the basis for such assertion.

# Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking

into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:

Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. 

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- power generation on lease; (a)
- **(b)** power generation for grid;
- compression on lease; (c)
- (d) liquids removal on lease;
- reinjection for underground storage; (e)
- **(f)** reinjection for temporary storage;
- **(g)** reinjection for enhanced oil recovery;
- fuel cell production; and (h)
- other alternative beneficial uses approved by the division. (i)

# **Section 4 - Notices**

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become (a) unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Operations/Regulatory Tech-Sr.				
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)				
Conditions of Approval:				

#### VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

## VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
  - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
  - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
  - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
  - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
  - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
  - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
  - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
  - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
  - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

# VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 293234

#### **CONDITIONS**

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	293234
	Action Type:
	[C-103] NOI Recompletion (C-103E)

#### CONDITIONS

Created By	Condition	Condition Date
dmcclure	Notify NMOCD 24 Hours Prior to beginning operations.	2/27/2024
dmcclure	DHC required	2/27/2024
dmcclure	All conducted logs shall be submitted to the Division.	2/27/2024
dmcclure	The appropriate compliance officer supervisor shall be consulted and remedial action conducted as directed if the cement sheath around the casing is not adequate to protect the casing and isolate strata from: (a) the uppermost perforation in each added pool to at least 150 feet above that perforation; and (b) the lowermost perforation in each added pool to at least 100 feet below that perforation.	2/27/2024