

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011

Permit 362296

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

|                                                                                                      |                                            |                               |
|------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------|
| 1. Operator Name and Address<br>MATADOR PRODUCTION COMPANY<br>One Lincoln Centre<br>Dallas, TX 75240 |                                            | 2. OGRID Number<br>228937     |
|                                                                                                      |                                            | 3. API Number<br>30-025-52696 |
| 4. Property Code<br>335625                                                                           | 5. Property Name<br>PAUL FLOWERS STATE COM | 6. Well No.<br>155H           |

**7. Surface Location**

|               |              |                 |              |              |                  |               |                  |               |               |
|---------------|--------------|-----------------|--------------|--------------|------------------|---------------|------------------|---------------|---------------|
| UL - Lot<br>M | Section<br>6 | Township<br>22S | Range<br>33E | Lot Idn<br>7 | Feet From<br>442 | N/S Line<br>S | Feet From<br>989 | E/W Line<br>W | County<br>Lea |
|---------------|--------------|-----------------|--------------|--------------|------------------|---------------|------------------|---------------|---------------|

**8. Proposed Bottom Hole Location**

|               |               |                 |              |              |                   |               |                   |               |               |
|---------------|---------------|-----------------|--------------|--------------|-------------------|---------------|-------------------|---------------|---------------|
| UL - Lot<br>K | Section<br>30 | Township<br>21S | Range<br>33E | Lot Idn<br>K | Feet From<br>2690 | N/S Line<br>N | Feet From<br>1253 | E/W Line<br>W | County<br>Lea |
|---------------|---------------|-----------------|--------------|--------------|-------------------|---------------|-------------------|---------------|---------------|

**9. Pool Information**

|                                  |       |
|----------------------------------|-------|
| WC-025 G-07 S213330F;BONE SPRING | 97927 |
| LEGG;BONE SPRING                 | 37870 |

**Additional Well Information**

|                           |                             |                                        |                         |                                    |
|---------------------------|-----------------------------|----------------------------------------|-------------------------|------------------------------------|
| 11. Work Type<br>New Well | 12. Well Type<br>OIL        | 13. Cable/Rotary                       | 14. Lease Type<br>State | 15. Ground Level Elevation<br>3614 |
| 16. Multiple<br>Y         | 17. Proposed Depth<br>24526 | 18. Formation<br>Bone Spring           | 19. Contractor          | 20. Spud Date<br>9/3/2024          |
| Depth to Ground water     |                             | Distance from nearest fresh water well |                         | Distance to nearest surface water  |

☒ We will be using a closed-loop system in lieu of lined pits

**21. Proposed Casing and Cement Program**

| Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 17.5      | 13.375      | 54.5             | 1075          | 685             | 0             |
| Int1 | 9.875     | 7.625       | 29.7             | 11005         | 1042            | 0             |
| Prod | 6.75      | 5.5         | 20               | 24526         | 922             | 10805         |

**Casing/Cement Program: Additional Comments**

|                                                                                         |
|-----------------------------------------------------------------------------------------|
| Option to drill surface hole with surface setting rig Option to run DV tool and Packer. |
|-----------------------------------------------------------------------------------------|

**22. Proposed Blowout Prevention Program**

| Type       | Working Pressure | Test Pressure | Manufacturer |
|------------|------------------|---------------|--------------|
| Annular    | 5000             | 3000          | Cameron      |
| Double Ram | 10000            | 5000          | Cameron      |
| Pipe       | 10000            | 5000          | Cameron      |

|                                                                                                                                                                                                                                                                                                    |                                  |                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|
| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.<br>I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> if applicable. | <b>OIL CONSERVATION DIVISION</b> |                                 |
| Signature:                                                                                                                                                                                                                                                                                         |                                  |                                 |
| Printed Name: Electronically filed by Brett A Jennings                                                                                                                                                                                                                                             | Approved By: Paul F Kautz        |                                 |
| Title: Regulatory Analyst                                                                                                                                                                                                                                                                          | Title: Geologist                 |                                 |
| Email Address: brett.jennings@matadorresources.com                                                                                                                                                                                                                                                 | Approved Date: 3/27/2024         | Expiration Date: 3/27/2026      |
| Date: 3/26/2024                                                                                                                                                                                                                                                                                    | Phone: 972-629-2160              | Conditions of Approval Attached |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (505) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


|                            |                            |                                   |
|----------------------------|----------------------------|-----------------------------------|
| <sup>1</sup> API Number    | <sup>2</sup> Pool Code     | <sup>3</sup> Pool Name            |
|                            | 97927                      | WL-025 G-07 521333 OF Bone Spring |
| <sup>4</sup> Property Code | <sup>5</sup> Property Name | <sup>6</sup> Well Number          |
|                            | PAUL FLOWERS STATE COM     | 155H                              |
| <sup>7</sup> GRID No.      | <sup>8</sup> Operator Name | <sup>9</sup> Elevation            |
| 228937                     | MATADOR PRODUCTION COMPANY | 3614'                             |

| <sup>10</sup> Surface Location |         |          |       |         |               |                  |               |                |        |
|--------------------------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| UL or lot no.                  | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
| 7                              | 6       | 22-S     | 33-E  | -       | 442'          | SOUTH            | 989'          | WEST           | LEA    |

| <sup>11</sup> Bottom Hole Location If Different From Surface |         |          |       |         |               |                  |               |                |        |
|--------------------------------------------------------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| UL or lot no.                                                | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
| K                                                            | 30      | 21-S     | 33-E  | -       | 2690'         | NORTH            | 1253'         | WEST           | LEA    |

|                               |                               |                                  |                         |
|-------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
| 240                           |                               | C                                |                         |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                  |                                                          |                                              |
|----------------------------------|----------------------------------------------------------|----------------------------------------------|
| <sup>1</sup> API Number          | <sup>2</sup> Pool Code<br>37870                          | <sup>3</sup> Pool Name<br>Less; Bone Springs |
| <sup>4</sup> Property Code       | <sup>5</sup> Property Name<br>PAUL FLOWERS STATE COM     | <sup>6</sup> Well Number<br>155H             |
| <sup>7</sup> OGRID No.<br>228937 | <sup>8</sup> Operator Name<br>MATADOR PRODUCTION COMPANY | <sup>9</sup> Elevation<br>3614'              |

<sup>10</sup>Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| 7             | 6       | 22-S     | 33-E  | -       | 442'          | SOUTH            | 989'          | WEST           | LEA    |

<sup>11</sup>Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| K             | 30      | 21-S     | 33-E  | -       | 2690'         | NORTH            | 1253'         | WEST           | LEA    |

|                                         |                               |                                       |                         |
|-----------------------------------------|-------------------------------|---------------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>160.01 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code<br>C | <sup>15</sup> Order No. |
|-----------------------------------------|-------------------------------|---------------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>NEW MEXICO EAST<br/>NAD 1983</p> <p><b>SURFACE LOCATION (SHL)</b></p> <p>442' FSL - SEC. 6<br/>989' FWL - SEC. 6<br/>X=762507 Y=515393<br/>LAT.: N 32.4148431<br/>LONG.: W 103.6166166</p> <p><b>KICK OFF POINT (KOP)</b></p> <p>50' FSL - SEC. 6<br/>1254' FWL - SEC. 6<br/>X=762775 Y=515002<br/>LAT.: N 32.4137656<br/>LONG.: W 103.6157575</p> <p><b>FIRST PERFORATION POINT (FPP)</b></p> <p>100' FSL - SEC. 6<br/>1254' FWL - SEC. 6<br/>X=762775 Y=515052<br/>LAT.: N 32.4139031<br/>LONG.: W 103.6157576</p> <p><b>LAST PERFORATION POINT (LPP)</b></p> <p>2740' FNL - SEC. 30<br/>1253' FWL - SEC. 30<br/>X=762683 Y=528048<br/>LAT.: N 32.4496242<br/>LONG.: W 103.6157719</p> <p><b>BOTTOM HOLE LOCATION (BHL)</b></p> <p>2690' FNL - SEC. 30<br/>1253' FWL - SEC. 30<br/>X=762683 Y=528098<br/>LAT.: N 32.4497617<br/>LONG.: W 103.6157719</p> | <p><b>17 OPERATOR CERTIFICATION</b></p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or an undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Signature: <i>D.W.J.</i> Date: 02/23/24<br/>Printed Name: David W. Johns<br/>E-mail Address: djohns@matadorresources.com</p> |
|  | <p><b>18 SURVEYOR CERTIFICATION</b></p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.</p> <p>11/27/2023<br/>Date of Survey<br/>Signature and Seal of Professional Surveyor</p> <p>ANGEL M. BAEZA<br/>NEW MEXICO<br/>PROFESSIONAL SURVEYOR</p> <p>Certificate Number</p>                                                                                                                                                                                                                                                                                                                                                                                                                                | <p>NEW MEXICO EAST<br/>NAD 1927</p> <p><b>SURFACE LOCATION (SHL)</b></p> <p>X=721325 Y=515332<br/>LAT.: N 32.4147200<br/>LONG.: W 103.6161301</p> <p><b>KICK OFF POINT (KOP)</b></p> <p>X=721593 Y=514942<br/>LAT.: N 32.4136425<br/>LONG.: W 103.6152771</p> <p><b>FIRST PERFORATION POINT (FPP)</b></p> <p>X=721593 Y=514992<br/>LAT.: N 32.4137800<br/>LONG.: W 103.6152712</p> <p><b>LAST PERFORATION POINT (LPP)</b></p> <p>X=721501 Y=527897<br/>LAT.: N 32.4495012<br/>LONG.: W 103.6152842</p> <p><b>BOTTOM HOLE LOCATION (BHL)</b></p> <p>X=721501 Y=528037<br/>LAT.: N 32.4495387<br/>LONG.: W 103.6152843</p>                                                                   |
|  | <p>T-21-S, R-33-E<br/>SECTION 30<br/>LOT 1 - 36.14 ACRES<br/>LOT 2 - 36.14 ACRES<br/>LOT 3 - 36.14 ACRES<br/>LOT 4 - 36.14 ACRES<br/>SECTION 31<br/>LOT 1 - 36.17 ACRES<br/>LOT 2 - 36.24 ACRES<br/>LOT 3 - 36.30 ACRES<br/>LOT 4 - 36.37 ACRES<br/>T-22-S, R-33-E<br/>SECTION 6<br/>LOT 1 - 40.03 ACRES<br/>LOT 2 - 40.03 ACRES<br/>LOT 3 - 40.01 ACRES<br/>LOT 4 - 36.39 ACRES<br/>LOT 5 - 36.37 ACRES<br/>LOT 6 - 36.35 ACRES<br/>LOT 7 - 36.33 ACRES</p>                                                                                                                                                                                                                                                                                                                                                                                                  | <p><b>DEDICATED ACRES 160.01</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <p>S:\SURVEY\MATADOR_RESOURCES\PAUL_FLOWERS\SPINAL_PRODUCT\510_PAUL_FLOWERS_155H.DWG 12/7/2023 12:02:58 PM cccs101</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Conditions  
Permit 362296

PERMIT CONDITIONS OF APPROVAL

|                                     |  |                              |
|-------------------------------------|--|------------------------------|
| Operator Name and Address:          |  | API Number:                  |
| MATADOR PRODUCTION COMPANY [228937] |  | 30-025-52696                 |
| One Lincoln Centre                  |  | Well:                        |
| Dallas, TX 75240                    |  | PAUL FLOWERS STATE COM #155H |

|                 |                                                                                                                                                                                                                                                                      |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCD<br>Reviewer | Condition                                                                                                                                                                                                                                                            |
| pkautz          | Notify OCD 24 hours prior to casing & cement                                                                                                                                                                                                                         |
| pkautz          | Will require a File As Drilled C-102 and a Directional Survey with the C-104                                                                                                                                                                                         |
| pkautz          | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz          | Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system                  |
| pkautz          | Cement is required to circulate on both surface and intermediate1 strings of casing                                                                                                                                                                                  |
| pkautz          | If cement does not circulate on any string, a CBL is required for that string of casing                                                                                                                                                                              |
| pkautz          | The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud                                                                                                                                                                   |

State of New Mexico  
Energy, Minerals and Natural Resources Department

Submit Electronically  
Via E-permitting

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

## NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### Section 1 – Plan Description Effective May 25, 2021

**I. Operator:** Matador Production Company **OGRID:** 228937 **Date:** 03/20/2024

**II. Type:** ☒ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.

If Other, please describe: \_\_\_\_\_

**III. Well(s):** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name          | API | ULSTR           | Footages             | Anticipated Oil BBL/D | Anticipated Gas MCF/D | Anticipated Produced Water BBL/D |
|--------------------|-----|-----------------|----------------------|-----------------------|-----------------------|----------------------------------|
| Paul Flowers #112H | TBD | Lot 7-6-22S-33E | 442' FSL, 909' FWL   | 900                   | 1,400                 | 2,500                            |
| Paul Flowers #111H | TBD | Lot 7-6-22S-33E | 472' FSL, 909' FWL   | 900                   | 1,400                 | 2,500                            |
| Paul Flowers #158H | TBD | P-6-22S-33E     | 598' FSL, 756' FEL   | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #154H | TBD | P-6-22S-33E     | 626' FSL, 766' FEL   | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #153H | TBD | O-6-22S-33E     | 442' FSL, 2,068' FEL | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #152H | TBD | O-6-22S-33E     | 472' FSL, 2,068' FEL | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #151H | TBD | Lot 7-6-22S-33E | 472' FSL, 989' FWL   | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #134H | TBD | P-6-22S-33E     | 607' FSL, 728' FEL   | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #132H | TBD | O-6-22S-33E     | 442' FSL, 2,038' FEL | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #131H | TBD | Lot 7-6-22S-33E | 442' FSL, 1,019' FWL | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #114H | TBD | P-6-22S-33E     | 573' FSL, 833' FEL   | 900                   | 1,400                 | 2,500                            |
| Paul Flowers #208H | TBD | P-6-22S-33E     | 635' FSL, 737' FEL   | 1,000                 | 1,500                 | 2,600                            |
| Paul Flowers #203H | TBD | O-6-22S-33E     | 472' FSL, 2,038' FEL | 1,000                 | 1,500                 | 2,600                            |
| Paul Flowers #155H | TBD | Lot 7-6-22S-33E | 442' FSL, 989' FWL   | 800                   | 1,000                 | 2,000                            |
| Paul Flowers #113H | TBD | O-6-22S-33E     | 472' FSL, 2,148' FEL | 900                   | 1,400                 | 2,500                            |
| Paul Flowers #205H | TBD | Lot 7-6-22S-33E | 472' FSL, 1,019' FWL | 1,000                 | 1,500                 | 2,600                            |

**IV. Central Delivery Point Name:** Paul Flowers TB [See 19.15.27.9(D)(1) NMAC]

**V. Anticipated Schedule:** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name          | API | Spud Date  | TD Reached Date | Completion Commencement Date | Initial Flow Back Date | First Production Date |
|--------------------|-----|------------|-----------------|------------------------------|------------------------|-----------------------|
| Paul Flowers #112H | TBD | 06/19/2025 | 07/18/2025      | 11/04/2025                   | 12/08/2025             | 12/08/2025            |
| Paul Flowers #111H | TBD | 05/19/2025 | 06/18/2025      | 10/01/2025                   | 11/12/2025             | 11/12/2025            |
| Paul Flowers #158H | TBD | 09/20/2024 | 10/16/2024      | 02/17/2025                   | 04/20/2025             | 04/20/2025            |
| Paul Flowers #154H | TBD | 07/23/2024 | 08/20/2024      | 01/12/2025                   | 02/15/2025             | 02/15/2025            |
| Paul Flowers #153H | TBD | 08/21/2024 | 09/16/2024      | 01/03/2025                   | 02/19/2025             | 02/19/2025            |
| Paul Flowers #152H | TBD | 08/22/2024 | 09/19/2024      | 02/26/2025                   | 04/16/2025             | 04/16/2025            |
| Paul Flowers #151H | TBD | 08/05/2024 | 09/02/2024      | 01/20/2025                   | 03/10/2025             | 03/10/2025            |
| Paul Flowers #134H | TBD | 09/17/2024 | 10/15/2024      | 12/25/2024                   | 02/22/2025             | 02/22/2025            |
| Paul Flowers #132H | TBD | 10/17/2024 | 11/14/2024      | 02/08/2025                   | 04/23/2025             | 04/23/2025            |
| Paul Flowers #131H | TBD | 09/30/2024 | 10/28/2024      | 01/02/2025                   | 03/17/2025             | 03/17/2025            |
| Paul Flowers #114H | TBD | 07/19/2025 | 08/18/2025      | 12/07/2025                   | 01/07/2026             | 01/07/2026            |
| Paul Flowers #208H | TBD | 11/15/2024 | 12/15/2024      | 01/30/2025                   | 04/27/2025             | 04/27/2025            |
| Paul Flowers #203H | TBD | 10/16/2024 | 11/15/2024      | 12/16/2024                   | 02/26/2025             | 02/26/2025            |
| Paul Flowers #155H | TBD | 09/03/2024 | 09/29/2024      | 01/11/2025                   | 03/24/2025             | 03/24/2025            |
| Paul Flowers #113H | TBD | 04/19/2025 | 05/18/2025      | 09/04/2025                   | 10/11/2025             | 10/11/2025            |
| Paul Flowers #205H | TBD | 10/29/2024 | 11/28/2024      | 12/24/2024                   | 03/21/2025             | 03/21/2025            |

**VI. Separation Equipment:** ☒ Attach a complete description of how Operator will size separation equipment to optimize gas capture.

**VII. Operational Practices:** ☒ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

**VIII. Best Management Practices:** ☒ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

**Section 2 – Enhanced Plan**  
**EFFECTIVE APRIL 1, 2022**

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☒ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

**IX. Anticipated Natural Gas Production:**

| Well | API | Anticipated Average Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|--------------------------------------------|----------------------------------------------------------|
|      |     |                                            |                                                          |
|      |     |                                            |                                                          |

**X. Natural Gas Gathering System (NGGS):**

| Operator | System | ULSTR of Tie-in | Anticipated Gathering Start Date | Available Maximum Daily Capacity of System Segment Tie-in |
|----------|--------|-----------------|----------------------------------|-----------------------------------------------------------|
|          |        |                 |                                  |                                                           |
|          |        |                 |                                  |                                                           |

**XI. Map.** ☐ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

**XII. Line Capacity.** The natural gas gathering system ☐ will ☐ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

**XIII. Line Pressure.** Operator ☐ does ☐ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

☐ Attach Operator's plan to manage production in response to the increased line pressure.

**XIV. Confidentiality:** ☐ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

**Section 3 - Certifications****Effective May 25, 2021**

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☒ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

***If Operator checks this box, Operator will select one of the following:***

**Well Shut-In.** ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

**Venting and Flaring Plan.** ☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

**Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| Signature:      |
| Printed Name: Oscar Gonzalez                                                                     |
| Title: Production Engineer                                                                       |
| E-mail Address: ogonzalez@matadorresources.com                                                   |
| Date: 03/07/2024                                                                                 |
| Phone: 972 – 629 – 2147                                                                          |
| <b>OIL CONSERVATION DIVISION</b><br><b>(Only applicable when submitted as a standalone form)</b> |
| Approved By:                                                                                     |
| Title:                                                                                           |
| Approval Date:                                                                                   |
| Conditions of Approval:                                                                          |



# **Matador Production Company**

**Antelope Ridge**

**Paul Flowers**

**Paul Flowers #155H**

**Wellbore #1**

**Plan: State Plan #1**

## **Standard Planning Report**

**12 March, 2024**

Planning Report

|           |                            |                              |                         |
|-----------|----------------------------|------------------------------|-------------------------|
| Database: | EDM 5000.14 Single User Db | Local Co-ordinate Reference: | Well Paul Flowers #155H |
| Company:  | Matador Production Company | TVD Reference:               | KB @ 3642.5usft         |
| Project:  | Antelope Ridge             | MD Reference:                | KB @ 3642.5usft         |
| Site:     | Paul Flowers               | North Reference:             | Grid                    |
| Well:     | Paul Flowers #155H         | Survey Calculation Method:   | Minimum Curvature       |
| Wellbore: | Wellbore #1                |                              |                         |
| Design:   | State Plan #1              |                              |                         |

|             |                                      |               |                             |
|-------------|--------------------------------------|---------------|-----------------------------|
| Project     | Antelope Ridge                       |               |                             |
| Map System: | US State Plane 1927 (Exact solution) | System Datum: | Mean Sea Level              |
| Geo Datum:  | NAD 1927 (NADCON CONUS)              |               |                             |
| Map Zone:   | New Mexico East 3001                 |               | Using geodetic scale factor |

|                       |              |              |                 |                   |                   |
|-----------------------|--------------|--------------|-----------------|-------------------|-------------------|
| Site                  | Paul Flowers |              |                 |                   |                   |
| Site Position:        |              | Northing:    | 515,361.55 usft | Latitude:         | 32° 24' 53.290 N  |
| From:                 | Lat/Long     | Easting:     | 721,245.00 usft | Longitude:        | 103° 36' 59.001 W |
| Position Uncertainty: | 0.0 usft     | Slot Radius: | 13-3/16 "       | Grid Convergence: | 0.38 °            |

|                      |                    |            |                     |                 |               |                   |
|----------------------|--------------------|------------|---------------------|-----------------|---------------|-------------------|
| Well                 | Paul Flowers #155H |            |                     |                 |               |                   |
| Well Position        | +N/-S              | -29.6 usft | Northing:           | 515,331.93 usft | Latitude:     | 32° 24' 52.992 N  |
|                      | +E/-W              | 80.2 usft  | Easting:            | 721,325.16 usft | Longitude:    | 103° 36' 58.068 W |
| Position Uncertainty |                    | 0.0 usft   | Wellhead Elevation: |                 | Ground Level: | 3,614.0 usft      |

|           |             |             |                 |               |                     |
|-----------|-------------|-------------|-----------------|---------------|---------------------|
| Wellbore  | Wellbore #1 |             |                 |               |                     |
| Magnetics | Model Name  | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
|           | IGRF2015    | 3/9/2024    | 6.25            | 60.14         | 47,352.13927949     |

|                   |                            |               |                 |                 |                  |
|-------------------|----------------------------|---------------|-----------------|-----------------|------------------|
| Design            |                            | State Plan #1 |                 |                 |                  |
| Audit Notes:      |                            |               |                 |                 |                  |
| Version:          | 1                          | Phase:        | PLAN            | Tie On Depth:   | 0.0              |
| Vertical Section: | Depth From (TVD)<br>(usft) |               | +N/-S<br>(usft) | +E/-W<br>(usft) | Direction<br>(°) |
|                   | 0.0                        |               | 0.0             | 0.0             | 359.60           |

|                          |                 |                   |                             |         |  |
|--------------------------|-----------------|-------------------|-----------------------------|---------|--|
| Plan Survey Tool Program |                 | Date              | 3/12/2024                   |         |  |
| Depth From (usft)        | Depth To (usft) | Survey (Wellbore) | Tool Name                   | Remarks |  |
| 1                        | 0.0             | 24,526.7          | State Plan #1 (Wellbore #1) | MWD     |  |
|                          |                 |                   | OWSG MWD - Standard         |         |  |

|                       |                 |             |                       |              |              |                         |                        |                       |         |                      |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|------------------------|-----------------------|---------|----------------------|
| Plan Sections         |                 |             |                       |              |              |                         |                        |                       |         |                      |
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) | TFO (°) | Target               |
| 0.0                   | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 1,000.0               | 0.00            | 0.00        | 1,000.0               | 0.0          | 0.0          | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 1,400.0               | 8.00            | 145.52      | 1,398.7               | -23.0        | 15.8         | 2.00                    | 2.00                   | 0.00                  | 145.52  |                      |
| 4,331.9               | 8.00            | 145.52      | 4,302.1               | -359.3       | 246.8        | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 4,865.3               | 0.00            | 0.00        | 4,833.7               | -390.0       | 267.9        | 1.50                    | -1.50                  | 0.00                  | 180.00  |                      |
| 11,105.1              | 0.00            | 0.00        | 11,073.5              | -390.0       | 267.9        | 0.00                    | 0.00                   | 0.00                  | 0.00    | KOP - Paul Flowers # |
| 12,005.1              | 90.00           | 359.60      | 11,646.5              | 183.0        | 263.9        | 10.00                   | 10.00                  | 0.00                  | 359.60  |                      |
| 12,070.3              | 90.00           | 359.60      | 11,646.5              | 248.2        | 263.4        | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 24,526.7              | 90.00           | 359.60      | 11,646.5              | 12,704.3     | 175.6        | 0.00                    | 0.00                   | 0.00                  | 0.00    | BHL - Paul Flowers # |

## Planning Report

|                  |                            |                                     |                         |
|------------------|----------------------------|-------------------------------------|-------------------------|
| <b>Database:</b> | EDM 5000.14 Single User Db | <b>Local Co-ordinate Reference:</b> | Well Paul Flowers #155H |
| <b>Company:</b>  | Matador Production Company | <b>TVD Reference:</b>               | KB @ 3642.5usft         |
| <b>Project:</b>  | Antelope Ridge             | <b>MD Reference:</b>                | KB @ 3642.5usft         |
| <b>Site:</b>     | Paul Flowers               | <b>North Reference:</b>             | Grid                    |
| <b>Well:</b>     | Paul Flowers #155H         | <b>Survey Calculation Method:</b>   | Minimum Curvature       |
| <b>Wellbore:</b> | Wellbore #1                |                                     |                         |
| <b>Design:</b>   | State Plan #1              |                                     |                         |

| Planned Survey                        |                 |             |                       |              |              |                         |                         |                        |                       |
|---------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                 | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0.0                                   | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 100.0                                 | 0.00            | 0.00        | 100.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 200.0                                 | 0.00            | 0.00        | 200.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 300.0                                 | 0.00            | 0.00        | 300.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 400.0                                 | 0.00            | 0.00        | 400.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 500.0                                 | 0.00            | 0.00        | 500.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 600.0                                 | 0.00            | 0.00        | 600.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 700.0                                 | 0.00            | 0.00        | 700.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 800.0                                 | 0.00            | 0.00        | 800.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 900.0                                 | 0.00            | 0.00        | 900.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 999.9                                 | 0.00            | 0.00        | 999.9                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>Z (Rustler)</b>                    |                 |             |                       |              |              |                         |                         |                        |                       |
| 1,000.0                               | 0.00            | 0.00        | 1,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| <b>Start Build 2.00</b>               |                 |             |                       |              |              |                         |                         |                        |                       |
| 1,100.0                               | 2.00            | 145.52      | 1,100.0               | -1.4         | 1.0          | -1.4                    | 2.00                    | 2.00                   | 0.00                  |
| 1,200.0                               | 4.00            | 145.52      | 1,199.8               | -5.8         | 4.0          | -5.8                    | 2.00                    | 2.00                   | 0.00                  |
| 1,300.0                               | 6.00            | 145.52      | 1,299.5               | -12.9        | 8.9          | -13.0                   | 2.00                    | 2.00                   | 0.00                  |
| 1,311.9                               | 6.24            | 145.52      | 1,311.3               | -14.0        | 9.6          | -14.0                   | 2.00                    | 2.00                   | 0.00                  |
| <b>Z (Salado)</b>                     |                 |             |                       |              |              |                         |                         |                        |                       |
| 1,400.0                               | 8.00            | 145.52      | 1,398.7               | -23.0        | 15.8         | -23.1                   | 2.00                    | 2.00                   | 0.00                  |
| <b>Start 2931.9 hold at 1400.0 MD</b> |                 |             |                       |              |              |                         |                         |                        |                       |
| 1,500.0                               | 8.00            | 145.52      | 1,497.7               | -34.5        | 23.7         | -34.6                   | 0.00                    | 0.00                   | 0.00                  |
| 1,600.0                               | 8.00            | 145.52      | 1,596.8               | -45.9        | 31.5         | -46.1                   | 0.00                    | 0.00                   | 0.00                  |
| 1,700.0                               | 8.00            | 145.52      | 1,695.8               | -57.4        | 39.4         | -57.7                   | 0.00                    | 0.00                   | 0.00                  |
| 1,800.0                               | 8.00            | 145.52      | 1,794.8               | -68.9        | 47.3         | -69.2                   | 0.00                    | 0.00                   | 0.00                  |
| 1,900.0                               | 8.00            | 145.52      | 1,893.8               | -80.3        | 55.2         | -80.7                   | 0.00                    | 0.00                   | 0.00                  |
| 2,000.0                               | 8.00            | 145.52      | 1,992.9               | -91.8        | 63.1         | -92.2                   | 0.00                    | 0.00                   | 0.00                  |
| 2,100.0                               | 8.00            | 145.52      | 2,091.9               | -103.3       | 70.9         | -103.8                  | 0.00                    | 0.00                   | 0.00                  |
| 2,200.0                               | 8.00            | 145.52      | 2,190.9               | -114.8       | 78.8         | -115.3                  | 0.00                    | 0.00                   | 0.00                  |
| 2,300.0                               | 8.00            | 145.52      | 2,289.9               | -126.2       | 86.7         | -126.8                  | 0.00                    | 0.00                   | 0.00                  |
| 2,400.0                               | 8.00            | 145.52      | 2,389.0               | -137.7       | 94.6         | -138.4                  | 0.00                    | 0.00                   | 0.00                  |
| 2,500.0                               | 8.00            | 145.52      | 2,488.0               | -149.2       | 102.5        | -149.9                  | 0.00                    | 0.00                   | 0.00                  |
| 2,600.0                               | 8.00            | 145.52      | 2,587.0               | -160.6       | 110.3        | -161.4                  | 0.00                    | 0.00                   | 0.00                  |
| 2,700.0                               | 8.00            | 145.52      | 2,686.1               | -172.1       | 118.2        | -172.9                  | 0.00                    | 0.00                   | 0.00                  |
| 2,800.0                               | 8.00            | 145.52      | 2,785.1               | -183.6       | 126.1        | -184.5                  | 0.00                    | 0.00                   | 0.00                  |
| 2,900.0                               | 8.00            | 145.52      | 2,884.1               | -195.1       | 134.0        | -196.0                  | 0.00                    | 0.00                   | 0.00                  |
| 3,000.0                               | 8.00            | 145.52      | 2,983.1               | -206.5       | 141.9        | -207.5                  | 0.00                    | 0.00                   | 0.00                  |
| 3,100.0                               | 8.00            | 145.52      | 3,082.2               | -218.0       | 149.7        | -219.0                  | 0.00                    | 0.00                   | 0.00                  |
| 3,200.0                               | 8.00            | 145.52      | 3,181.2               | -229.5       | 157.6        | -230.6                  | 0.00                    | 0.00                   | 0.00                  |
| 3,300.0                               | 8.00            | 145.52      | 3,280.2               | -240.9       | 165.5        | -242.1                  | 0.00                    | 0.00                   | 0.00                  |
| 3,400.0                               | 8.00            | 145.52      | 3,379.2               | -252.4       | 173.4        | -253.6                  | 0.00                    | 0.00                   | 0.00                  |
| 3,500.0                               | 8.00            | 145.52      | 3,478.3               | -263.9       | 181.3        | -265.1                  | 0.00                    | 0.00                   | 0.00                  |
| 3,600.0                               | 8.00            | 145.52      | 3,577.3               | -275.4       | 189.1        | -276.7                  | 0.00                    | 0.00                   | 0.00                  |
| 3,700.0                               | 8.00            | 145.52      | 3,676.3               | -286.8       | 197.0        | -288.2                  | 0.00                    | 0.00                   | 0.00                  |
| 3,800.0                               | 8.00            | 145.52      | 3,775.3               | -298.3       | 204.9        | -299.7                  | 0.00                    | 0.00                   | 0.00                  |
| 3,900.0                               | 8.00            | 145.52      | 3,874.4               | -309.8       | 212.8        | -311.3                  | 0.00                    | 0.00                   | 0.00                  |
| 4,000.0                               | 8.00            | 145.52      | 3,973.4               | -321.2       | 220.7        | -322.8                  | 0.00                    | 0.00                   | 0.00                  |
| 4,100.0                               | 8.00            | 145.52      | 4,072.4               | -332.7       | 228.5        | -334.3                  | 0.00                    | 0.00                   | 0.00                  |
| 4,200.0                               | 8.00            | 145.52      | 4,171.5               | -344.2       | 236.4        | -345.8                  | 0.00                    | 0.00                   | 0.00                  |
| 4,300.0                               | 8.00            | 145.52      | 4,270.5               | -355.7       | 244.3        | -357.4                  | 0.00                    | 0.00                   | 0.00                  |
| 4,331.9                               | 8.00            | 145.52      | 4,302.1               | -359.3       | 246.8        | -361.0                  | 0.00                    | 0.00                   | 0.00                  |
| <b>Start Drop -1.50</b>               |                 |             |                       |              |              |                         |                         |                        |                       |
| 4,400.0                               | 6.98            | 145.52      | 4,369.6               | -366.6       | 251.8        | -368.4                  | 1.50                    | -1.50                  | 0.00                  |

## Planning Report

|                  |                            |                                     |                         |
|------------------|----------------------------|-------------------------------------|-------------------------|
| <b>Database:</b> | EDM 5000.14 Single User Db | <b>Local Co-ordinate Reference:</b> | Well Paul Flowers #155H |
| <b>Company:</b>  | Matador Production Company | <b>TVD Reference:</b>               | KB @ 3642.5usft         |
| <b>Project:</b>  | Antelope Ridge             | <b>MD Reference:</b>                | KB @ 3642.5usft         |
| <b>Site:</b>     | Paul Flowers               | <b>North Reference:</b>             | Grid                    |
| <b>Well:</b>     | Paul Flowers #155H         | <b>Survey Calculation Method:</b>   | Minimum Curvature       |
| <b>Wellbore:</b> | Wellbore #1                |                                     |                         |
| <b>Design:</b>   | State Plan #1              |                                     |                         |

| Planned Survey                            |                 |             |                       |              |              |                         |                         |                        |                       |
|-------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                     | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,500.0                                   | 5.48            | 145.52      | 4,469.0               | -375.6       | 258.0        | -377.4                  | 1.50                    | -1.50                  | 0.00                  |
| 4,586.3                                   | 4.18            | 145.52      | 4,555.0               | -381.6       | 262.1        | -383.4                  | 1.50                    | -1.50                  | 0.00                  |
| <b>Z (G30:CS14-CSB)</b>                   |                 |             |                       |              |              |                         |                         |                        |                       |
| 4,600.0                                   | 3.98            | 145.52      | 4,568.7               | -382.4       | 262.6        | -384.2                  | 1.50                    | -1.50                  | 0.00                  |
| 4,700.0                                   | 2.48            | 145.52      | 4,668.5               | -387.0       | 265.8        | -388.9                  | 1.50                    | -1.50                  | 0.00                  |
| 4,800.0                                   | 0.98            | 145.52      | 4,768.4               | -389.5       | 267.5        | -391.4                  | 1.50                    | -1.50                  | 0.00                  |
| 4,853.4                                   | 0.18            | 145.52      | 4,821.8               | -389.9       | 267.9        | -391.8                  | 1.50                    | -1.50                  | 0.00                  |
| <b>Z (G26: Bell Cyn.)</b>                 |                 |             |                       |              |              |                         |                         |                        |                       |
| 4,865.3                                   | 0.00            | 0.00        | 4,833.7               | -390.0       | 267.9        | -391.8                  | 1.50                    | -1.50                  | 0.00                  |
| <b>Start 6239.8 hold at 4865.3 MD</b>     |                 |             |                       |              |              |                         |                         |                        |                       |
| 4,900.0                                   | 0.00            | 0.00        | 4,868.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,000.0                                   | 0.00            | 0.00        | 4,968.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,100.0                                   | 0.00            | 0.00        | 5,068.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,200.0                                   | 0.00            | 0.00        | 5,168.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,300.0                                   | 0.00            | 0.00        | 5,268.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,400.0                                   | 0.00            | 0.00        | 5,368.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,500.0                                   | 0.00            | 0.00        | 5,468.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,600.0                                   | 0.00            | 0.00        | 5,568.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,700.0                                   | 0.00            | 0.00        | 5,668.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,800.0                                   | 0.00            | 0.00        | 5,768.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,900.0                                   | 0.00            | 0.00        | 5,868.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,000.0                                   | 0.00            | 0.00        | 5,968.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,037.1                                   | 0.00            | 0.00        | 6,005.5               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| <b>Z (G13: Cherry Cyn.)</b>               |                 |             |                       |              |              |                         |                         |                        |                       |
| 6,100.0                                   | 0.00            | 0.00        | 6,068.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,200.0                                   | 0.00            | 0.00        | 6,168.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,300.0                                   | 0.00            | 0.00        | 6,268.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,400.0                                   | 0.00            | 0.00        | 6,368.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,500.0                                   | 0.00            | 0.00        | 6,468.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,600.0                                   | 0.00            | 0.00        | 6,568.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,700.0                                   | 0.00            | 0.00        | 6,668.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,800.0                                   | 0.00            | 0.00        | 6,768.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,900.0                                   | 0.00            | 0.00        | 6,868.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,000.0                                   | 0.00            | 0.00        | 6,968.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,077.0                                   | 0.00            | 0.00        | 7,045.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| <b>Z (G7: Brushy Cyn.) Antelope Ridge</b> |                 |             |                       |              |              |                         |                         |                        |                       |
| 7,100.0                                   | 0.00            | 0.00        | 7,068.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,200.0                                   | 0.00            | 0.00        | 7,168.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,300.0                                   | 0.00            | 0.00        | 7,268.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,400.0                                   | 0.00            | 0.00        | 7,368.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,500.0                                   | 0.00            | 0.00        | 7,468.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,600.0                                   | 0.00            | 0.00        | 7,568.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,700.0                                   | 0.00            | 0.00        | 7,668.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,800.0                                   | 0.00            | 0.00        | 7,768.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,900.0                                   | 0.00            | 0.00        | 7,868.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,000.0                                   | 0.00            | 0.00        | 7,968.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,100.0                                   | 0.00            | 0.00        | 8,068.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,200.0                                   | 0.00            | 0.00        | 8,168.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,300.0                                   | 0.00            | 0.00        | 8,268.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,400.0                                   | 0.00            | 0.00        | 8,368.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| 8,450.4                                   | 0.00            | 0.00        | 8,418.9               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |
| <b>G5: L. Brushy Cyn.</b>                 |                 |             |                       |              |              |                         |                         |                        |                       |
| 8,500.0                                   | 0.00            | 0.00        | 8,468.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |

## Planning Report

|                  |                            |                                     |                         |
|------------------|----------------------------|-------------------------------------|-------------------------|
| <b>Database:</b> | EDM 5000.14 Single User Db | <b>Local Co-ordinate Reference:</b> | Well Paul Flowers #155H |
| <b>Company:</b>  | Matador Production Company | <b>TVD Reference:</b>               | KB @ 3642.5usft         |
| <b>Project:</b>  | Antelope Ridge             | <b>MD Reference:</b>                | KB @ 3642.5usft         |
| <b>Site:</b>     | Paul Flowers               | <b>North Reference:</b>             | Grid                    |
| <b>Well:</b>     | Paul Flowers #155H         | <b>Survey Calculation Method:</b>   | Minimum Curvature       |
| <b>Wellbore:</b> | Wellbore #1                |                                     |                         |
| <b>Design:</b>   | State Plan #1              |                                     |                         |

| Planned Survey                                      |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft)                               | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 8,600.0                                             | 0.00            | 0.00        | 8,568.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,696.8                                             | 0.00            | 0.00        | 8,665.3               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>Z (G4: BSGL (CS9))</b>                           |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 8,700.0                                             | 0.00            | 0.00        | 8,668.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,800.0                                             | 0.00            | 0.00        | 8,768.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,900.0                                             | 0.00            | 0.00        | 8,868.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,000.0                                             | 0.00            | 0.00        | 8,968.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,100.0                                             | 0.00            | 0.00        | 9,068.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,200.0                                             | 0.00            | 0.00        | 9,168.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,300.0                                             | 0.00            | 0.00        | 9,268.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,335.2                                             | 0.00            | 0.00        | 9,303.6               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>L8.2: U. Avalon Shale</b>                        |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,400.0                                             | 0.00            | 0.00        | 9,368.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,500.0                                             | 0.00            | 0.00        | 9,468.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,560.2                                             | 0.00            | 0.00        | 9,528.7               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>L6.3: Avalon Carb</b>                            |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,600.0                                             | 0.00            | 0.00        | 9,568.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,700.0                                             | 0.00            | 0.00        | 9,668.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,738.9                                             | 0.00            | 0.00        | 9,707.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>Z (L5.3: FBSC)</b>                               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,800.0                                             | 0.00            | 0.00        | 9,768.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,900.0                                             | 0.00            | 0.00        | 9,868.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,934.9                                             | 0.00            | 0.00        | 9,903.3               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>Z (L5.1: FBSC)</b>                               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 10,000.0                                            | 0.00            | 0.00        | 9,968.4               | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,100.0                                            | 0.00            | 0.00        | 10,068.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,120.5                                            | 0.00            | 0.00        | 10,088.9              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>Z (L4.3: SBSC)</b>                               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 10,200.0                                            | 0.00            | 0.00        | 10,168.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,300.0                                            | 0.00            | 0.00        | 10,268.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,400.0                                            | 0.00            | 0.00        | 10,368.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,500.0                                            | 0.00            | 0.00        | 10,468.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,577.0                                            | 0.00            | 0.00        | 10,545.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>Z (L4.1: SBSG)</b>                               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 10,600.0                                            | 0.00            | 0.00        | 10,568.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,700.0                                            | 0.00            | 0.00        | 10,668.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,800.0                                            | 0.00            | 0.00        | 10,768.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,900.0                                            | 0.00            | 0.00        | 10,868.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,000.0                                            | 0.00            | 0.00        | 10,968.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,100.0                                            | 0.00            | 0.00        | 11,068.4              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| 11,105.1                                            | 0.00            | 0.00        | 11,073.5              | -390.0       | 267.9        | -391.8                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>Start Build 10.00 - KOP - Paul Flowers #155H</b> |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 11,119.2                                            | 1.42            | 359.60      | 11,087.6              | -389.8       | 267.9        | -391.6                  | 10.00                   | 10.00                  | 0.00                  |  |
| <b>Z (L3.3: TBSC)</b>                               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 11,200.0                                            | 9.49            | 359.60      | 11,168.0              | -382.1       | 267.8        | -384.0                  | 10.00                   | 10.00                  | 0.00                  |  |
| 11,300.0                                            | 19.49           | 359.60      | 11,264.7              | -357.1       | 267.6        | -359.0                  | 10.00                   | 10.00                  | 0.00                  |  |
| 11,394.2                                            | 28.91           | 359.60      | 11,350.5              | -318.6       | 267.4        | -320.4                  | 10.00                   | 10.00                  | 0.00                  |  |
| <b>Lower TBSC</b>                                   |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 11,400.0                                            | 29.49           | 359.60      | 11,355.6              | -315.7       | 267.3        | -317.6                  | 10.00                   | 10.00                  | 0.00                  |  |
| 11,500.0                                            | 39.49           | 359.60      | 11,437.9              | -259.2       | 266.9        | -261.0                  | 10.00                   | 10.00                  | 0.00                  |  |
| 11,592.3                                            | 48.72           | 359.60      | 11,504.1              | -195.0       | 266.5        | -196.8                  | 10.00                   | 10.00                  | 0.00                  |  |
| <b>FTP - Paul Flowers #155H</b>                     |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 11,600.0                                            | 49.49           | 359.60      | 11,509.1              | -189.2       | 266.5        | -191.0                  | 10.00                   | 10.00                  | 0.00                  |  |

## Planning Report

|                  |                            |                                     |                         |
|------------------|----------------------------|-------------------------------------|-------------------------|
| <b>Database:</b> | EDM 5000.14 Single User Db | <b>Local Co-ordinate Reference:</b> | Well Paul Flowers #155H |
| <b>Company:</b>  | Matador Production Company | <b>TVD Reference:</b>               | KB @ 3642.5usft         |
| <b>Project:</b>  | Antelope Ridge             | <b>MD Reference:</b>                | KB @ 3642.5usft         |
| <b>Site:</b>     | Paul Flowers               | <b>North Reference:</b>             | Grid                    |
| <b>Well:</b>     | Paul Flowers #155H         | <b>Survey Calculation Method:</b>   | Minimum Curvature       |
| <b>Wellbore:</b> | Wellbore #1                |                                     |                         |
| <b>Design:</b>   | State Plan #1              |                                     |                         |

| Planned Survey                   |                 |             |                       |              |              |                         |                         |                        |                       |
|----------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)            | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 11,700.0                         | 59.49           | 359.60      | 11,567.1              | -107.9       | 265.9        | -109.7                  | 10.00                   | 10.00                  | 0.00                  |
| 11,800.0                         | 69.49           | 359.60      | 11,610.2              | -17.7        | 265.3        | -19.6                   | 10.00                   | 10.00                  | 0.00                  |
| 11,900.0                         | 79.49           | 359.60      | 11,636.9              | 78.5         | 264.6        | 76.7                    | 10.00                   | 10.00                  | 0.00                  |
| 12,000.0                         | 89.49           | 359.60      | 11,646.4              | 177.9        | 263.9        | 176.1                   | 10.00                   | 10.00                  | 0.00                  |
| 12,005.1                         | 90.00           | 359.60      | 11,646.5              | 183.0        | 263.9        | 181.1                   | 10.00                   | 10.00                  | 0.00                  |
| Start 65.3 hold at 12005.1 MD    |                 |             |                       |              |              |                         |                         |                        |                       |
| 12,070.3                         | 90.00           | 359.60      | 11,646.5              | 248.2        | 263.4        | 246.4                   | 0.00                    | 0.00                   | 0.00                  |
| Start 12456.4 hold at 12070.3 MD |                 |             |                       |              |              |                         |                         |                        |                       |
| 12,100.0                         | 90.00           | 359.60      | 11,646.5              | 277.9        | 263.2        | 276.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,200.0                         | 90.00           | 359.60      | 11,646.5              | 377.9        | 262.5        | 376.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,300.0                         | 90.00           | 359.60      | 11,646.5              | 477.9        | 261.8        | 476.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,400.0                         | 90.00           | 359.60      | 11,646.5              | 577.9        | 261.1        | 576.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,500.0                         | 90.00           | 359.60      | 11,646.5              | 677.9        | 260.4        | 676.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,600.0                         | 90.00           | 359.60      | 11,646.5              | 777.9        | 259.7        | 776.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,700.0                         | 90.00           | 359.60      | 11,646.5              | 877.9        | 259.0        | 876.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,800.0                         | 90.00           | 359.60      | 11,646.5              | 977.9        | 258.3        | 976.1                   | 0.00                    | 0.00                   | 0.00                  |
| 12,900.0                         | 90.00           | 359.60      | 11,646.5              | 1,077.9      | 257.6        | 1,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,000.0                         | 90.00           | 359.60      | 11,646.5              | 1,177.9      | 256.9        | 1,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,100.0                         | 90.00           | 359.60      | 11,646.5              | 1,277.9      | 256.2        | 1,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,200.0                         | 90.00           | 359.60      | 11,646.5              | 1,377.9      | 255.5        | 1,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,300.0                         | 90.00           | 359.60      | 11,646.5              | 1,477.9      | 254.8        | 1,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,400.0                         | 90.00           | 359.60      | 11,646.5              | 1,577.9      | 254.1        | 1,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,500.0                         | 90.00           | 359.60      | 11,646.5              | 1,677.9      | 253.4        | 1,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,600.0                         | 90.00           | 359.60      | 11,646.5              | 1,777.9      | 252.7        | 1,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,700.0                         | 90.00           | 359.60      | 11,646.5              | 1,877.9      | 252.0        | 1,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,800.0                         | 90.00           | 359.60      | 11,646.5              | 1,977.9      | 251.3        | 1,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 13,900.0                         | 90.00           | 359.60      | 11,646.5              | 2,077.9      | 250.6        | 2,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,000.0                         | 90.00           | 359.60      | 11,646.5              | 2,177.9      | 249.9        | 2,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,100.0                         | 90.00           | 359.60      | 11,646.5              | 2,277.9      | 249.2        | 2,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,200.0                         | 90.00           | 359.60      | 11,646.5              | 2,377.9      | 248.5        | 2,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,300.0                         | 90.00           | 359.60      | 11,646.5              | 2,477.9      | 247.8        | 2,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,400.0                         | 90.00           | 359.60      | 11,646.5              | 2,577.9      | 247.1        | 2,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,500.0                         | 90.00           | 359.60      | 11,646.5              | 2,677.9      | 246.4        | 2,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,600.0                         | 90.00           | 359.60      | 11,646.5              | 2,777.9      | 245.7        | 2,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,700.0                         | 90.00           | 359.60      | 11,646.5              | 2,877.9      | 245.0        | 2,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,800.0                         | 90.00           | 359.60      | 11,646.5              | 2,977.8      | 244.3        | 2,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 14,900.0                         | 90.00           | 359.60      | 11,646.5              | 3,077.8      | 243.6        | 3,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,000.0                         | 90.00           | 359.60      | 11,646.5              | 3,177.8      | 243.0        | 3,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,100.0                         | 90.00           | 359.60      | 11,646.5              | 3,277.8      | 242.3        | 3,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,200.0                         | 90.00           | 359.60      | 11,646.5              | 3,377.8      | 241.6        | 3,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,300.0                         | 90.00           | 359.60      | 11,646.5              | 3,477.8      | 240.9        | 3,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,400.0                         | 90.00           | 359.60      | 11,646.5              | 3,577.8      | 240.2        | 3,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,500.0                         | 90.00           | 359.60      | 11,646.5              | 3,677.8      | 239.5        | 3,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,600.0                         | 90.00           | 359.60      | 11,646.5              | 3,777.8      | 238.8        | 3,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,700.0                         | 90.00           | 359.60      | 11,646.5              | 3,877.8      | 238.1        | 3,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,800.0                         | 90.00           | 359.60      | 11,646.5              | 3,977.8      | 237.4        | 3,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 15,900.0                         | 90.00           | 359.60      | 11,646.5              | 4,077.8      | 236.7        | 4,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,000.0                         | 90.00           | 359.60      | 11,646.5              | 4,177.8      | 236.0        | 4,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,100.0                         | 90.00           | 359.60      | 11,646.5              | 4,277.8      | 235.3        | 4,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,200.0                         | 90.00           | 359.60      | 11,646.5              | 4,377.8      | 234.6        | 4,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,300.0                         | 90.00           | 359.60      | 11,646.5              | 4,477.8      | 233.9        | 4,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,400.0                         | 90.00           | 359.60      | 11,646.5              | 4,577.8      | 233.2        | 4,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,500.0                         | 90.00           | 359.60      | 11,646.5              | 4,677.8      | 232.5        | 4,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,600.0                         | 90.00           | 359.60      | 11,646.5              | 4,777.8      | 231.8        | 4,776.1                 | 0.00                    | 0.00                   | 0.00                  |

## Planning Report

|                  |                            |                                     |                         |
|------------------|----------------------------|-------------------------------------|-------------------------|
| <b>Database:</b> | EDM 5000.14 Single User Db | <b>Local Co-ordinate Reference:</b> | Well Paul Flowers #155H |
| <b>Company:</b>  | Matador Production Company | <b>TVD Reference:</b>               | KB @ 3642.5usft         |
| <b>Project:</b>  | Antelope Ridge             | <b>MD Reference:</b>                | KB @ 3642.5usft         |
| <b>Site:</b>     | Paul Flowers               | <b>North Reference:</b>             | Grid                    |
| <b>Well:</b>     | Paul Flowers #155H         | <b>Survey Calculation Method:</b>   | Minimum Curvature       |
| <b>Wellbore:</b> | Wellbore #1                |                                     |                         |
| <b>Design:</b>   | State Plan #1              |                                     |                         |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 16,700.0              | 90.00           | 359.60      | 11,646.5              | 4,877.8      | 231.1        | 4,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,800.0              | 90.00           | 359.60      | 11,646.5              | 4,977.8      | 230.4        | 4,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 16,900.0              | 90.00           | 359.60      | 11,646.5              | 5,077.8      | 229.7        | 5,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,000.0              | 90.00           | 359.60      | 11,646.5              | 5,177.8      | 229.0        | 5,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,100.0              | 90.00           | 359.60      | 11,646.5              | 5,277.8      | 228.3        | 5,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,200.0              | 90.00           | 359.60      | 11,646.5              | 5,377.8      | 227.6        | 5,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,300.0              | 90.00           | 359.60      | 11,646.5              | 5,477.8      | 226.9        | 5,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,400.0              | 90.00           | 359.60      | 11,646.5              | 5,577.8      | 226.2        | 5,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,500.0              | 90.00           | 359.60      | 11,646.5              | 5,677.8      | 225.5        | 5,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,600.0              | 90.00           | 359.60      | 11,646.5              | 5,777.8      | 224.8        | 5,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,700.0              | 90.00           | 359.60      | 11,646.5              | 5,877.8      | 224.1        | 5,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,800.0              | 90.00           | 359.60      | 11,646.5              | 5,977.8      | 223.4        | 5,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 17,900.0              | 90.00           | 359.60      | 11,646.5              | 6,077.8      | 222.7        | 6,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,000.0              | 90.00           | 359.60      | 11,646.5              | 6,177.8      | 222.0        | 6,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,100.0              | 90.00           | 359.60      | 11,646.5              | 6,277.8      | 221.3        | 6,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,200.0              | 90.00           | 359.60      | 11,646.5              | 6,377.8      | 220.6        | 6,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,300.0              | 90.00           | 359.60      | 11,646.5              | 6,477.8      | 219.9        | 6,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,400.0              | 90.00           | 359.60      | 11,646.5              | 6,577.8      | 219.2        | 6,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,500.0              | 90.00           | 359.60      | 11,646.5              | 6,677.8      | 218.5        | 6,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,600.0              | 90.00           | 359.60      | 11,646.5              | 6,777.8      | 217.8        | 6,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,700.0              | 90.00           | 359.60      | 11,646.5              | 6,877.8      | 217.1        | 6,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,800.0              | 90.00           | 359.60      | 11,646.5              | 6,977.8      | 216.4        | 6,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 18,900.0              | 90.00           | 359.60      | 11,646.5              | 7,077.7      | 215.7        | 7,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,000.0              | 90.00           | 359.60      | 11,646.5              | 7,177.7      | 215.0        | 7,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,100.0              | 90.00           | 359.60      | 11,646.5              | 7,277.7      | 214.3        | 7,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,200.0              | 90.00           | 359.60      | 11,646.5              | 7,377.7      | 213.6        | 7,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,300.0              | 90.00           | 359.60      | 11,646.5              | 7,477.7      | 212.9        | 7,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,400.0              | 90.00           | 359.60      | 11,646.5              | 7,577.7      | 212.2        | 7,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,500.0              | 90.00           | 359.60      | 11,646.5              | 7,677.7      | 211.5        | 7,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,600.0              | 90.00           | 359.60      | 11,646.5              | 7,777.7      | 210.8        | 7,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,700.0              | 90.00           | 359.60      | 11,646.5              | 7,877.7      | 210.1        | 7,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,800.0              | 90.00           | 359.60      | 11,646.5              | 7,977.7      | 209.4        | 7,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 19,900.0              | 90.00           | 359.60      | 11,646.5              | 8,077.7      | 208.7        | 8,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,000.0              | 90.00           | 359.60      | 11,646.5              | 8,177.7      | 208.0        | 8,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,100.0              | 90.00           | 359.60      | 11,646.5              | 8,277.7      | 207.3        | 8,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,200.0              | 90.00           | 359.60      | 11,646.5              | 8,377.7      | 206.6        | 8,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,300.0              | 90.00           | 359.60      | 11,646.5              | 8,477.7      | 206.0        | 8,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,400.0              | 90.00           | 359.60      | 11,646.5              | 8,577.7      | 205.3        | 8,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,500.0              | 90.00           | 359.60      | 11,646.5              | 8,677.7      | 204.6        | 8,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,600.0              | 90.00           | 359.60      | 11,646.5              | 8,777.7      | 203.9        | 8,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,700.0              | 90.00           | 359.60      | 11,646.5              | 8,877.7      | 203.2        | 8,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,800.0              | 90.00           | 359.60      | 11,646.5              | 8,977.7      | 202.5        | 8,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,900.0              | 90.00           | 359.60      | 11,646.5              | 9,077.7      | 201.8        | 9,076.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,000.0              | 90.00           | 359.60      | 11,646.5              | 9,177.7      | 201.1        | 9,176.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,100.0              | 90.00           | 359.60      | 11,646.5              | 9,277.7      | 200.4        | 9,276.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,200.0              | 90.00           | 359.60      | 11,646.5              | 9,377.7      | 199.7        | 9,376.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,300.0              | 90.00           | 359.60      | 11,646.5              | 9,477.7      | 199.0        | 9,476.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,400.0              | 90.00           | 359.60      | 11,646.5              | 9,577.7      | 198.3        | 9,576.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,500.0              | 90.00           | 359.60      | 11,646.5              | 9,677.7      | 197.6        | 9,676.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,600.0              | 90.00           | 359.60      | 11,646.5              | 9,777.7      | 196.9        | 9,776.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,700.0              | 90.00           | 359.60      | 11,646.5              | 9,877.7      | 196.2        | 9,876.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,800.0              | 90.00           | 359.60      | 11,646.5              | 9,977.7      | 195.5        | 9,976.1                 | 0.00                    | 0.00                   | 0.00                  |
| 21,900.0              | 90.00           | 359.60      | 11,646.5              | 10,077.7     | 194.8        | 10,076.1                | 0.00                    | 0.00                   | 0.00                  |
| 22,000.0              | 90.00           | 359.60      | 11,646.5              | 10,177.7     | 194.1        | 10,176.1                | 0.00                    | 0.00                   | 0.00                  |

Planning Report

|           |                            |                              |                         |
|-----------|----------------------------|------------------------------|-------------------------|
| Database: | EDM 5000.14 Single User Db | Local Co-ordinate Reference: | Well Paul Flowers #155H |
| Company:  | Matador Production Company | TVD Reference:               | KB @ 3642.5usft         |
| Project:  | Antelope Ridge             | MD Reference:                | KB @ 3642.5usft         |
| Site:     | Paul Flowers               | North Reference:             | Grid                    |
| Well:     | Paul Flowers #155H         | Survey Calculation Method:   | Minimum Curvature       |
| Wellbore: | Wellbore #1                |                              |                         |
| Design:   | State Plan #1              |                              |                         |

| Planned Survey                           |                    |                |                             |                 |                 |                               |                               |                              |                             |  |
|------------------------------------------|--------------------|----------------|-----------------------------|-----------------|-----------------|-------------------------------|-------------------------------|------------------------------|-----------------------------|--|
| Measured<br>Depth<br>(usft)              | Inclination<br>(°) | Azimuth<br>(°) | Vertical<br>Depth<br>(usft) | +N/-S<br>(usft) | +E/-W<br>(usft) | Vertical<br>Section<br>(usft) | Dogleg<br>Rate<br>(°/100usft) | Build<br>Rate<br>(°/100usft) | Turn<br>Rate<br>(°/100usft) |  |
| 22,100.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,277.7        | 193.4           | 10,276.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,200.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,377.7        | 192.7           | 10,376.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,300.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,477.7        | 192.0           | 10,476.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,400.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,577.7        | 191.3           | 10,576.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,500.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,677.7        | 190.6           | 10,676.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,600.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,777.7        | 189.9           | 10,776.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,700.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,877.7        | 189.2           | 10,876.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,800.0                                 | 90.00              | 359.60         | 11,646.5                    | 10,977.7        | 188.5           | 10,976.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 22,900.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,077.7        | 187.8           | 11,076.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,000.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,177.6        | 187.1           | 11,176.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,100.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,277.6        | 186.4           | 11,276.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,200.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,377.6        | 185.7           | 11,376.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,300.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,477.6        | 185.0           | 11,476.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,400.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,577.6        | 184.3           | 11,576.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,500.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,677.6        | 183.6           | 11,676.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,600.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,777.6        | 182.9           | 11,776.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,700.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,877.6        | 182.2           | 11,876.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,800.0                                 | 90.00              | 359.60         | 11,646.5                    | 11,977.6        | 181.5           | 11,976.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 23,900.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,077.6        | 180.8           | 12,076.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,000.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,177.6        | 180.1           | 12,176.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,100.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,277.6        | 179.4           | 12,276.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,200.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,377.6        | 178.7           | 12,376.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,300.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,477.6        | 178.0           | 12,476.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,400.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,577.6        | 177.3           | 12,576.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,500.0                                 | 90.00              | 359.60         | 11,646.5                    | 12,677.6        | 176.6           | 12,676.1                      | 0.00                          | 0.00                         | 0.00                        |  |
| 24,526.7                                 | 90.00              | 359.60         | 11,646.5                    | 12,704.3        | 175.6           | 12,702.8                      | 0.00                          | 0.00                         | 0.00                        |  |
| TD at 24526.7 - BHL - Paul Flowers #155H |                    |                |                             |                 |                 |                               |                               |                              |                             |  |

| Design Targets                                                                                                                     |               |              |            |              |              |                 |                |                  |  |                   |
|------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|------------|--------------|--------------|-----------------|----------------|------------------|--|-------------------|
| Target Name                                                                                                                        | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude         |  | Longitude         |
| KOP - Paul Flowers #155H<br>- hit/miss target<br>- Shape<br>- Point                                                                | 0.00          | 0.00         | 11,073.5   | -390.0       | 267.9        | 514,942.00      | 721,593.00     | 32° 24' 49.116 N |  | 103° 36' 54.975 W |
| BHL - Paul Flowers #155H<br>- plan hits target center<br>- Point                                                                   | 0.00          | 0.00         | 11,646.5   | 12,704.3     | 175.6        | 528,036.88      | 721,500.79     | 32° 26' 58.699 N |  | 103° 36' 55.023 W |
| FTP - Paul Flowers #155H<br>- plan misses target center by 203.2usft at 11592.3usft MD (11504.1 TVD, -195.0 N, 266.5 E)<br>- Point | 0.00          | 0.00         | 11,646.5   | -340.0       | 267.9        | 514,992.00      | 721,593.00     | 32° 24' 49.611 N |  | 103° 36' 54.971 W |

## Planning Report

|                  |                            |                                     |                         |
|------------------|----------------------------|-------------------------------------|-------------------------|
| <b>Database:</b> | EDM 5000.14 Single User Db | <b>Local Co-ordinate Reference:</b> | Well Paul Flowers #155H |
| <b>Company:</b>  | Matador Production Company | <b>TVD Reference:</b>               | KB @ 3642.5usft         |
| <b>Project:</b>  | Antelope Ridge             | <b>MD Reference:</b>                | KB @ 3642.5usft         |
| <b>Site:</b>     | Paul Flowers               | <b>North Reference:</b>             | Grid                    |
| <b>Well:</b>     | Paul Flowers #155H         | <b>Survey Calculation Method:</b>   | Minimum Curvature       |
| <b>Wellbore:</b> | Wellbore #1                |                                     |                         |
| <b>Design:</b>   | State Plan #1              |                                     |                         |

| Formations            |                       |                                    |           |         |                   |  |
|-----------------------|-----------------------|------------------------------------|-----------|---------|-------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Name                               | Lithology | Dip (°) | Dip Direction (°) |  |
| 999.9                 | 1,003.9               | Z (Rustler)                        |           | 0.00    | 359.60            |  |
| 1,311.9               | 1,315.3               | Z (Salado)                         |           | 0.00    | 359.60            |  |
| 4,586.3               | 4,559.0               | Z (G30:CS14-CSB)                   |           | 0.00    | 359.60            |  |
| 4,853.4               | 4,825.8               | Z (G26: Bell Cyn.)                 |           | 0.00    | 359.60            |  |
| 6,037.1               | 6,009.5               | Z (G13: Cherry Cyn.)               |           | 0.00    | 359.60            |  |
| 7,077.0               | 7,049.4               | Z (G7: Brushy Cyn.) Antelope Ridge |           | 0.00    | 359.60            |  |
| 8,450.4               | 8,422.9               | G5: L. Brushy Cyn.                 |           | 0.00    | 359.60            |  |
| 8,696.8               | 8,669.3               | Z (G4: BSG (CS9))                  |           | 0.00    | 359.60            |  |
| 9,335.2               | 9,307.6               | L8.2: U. Avalon Shale              |           | 0.00    | 359.60            |  |
| 9,560.2               | 9,532.7               | L6.3: Avalon Carb                  |           | 0.00    | 359.60            |  |
| 9,738.9               | 9,711.4               | Z (L5.3: FBSC)                     |           | 0.00    | 359.60            |  |
| 9,934.9               | 9,907.3               | Z (L5.1: FBSG)                     |           | 0.00    | 359.60            |  |
| 10,120.5              | 10,092.9              | Z (L4.3: SBSC)                     |           | 0.00    | 359.60            |  |
| 10,577.0              | 10,549.4              | Z (L4.1: SBSC)                     |           | 0.00    | 359.60            |  |
| 11,119.2              | 11,091.6              | Z (L3.3: TBSC)                     |           | 0.00    | 359.60            |  |
| 11,394.2              | 11,354.5              | Lower TBSC                         |           | 0.00    | 359.60            |  |

| Plan Annotations      |                       |                   |              |                                  |  |
|-----------------------|-----------------------|-------------------|--------------|----------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                                  |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                          |  |
| 1,000.0               | 1,000.0               | 0.0               | 0.0          | Start Build 2.00                 |  |
| 1,400.0               | 1,398.7               | -23.0             | 15.8         | Start 2931.9 hold at 1400.0 MD   |  |
| 4,331.9               | 4,302.1               | -359.3            | 246.8        | Start Drop -1.50                 |  |
| 4,865.3               | 4,833.7               | -390.0            | 267.9        | Start 6239.8 hold at 4865.3 MD   |  |
| 11,105.1              | 11,073.5              | -390.0            | 267.9        | Start Build 10.00                |  |
| 12,005.1              | 11,646.5              | 183.0             | 263.9        | Start 65.3 hold at 12005.1 MD    |  |
| 12,070.3              | 11,646.5              | 248.2             | 263.4        | Start 12456.4 hold at 12070.3 MD |  |
| 24,526.7              | 11,646.5              | 12,704.4          | 176.4        | TD at 24526.7                    |  |