

Submit 1 Copy To Appropriate District Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

WELL API NO.  
**30-015-36770**

5. Indicate Type of Lease  
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
**37486**

7. Lease Name or Unit Agreement Name  
**WLH G4S Unit**

8. Well Number **#36**

9. OGRID Number  
**329487**

10. Pool name or Wildcat  
**Loco Hills; Qn-GRBG-SA**

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

**BXP Operating, LLC**

3. Address of Operator

**1515 Calle Sur, STE 174 Hobbs, NM 88240**

4. Well Location

Unit Letter **I** : **2628** feet from the **S** line and **10** feet from the **E** line

Section **11** Township **18S** Range **29E** NMPM County **EDDY**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
**3505'**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

CLOSED-LOOP SYSTEM ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☒

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

02/20/24 MIRU plugging equipment. Dug out cellar, NU BOP. RU 3<sup>rd</sup> party wireline & tagged existing CIBP w/ 35' cmt on top @ 2574'. Ran CBL & found cmt @ surface. RIH w/ tbg, circ'd hole w/ 60 bbls MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C Cmt @ 2185-1938'. Spotted 25 sx class C cmt @ 1095-870'. WOC. 02/21/24 Tagged @ 848'. Spotted 55 sx class C cmt @ 450' & circulated to surface. Rigged down & moved off. 02/22/24 Moved in backhoe and welder. Cut off well head & anchors. David Alvarado w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 6 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*M. J. Merchant*

TITLE

*Agent*

DATE

*2/27/2024*

Type or print name

*M. J. Merchant*

E-mail address:

*my.merch@pcnvcoil.co*

PHONE:

*(575) 492-1236*

**For State Use Only**

APPROVED BY:

TITLE


DATE

Conditions of Approval (if any):

BXP Operating, LLC			CURRENT	
Author:	Abby @ BCM			
Well Name	WLH G4S Unit	Well No.	#36	
Field/Pool	Loco Hills; Qn-GB-SA	API #:	30-015-36770	
County	Eddy	Location:	Sec 11, T18S, R29E	
State	NM		2628 FSL & 10 FEL	
Spud Date	12/10/2009	GL:	3505'	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	ER W	23#	312	12 1/4	275	0
Prod Csg	5 1/2	MC65	15.5#	2,855	7 7/8	575	0

Formation	Top
T/Salt	400
B/Salt	920
Yates	1045
7 Rivers	1925
Queen	2135
GRBG	2510
G4 Sand	2635




32.7619286  
-104.0368652

BXP Operating, LLC			PLUGGED	
Author:	Abby @ BCM	Well No.	#36	
Well Name	WLH G4S Unit	API #:	30-015-36770	
Field/Pool	Loco Hills; Qn-GB-SA	Location:	Sec 11, T18S, R29E	
County	Eddy		2628 FSL & 10 FEL	
State	NM	GL:	3505'	
Spud Date	12/10/2009			

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	ER W	23#	312	12 1/4	275	0
Prod Csg	5 1/2	MC65	15.5#	2,855	7 7/8	575	0

Formation	Top
T/Salt	400
B/Salt	920
Yates	1045
7 Rivers	1925
Queen	2135
GRBG	2510
G4 Sand	2635



8 5/8 23# CSG @ 312  
Hole Size: 12 1/4

4. Spotted 55 sx class C cmt @ 450' & circulated to surface.

3. Spotted 25 sx class C cmt @ 1095-870'. WOC & Tagged @ 848'.

2. Spotted 25 sx class C Cmt @ 2185-1938'.

1. Tagged @ 2574'. Ran CBL & found cmt @ surface. RIH w/ tbg, circ'd hole w/ 60 bbls MLF. Pressure tested csg, held 500 PSI.  
03/28/12 CIBP Set @ 2620' w/ 35' cmt on top  
Perfs @ 2676-2706'

32.7619286  
-104.0368652

5 1/2 15.5# CSG @ 2,855  
Hole Size: 7 7/8

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 318114

CONDITIONS

Operator: BXP Operating, LLC 11757 KATY FREEWAY HOUSTON, TX 77079	OGRID: 329487
	Action Number: 318114
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @www.emnrd.state.nm.us. LPC area - BGL marker required	4/3/2024