

Well Name: CISCO COM	Well Location: T25N / R13W / SEC 3 / NWSW / 36.426834 / -108.211853	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078156A	Unit or CA Name: CISCO COM	Unit or CA Number: NMNM89398
US Well Number: 300452866200S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2783029

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/02/2024

Time Sundry Submitted: 02:01

Date Operation Actually Began: 02/20/2024

Actual Procedure: Well P&A'd 2/27/24 - see attached.

SR Attachments

Actual Procedure

- Cisco\_Com\_90\_plug\_change\_BLM\_OCD\_apvls\_20240402135300.pdf
- Cisco\_Com\_90\_post\_PA\_formation\_tops\_20240402131542.pdf
- Cisco\_Com\_90\_post\_PA\_completed\_wellbore\_schematic\_20240402131532.pdf
- Cisco\_Com\_90\_post\_PA\_work\_20240402131522.pdf

Received by OCD: 4/2/2024 4:04:51 PM

Page 2 of 8

Well Name: CISCO COM	Well Location: T25N / R13W / SEC 3 / NWSW / 36.426834 / -108.211853	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078156A	Unit or CA Name: CISCO COM	Unit or CA Number: NMNM89398
US Well Number: 300452866200S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: APR 02, 2024 01:14 PM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO Box 420	
City: Farmington	State: NM
Phone: (505) 325-1821	
Email address: tyrafeil@duganproduction.com	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 04/02/2024
Signature: Matthew Kade	

Dugan Production P&A'd the well on 02/20/2024-02/27/2024 per the following procedure:

- MI&RU Aztec 481 and cement equipment. Spot and check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- LD rods. Production tubing stuck downhole. RIH w/chemical cutter and cut 2-3/8" tubing at 1347'. TOOH and LD production tubing.
- Run 4½" string mill for casing scraper to 1328'. RIH & set 4½" CIBP @ 1307'. Fruitland Coal perforations @ 1357'-1389'. Load and circulate hole. Run CBL from 1307' to surface. Sent copies and revised proposal to BLM/NMOCD. Copy of communications attached.
- Attempted to pressure test casing to 600 psi for 30 mins. Casing won't test.
- Spot Plug I, inside 4½" casing, above CIBP @ 1307' w/85 sks (97.8 cu ft) Class G neat cement to 200' to cover the Fruitland, Kirtland & Ojo Alamo tops.(5 gal/sk, 15.8 #/gal, 1.15 cu.ft/sk). RO from 200'. Circulate 0.5 bbls to surface. WOC 4 hrs. Tagged TOC @ 220'. **Plug I, inside 4½" casing, 220'-1307', Fruitland-Kirtland-Ojo Alamo, 85 sks, 97.8 cu ft.**
- RU WL and **perforate @ 150'** w/3 squeeze holes. Pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- TIH open ended to 220'. Break circulation to surface from 220' through BH. Swapped to cement. Spot & squeeze inside/outside Plug II from 220' w/40 sks Class G neat cement (46 cu ft) to cover the surface casing shoe to surface. Circulated 1 bbl cement through BH. WOC overnight. Cut wellhead off. Tagged TOC @ 3' inside 4½" casing and 0' inside annulus. **Plug II, inside/outside 4½" casing, perforations @ 150', Surface, 40 sks, 46 cu ft, 0-220'.**
- Fill up cellar and install dry hole marker w/18 sks, 20.7 cu ft Class G neat cement.
- Clean location. Rig down 481 and move to next location. Monty Gomez w/BLM witnessed job. **Well P&A'd 02/27/2024.**

**Completed P & A Wellbore Schematic**

Cisco Com #90

30-045-28662


Basin Fruitland

1450' FSL & 840' FWL

S3 T25N R13W

San Juan County, NM

Lat:36.4269676 Long:-108.2126007



7" 23# casing @ 121'. Cemented with 50 sks, 59 Cu.ft Class B cement.  
Hole size: 9-1/2". Circulate 2 bbls cement to surface.

**Plug II, inside/outside 4 1/2" casing, Perforations @ 150',  
Surface, 40 sks, 46 Cu.ft, 0-220'**

**4 1/2" 11.6# casing @ 1489'. Hole size: 6-1/4"**

Cement production casing w/ 170 sks Cement, 290 Cu.ft.  
Circulated 1 bbls cement to surface.

**Set 4 1/2" CIBP @ 1307'. Plug I, Inside 4 1/2" casing, 220'-1307',  
Fruitland-Kirtland-Ojo Alamo, 85 sks, 97.8 Cu.ft.**

Fruitland Coal Perforated @ 1357' – 1389'

PBTD @ 1440', TD 1500'

Cisco Com #90  
30-045-28662  
Basin Fruitland  
1450' FSL & 840' FWL  
S3 T25N R13W  
San Juan County, NM  
Lat:36.4269676 Long:-108.2126007

**Formation Tops**

- Ojo Alamo - 400
- Kirtland - 610
- Fruitland - 1020
- Pictured Cliff - 1407

Tyra Feil

**From:** Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>  
**Sent:** Monday, February 26, 2024 11:54 AM  
**To:** Rennick, Kenneth G; Aliph Reena; Kade, Matthew H; Lucero, Virgil S; mgonez@blm.gov  
**Cc:** Tyra Feil; Alex Prieto-Robles  
**Subject:** RE: [EXTERNAL] RE: Dugan Cisco Com #90 cbl

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

NMOCD approves below

Thank you

Monica Kuehling  
Compliance Officer Supervisor  
Deputy Oil and Gas Inspector  
New Mexico Oil Conservation Division  
North District  
Office Phone: 505-334-6178 ext. 123  
Cell Phone: 505-320-0243  
Email - monica.kuehling@emnrd.nm.gov

---

**From:** Rennick, Kenneth G <krennick@blm.gov>  
**Sent:** Monday, February 26, 2024 11:40 AM  
**To:** Aliph Reena <Aliph.Reena@duganproduction.com>; Kade, Matthew H <mkade@blm.gov>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; mgonez@blm.gov  
**Cc:** Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>  
**Subject:** Re: [EXTERNAL] RE: Dugan Cisco Com #90 cbl

The BLM finds the proposal appropriate.

Kenneth (Kenny) Rennick  
Petroleum Engineer  
Bureau of Land Management  
Farmington Field Office  
51 College Blvd  
Farmington, NM 87402

Received by OCD on 2/26/24 9:04:53 PM

mail: [krennick@blm.gov](mailto:krennick@blm.gov)  
Mobile & Text: 505.497.0019

---

**From:** Aliph Reena <[Aliph.Reena@duganproduction.com](mailto:Aliph.Reena@duganproduction.com)>  
**Sent:** Monday, February 26, 2024 11:37 AM  
**To:** Rennick, Kenneth G <[krennick@blm.gov](mailto:krennick@blm.gov)>; Kade, Matthew H <[mkade@blm.gov](mailto:mkade@blm.gov)>; [monica.kuehling@emnrd.nm.gov](mailto:monica.kuehling@emnrd.nm.gov) <[monica.kuehling@emnrd.nm.gov](mailto:monica.kuehling@emnrd.nm.gov)>; Lucero, Virgil S <[vlucero@blm.gov](mailto:vlucero@blm.gov)>; [mgonez@blm.gov](mailto:mgonez@blm.gov) <[mgonez@blm.gov](mailto:mgonez@blm.gov)>  
**Cc:** Tyra Feil <[Tyra.Feil@duganproduction.com](mailto:Tyra.Feil@duganproduction.com)>; Alex Prieto-Robles <[arobles@aztecwell.com](mailto:arobles@aztecwell.com)>  
**Subject:** [EXTERNAL] RE: Dugan Cisco Com #90 cbl

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

**Re: Dugan Production Corp  
Cisco Com # 90 CBL**

Based on the CBL, the TOC appear to be around 170'. We like to propose the following change to the original approved procedure.

1. Fill up casing from 1307' to 200'. WOC and tag.
2. Perforate @ 150', casing collar at 162'. Circulate cement to surface through BH & fill up casing from 200' by running tubing in the hole to 200'.

If the revised proposal is acceptable to NMOCD/BLM, please let us know and we will proceed accordingly.

Thank you  
Aliph Reena  
Cell: 505-360-9192

---

**From:** Stuart Tillen <[stillen@thewirelinegroup.com](mailto:stillen@thewirelinegroup.com)>  
**Sent:** Monday, February 26, 2024 10:39 AM  
**To:** Christopher Caliendo <[ccaliendo@thewirelinegroup.com](mailto:ccaliendo@thewirelinegroup.com)>; Aliph Reena <[Aliph.Reena@duganproduction.com](mailto:Aliph.Reena@duganproduction.com)>; [Arobles@aztecwell.com](mailto:Arobles@aztecwell.com); [krennick@blm.gov](mailto:krennick@blm.gov); [mkade@blm.gov](mailto:mkade@blm.gov); [monica.kuehling@emnrd.nm.gov](mailto:monica.kuehling@emnrd.nm.gov); [vlucero@blm.gov](mailto:vlucero@blm.gov); [mgonez@blm.gov](mailto:mgonez@blm.gov)  
**Subject:** Dugan Cisco Com #90 cbl

**CAUTION:** This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Attached is the cbl ran on 2-26-2024 for the Dugan Production Corporation

Stuart

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 329222

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 329222
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Well plugged 2/27/2024	4/3/2024