Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021

BURI	EAU OF LAND MANAGEMENT	5. Lease Serial No.	5. Lease Serial No. NMNM014155		
Do not use this f	OTICES AND REPORTS ON Worm for proposals to drill or to Jse Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee of	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Agre	ement, Name and/or No.	
. Type of Well Oil Well Gas W	/ell Other		8. Well Name and No	RGARITA FEDERAL COM 13/1H	
2. Name of Operator ADVANCE ENERGY PARTNERS HAT MESA LLC			9. API Well No.	9. API Well No. 3002547195	
Sa. Address C/O AMEREDEV OPERATING LLC 2001 VIA FORTUNA STE 600 AUSTIN TV 78746 (346) 444-9739			10. Field and Pool or		
2901 VIA FORTUNA, STE. 600 AUSTIN, TX 78746 (346) 444-9739				GATUNA CANYON; BONE SPRING	
R. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 13/T21S/R32E/NMP			11. Country or Parish	11. Country or Parish, State LEA/NM	
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF N	OTICE, REPORT OR OTI	HER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION		
Notice of Intent	Acidize Deep Alter Casing Hydr	_	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair New	Construction	Recomplete	✓ Other	
Subsequent report	Change Plans Plug	and Abandon	Temporarily Abandon		
Final Abandonment Notice	Convert to Injection Plug	Back	Water Disposal		
completed. Final Abandonment Not is ready for final inspection.) Spud Date: 5/1/2022 Casing Ran: 20" 94# J-55 BTC Surface Cement: Job Start 05/ 0.25PPS Pol-E-Flake + 0.005G water per sack) at 7 BPM. 14:2 cement (395sx with yield of 1.3 bbls of cement back to surface. Casing Test: Start at 17:00 to 4 Rig Release Date: 05/07/2022	2	epth: 1,712' at 6 BPM. 13:12 Start logs. 5 PPG lead cement (6 CaCl2 + 0.005GPS logs 4 4 BPM. 15:03 Dropp	ead cement (100% Class 1315sx with yield of 1.8 NoFoam V1A). Pump 94 and plug. Displace with 6	the operator has detennined that the site S C + 4% Gel + 5% Salt + cf/sx, 9.52 gallons of bbls of 14.8 PPG tail 16 bbls of fresh water. 93	
4. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) CHRISTIE HANNA / Ph: (737) 300-4723		Senior Engineering Technician Title			
Signature Christie Hans	na	Date 05/12/2022			
	THE SPACE FOR FEDI	ERAL OR STATE	OFICE USE		
approved by					
Jonathon W Shepard / Ph: (575) 23	·	Petroleum Title		06/02/2022 Date	
onditions of approval, if any, are attackertify that the applicant holds legal or e which would entitle the applicant to con		AD			
itle 18 U.S.C. Section 1001 and Title 43	3 U.S.C. Section 1212 make it a crime for an	v nerson knowingly and	willfully to make to any de	enartment or agency of the United States	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

Location of Well

0. SHL: NWNW / 1046 FNL / 645 FWL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.483292 / LONG: -103.63485 (TVD: 0 feet, MD: 0 feet)
PPP: NWSW / 2640 FSL / 330 FWL / TWSP: 21S / RANGE: 32E / SECTION: 24 / LAT: 32.464386 / LONG: -103.63589 (TVD: 11710 feet, MD: 18625 feet)
PPP: NWNW / 0 FNL / 330 FWL / TWSP: 21S / RANGE: 32E / SECTION: 24 / LAT: 32.47164 / LONG: -103.635884 (TVD: 11710 feet, MD: 15986 feet)
PPP: SWSW / 1320 FSL / 330 FWL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.475288 / LONG: -103.635856 (TVD: 11710 feet, MD: 14659 feet)
PPP: NWNW / 968 FNL / 329 FWL / TWSP: 21S / RANGE: 32E / SECTION: 13 / LAT: 32.4835138 / LONG: -103.635875 (TVD: 11544 feet, MD: 11641 feet)
BHL: SWNW / 2540 FNL / 330 FWL / TWSP: 21S / RANGE: 32E / SECTION: 25 / LAT: 32.450125 / LONG: -103.63589 (TVD: 11710 feet, MD: 23829 feet)



Sundry Print Repo

County or Parish/State: LEA /

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: MARGARITA FEDERAL Well Lo

COM 13

Well Number: 1H

Well Location: T21S / R32E / SEC 13 /

NWNW / 32.483292 / -103.63485

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM14155 Unit or CA Name: Unit or CA Number:

US Well Number: 300254719500X1 Well Status: Drilling Well Operator: ADVANCE ENERGY

PARTNERS HAT MESA LLC

Subsequent Report

Sundry ID: 2671468

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/12/2022 Time Sundry Submitted: 09:54

Date Operation Actually Began: 05/05/2022

Actual Procedure:

Spud Date: 5/1/2022

Casing Ran: 20" 94# J-55 BTC Set @ 1,702' Hole Size: 24" Hole Depth: 1,712'

Surface Cement: Job Start 05/5/2022 13:07. Pump 20 bbls of spacer at 6 BPM. 13:12 Start lead cement (100% Class C+ 4% Gel + 5% Salt + 0.25PPS Pol-E-Flake + 0.005GPS NoFoam V1A). Pump 422 bbls of 13.5 PPG lead cement (1315sx with yield of 1.8 cf/sx, 9.52 gallons of water per sack) at 7 BPM. 14:29 Start Tail Cement (100% Class C + 1% CaCl2 + 0.005GPS NoFoam V1A). Pump 94 bbls of 14.8 PPG tail cement (395sx with yield of 1.34 cf/sx, 6.37 gallons of water per sack) at 4 BPM. 15:03 Dropped plug. Displace with 616 bbls of fresh water. 93 bbls of cement back to surface. Bumped plug at 16:51 with 700 psi, check floats (floats held) 4 bbls back. Job Complete 05/5/2022 17:35.

Casing Test: Start at 17:00 to 17:30 at 1500 Psi (Good)

Rig Release Date: 05/07/2022

eived by OCD: 6/2/2022 8:05:34 AM Well Name: MARGARITA FEDERAL

COM 13

Well Location: T21S / R32E / SEC 13 / NWNW / 32.483292 / -103.63485

County or Parish/State: LEA?

NM

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM14155

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254719500X1

Well Status: Drilling Well

Operator: ADVANCE ENERGY PARTNERS HAT MESA LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 12, 2022 09:53 AM **Operator Electronic Signature: CHRISTIE HANNA**

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

Field

Representative Name: Shane McNeely

Street Address: 2901 VIA FORTUNA STE. 600

City: AUSTIN State: TX **Zip:** 78746

Phone: (737)300-4729

Email address: smcneely@ameredev.com

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 06/01/2022

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 112979

CONDITIONS

Operator:	OGRID:	
ADVANCE ENERGY PARTNERS HAT MESA, LLC	372417	
5400 LBJ Freeway, Suite 1500	Action Number:	
Dallas, TX 75240	112979	
	Action Type:	
	[C-103] Sub. Drilling (C-103N)	

CONDITIONS

Created By	Condition	Condition Date
matthew.gomez	None	4/24/2024