

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Mack Energy Corporation P.O. Box 960 Artesia, NM 88211-0960		² OGRID Number 013837
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 05-64381	⁵ Pool Name Round Tank; San Andres	⁶ Pool Code 52770
⁷ Property Code 320469	⁸ Property Name Westmount Federal Com	⁹ Well Number 1H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	27	15S	28E		330	South	400	West	Chaves

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	34	15S	28E		3	South	983	West	Chaves
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 10/17/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
278471	Holly Marketing & Refining Co., LLC P.O. Box 1600 Artesia, NM 88211-1600	O
036788	DCP Midstream 4001 Penbrook Odessa, TX 79762	G

IV. Well Completion Data

²¹ Spud Date 4/2/2023	²² Ready Date 10/13/2023	²³ TD 8438'/TVD 2963.46	²⁴ PBDT 8388'/TVD 2965.96'	²⁵ Perforations 3581' - 8335'/ TVD 2964.05' - 2965.96'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8"	205'	285 sx		
12 1/4"	9 5/8"	1225'	940 sx		
8 3/4"	5 1/2" & 7"	8438'	2175 sx		

V. Well Test Data

³¹ Date New Oil 10/31/2023	³² Gas Delivery Date 10/22/2023	³³ Test Date 10/31/2023	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil 107	³⁹ Water 1560	⁴⁰ Gas 50		⁴¹ Test Method Pumping
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Delilah Flores			OIL CONSERVATION DIVISION		
Printed name: Delilah Flores			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Technician I			Title: PETROLEUM SPECIALIST		
E-mail Address: delilah@mec.com			Approval Date: 5/28/2024		
Date: 11/1/2023		Phone: 575-748-1288			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-005-64381	² Pool Code 52770	³ Pool Name Round Tank; San Andres
⁴ Property Code 320469	⁵ Property Name WESTMOUNT FEDERAL COM	
⁷ OGRID No. 13837	⁸ Operator Name MACK ENERGY CORPORATION	⁶ Well Number 1H
		⁹ Elevation 3599.7

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	27	15 S	28 E		330	SOUTH	400	WEST	CHAVES

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	34	15 S	28 E		3	SOUTH	983	WEST	CHAVES

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

WESTMOUNT FEDERAL COM 1H ELEV. = 3599.7' LAT. = 32.9808339°N (NAD83) LONG. = 104.1271281°W NMSP EAST (FT) N = 720625.29 E = 604568.90 KICK OFF POINT 327' FSL, 388' FWL LAT. = 32.9808255°N LONG. = 104.1271658°W N = 720622.22 E = 604557.34 FIRST TAKE POINT 449' FNL, 989' FWL LAT. = 32.9786944°N LONG. = 104.1251932°W N = 719848.07 E = 605163.78 PPP 2 2668' FNL, 981' FWL LAT. = 32.9725978°N LONG. = 104.1251374°W N = 717629.99 E = 605185.27 LAST TAKE POINT 106' FSL, 984' FWL LAT. = 32.9656344°N LONG. = 104.1250852°W N = 715096.55 E = 605206.29 BOTTOM OF HOLE LAT. = 32.9653514°N LONG. = 104.1250676°W NMSP EAST (FT) N = 714993.59 E = 605205.75 SW CORNER SEC. 34 LAT. = 32.9653357°N LONG. = 104.1282920°W NMSP EAST (FT) N = 714985.96

Intent ☐ As Drilled ☒

API #		
Operator Name: MACK ENERGY CORPORATION	Property Name: WESTMOUNT FEDERAL COM	Well Number 1H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
M	27	15S	28E		327	SOUTH	388	WEST	CHAVES
Latitude 32.9808255					Longitude 104.1271658				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
D	34	15S	28E		449	NORTH	989	WEST	CHAVES
Latitude 32.9786944					Longitude 104.1251932				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
M	34	15S	28E		106	SOUTH	984	WEST	CHAVES
Latitude 32.9656344					Longitude 104.1250852				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Mack Energy

Chaves County

Sec 27-T15S-R28E

Westmount Federal Com 1H

Wellbore #1

Survey: Survey #2

Standard Survey Report

20 July, 2023



Microsoft
Survey Report



Company:	Mack Energy	Local Co-ordinate Reference:	Well Westmount Federal Com 1H
Project:	Chaves County	TVD Reference:	3599.7+17.6 @ 3617.30usft
Site:	Sec 27-T15S-R28E	MD Reference:	3599.7+17.6 @ 3617.30usft
Well:	Westmount Federal Com 1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Chaves County		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 27-T15S-R28E				
Site Position:		Northing:	720,625.29 usft	Latitude:	32.980834
From:	Map	Easting:	604,568.90 usft	Longitude:	-104.127128
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.11 °

Well	Westmount Federal Com 1H					
Well Position	+N/-S	0.00 usft	Northing:	720,625.29 usft	Latitude:	32.980834
	+E/-W	0.00 usft	Easting:	604,568.90 usft	Longitude:	-104.127128
Position Uncertainty	0.00 usft		Wellhead Elevation:	usft	Ground Level:	3,599.70 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	07/12/23	6.61	60.58	47,696.88791411

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	173.48	

Survey Program	Date	07/20/23			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
36.00	2,010.00	Survey #1 (Wellbore #1)	MWD	MWD - Standard	
2,057.00	8,438.00	Survey #2 (Wellbore #1)	MWD	MWD - Standard	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
2,010.00	0.80	11.00	2,0							

Microsoft
Survey Report



Company:	Mack Energy	Local Co-ordinate Reference:	Well Westmount Federal Com 1H
Project:	Chaves County	TVD Reference:	3599.7+17.6 @ 3617.30usft
Site:	Sec 27-T15S-R28E	MD Reference:	3599.7+17.6 @ 3617.30usft
Well:	Westmount Federal Com 1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
2,339.00	20.80	119.50	2,333.44	-21.32	27.49	24.30	8.27	8.12	4.79	
2,386.00	24.10	122.30	2,376.88	-30.56	42.87	35.23	7.38	7.02	5.96	
2,434.00	28.10	124.80	2,419.98	-42.25	60.44	48.84	8.64	8.33	5.21	
2,481.00	31.60	126.10	2,460.73	-55.83	79.49	64.49	7.57	7.45	2.77	
2,528.00	34.90	125.20	2,500.03	-70.84	100.43	81.79	7.10	7.02	-1.91	
2,575.00	38.90	125.90	2,537.61	-87.25	123.38	100.70	8.56	8.51	1.49	
2,623.00	43.40	127.70	2,573.75	-106.18	148.65	122.37	9.69	9.37	3.75	
2,670.00	46.80	128.20	2,606.92	-126.66	174.89	145.70	7.27	7.23	1.06	
2,717.00	50.20	127.70	2,638.06	-148.30	202.65	170.35	7.28	7.23	-1.06	
2,747.00	52.80	125.90	2,656.73	-162.35	221.45	186.45	9.86	8.67	-6.00	
2,762.00	53.40	125.70	2,665.74	-169.37	231.18	194.52	4.14	4.00	-1.33	
2,792.00	53.90	125.70	2,683.52	-183.47	250.80	210.76	1.67	1.67	0.00	
2,822.00	54.30	125.90	2,701.11	-197.69	270.51	227.12	1.44	1.33	0.67	
2,852.00	54.80	125.90	2,718.51	-212.02	290.31	243.61	1.67	1.67	0.00	
2,882.00	55.30	125.70	2,735.70	-226.40	310.25	260.16	1.75	1.67	-0.67	

Microsoft
Survey Report



Company:	Mack Energy	Local Co-ordinate Reference:	Well Westmount Federal Com 1H
Project:	Chaves County	TVD Reference:	3599.7+17.6 @ 3617.30usft
Site:	Sec 27-T15S-R28E	MD Reference:	3599.7+17.6 @ 3617.30usft
Well:	Westmount Federal Com 1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,780.00	87.80	177.50	2,974.15	-1,976.06	598.21	2,031.20	3.75	-2.32	-2.95
4,875.00	87.90	177.00	2,977.72	-2,070.88	602.76	2,125.93	0.54	0.11	-0.53
4,969.00	88.70	178.40	2,980.51	-2,164.76	606.53	2,219.63	1.71	0.85	1.49
5,093.00	89.70	179.20	2,982.24	-2,288.72	609.13	2,343.08	1.03	0.81	0.65
5,188.00	89.90	179.20	2,982.57	-2,383.71	610.46	2,437.60	0.21	0.21	0.00
5,283.00	90.50	179.30	2,982.24	-2,478.70	611.70	2,532.12	0.64	0.63	0.11
5,377.00	91.20	179.30	2,980.84	-2,572.68	612.85	2,625.63	0.74	0.74	0.00
5,472.00	91.70	180.00	2,978.44	-2,667.65	613.43	2,720.05	0.91	0.53	0.74
5,567.00	89.50	179.30	2,977.45	-2,762.63	614.01	2,814.48	2.43	-2.32	-0.74
5,661.00	90.00	179.40	2,977.86	-2,856.63	615.08	2,907.99	0.54	0.53	0.11
5,756.00	90.50	179.40	2,977.44	-2,951.62	616.07	3,002.48	0.53	0.53	0.00
5,851.00	91.20	179.40	2,976.03	-3,046.60	617.06	3,096.96	0.74	0.74	0.00
5,945.00	90.20	179.00	2,974.88	-3,140.59	618.38	3,190.49	1.15	-1.06	-0.43
6,040.00	90.50	179.30	2,974.30	-3,235.57	619.79	3,285.02	0.45	0.32	0.32
6,134.00	91.50	179.70	2,972.66	-3,329.55	620.61	3,378.49	1.15	1.06	0.43
6,229.00	90.10	180.00	2,971.34	-3,424.54	620.86	3,472.89	1.51	-1.47	0.32
6,322.00	90.70	180.30	2,970.69	-3,517.54	620.61	3,565.26	0.72	0.65	

Microsoft
Survey Report



Company:	Mack Energy	Local Co-ordinate Reference:	Well Westmount Federal Com 1H
Project:	Chaves County	TVD Reference:	3599.7+17.6 @ 3617.30usft
Site:	Sec 27-T15S-R28E	MD Reference:	3599.7+17.6 @ 3617.30usft
Well:	Westmount Federal Com 1H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
2,057.00	2,056.70	-3.28	-12.78	1st MWD Survey
8,308.00	2,965.96	-5,503.18	637.70	Last MWD Survey 8308 MD/2965.96 TVD -5503.18 S 637.70 E N: 715122.1 E:
8,438.00	2,963.46	-5,633.16	637.02	PTB 8438 MD/2963.46 TVD -5633.16 S 637.02 E N: 714992.1 E: 605205.9

Checked By:	_____	Approved By:	_____	Date:	_____
-------------	-------	--------------	-------	-------	-------

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-005-64381
5. Indicate Type of Lease STATE ☐ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Westmount Federal Com
8. Well Number 1H
9. OGRID Number 013837
10. Pool name or Wildcat Round Tank; San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3599.7'

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Mack Energy Corporation	
3. Address of Operator P.O. Box 960 Artesia, NM 88211-0960	
4. Well Location Unit Letter M : 330 feet from the South line and 400 feet from the West line Section 27 Township 15S Range 28E NMPM County Chaves	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3599.7'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

9/9/2023 - 10/13/2023

Perforated 3581' - 8335' w/ 624 holes. Frac w/ 957.84 bbls 15% Acid, 9023.23 SW, 93,642.8 Xlink, 403,690 # 100 Mesh, 662,800 30/40 White, 3,708,740 20/40 White, 237,640 20/40 Super LC. RIH w/ 87 jts of 3 1/2", J-55 @2864' Rotor Sub 102M 1200 @ 2900'.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 11/1/2023

Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-005-64381		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN		
								3. State Oil & Gas Lease No.		
5. Lease Name or Unit Agreement Name Westmount Federal Com 1H								6. Well Number: 1H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Mack Energy Corporation						9. OGRID 013837				
10. Address of Operator P.O. Box 960 Artesia, NM 88211-0960						11. Pool name or Wildcat Round Tank; San Andres				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	27	15S	28E		330	South	400	West	Chaves
BH:	M	34	15S	28E		3	South	983	West	Chaves
13. Date Spudded 4/2/2023	14. Date T.D. Reached 7/21/2023		15. Date Rig Released 7/21/2023		16. Date Completed (Ready to Produce) 10/13/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3599.7'		
18. Total Measured Depth of Well 8438'/ TVD 2963.46'			19. Plug Back Measured Depth 8388'/ TVD 2965.96'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run SUBMITTED		
22. Producing Interval(s), of this completion - Top, Bottom, Name 3581' - 8335' Round Tank; San Andres										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		48#		205'		17 1/2"		285 sx		
9 5/8"		36#		1225'		12 1/4"		940 sx		
5 1/2" & 7"		17# & 26#		8438'		8 3/4"		2175 sx		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						3 1/2"	2864'	2900'		
26. Perforation record (interval, size, and number) 3581' - 8335', .42, 624 holes						27. ACID				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 283249

ACKNOWLEDGMENTS

Operator: MACK ENERGY CORP P.O. Box 960 Artesia, NM 882110960	OGRID: 13837
	Action Number: 283249
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 283249

CONDITIONS

Operator: MACK ENERGY CORP P.O. Box 960 Artesia, NM 882110960	OGRID: 13837
	Action Number: 283249
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report and 3160-5 Completion Sundry within 10 days of BLM approval.	5/28/2024