

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-25355
5. Indicate Type of Lease STATE [] FEE [X]
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Merland C
8. Well Number 1
9. OGRID Number 119305
10. Pool name or Wildcat Carlsbad; Delaware, South (9692)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3165' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator Ray Westall Operating, Inc.
3. Address of Operator P.O. Box 4, Loco Hills, NM 88255
4. Well Location Unit Letter L : 1980 feet from the South line and 660 feet from the West line
Section 19 Township 22-S Range 27-E NMPM County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3165' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [X]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Conduct Safety Meeting Prior to Start of All Operations

PLEASE SEE ATTACHED PROCEDURE WHICH DETAILS THE FOLLOWING SUMMARY...

Tagged Existing CIPB @ 2965'. Pressure tested casing & pressure fell off. Ran TBG/ PKR and found hole in CSG between 30' and surface. Ran CBL Log from 2950' to surface. Spot bottom 50 sx plug and continue as designed w/ 50 sx Shoot SQZ holes @ 1000' and could not pump into; Spotted 25 sx 1650' to 812' (Tagged). Wait 6 hours and Shoot SQZ holes @ 650' - could not pump into. Spot 25 sx @ 700' - 430' (Tagged). Perf @ 130' - wouldn't SQZ; Spot Cmt 200' to surface. Topped off w/ 5 sx for top 6 feet. Install P&A marker w/ API# and required info.

PLEASE NOTE: LOGS (CBL) FILED VIA OCD ONLINE 4/04/2024...

[Workover] Spud Date: 3/04/2024

Rig Release Date: 3/29/2024

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Agent for Ray Westall Operating, Inc. DATE 4/10/2024

Type or print name Ben Stone E-mail address: ben@sosconsulting.us PHONE: 936-377-5696

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

RAY WESTALL OPERATING, INC

Daily Report of Operations

P & A

Well Name: MERLAND C #2
Field Name:
API#: 30-015-25355
Current Zone of Interest:

Date: 3/4/2024
Supervisor: Jack Gustamantes
Producing Zone

Table with 2 columns: Date and Detailed Description of Day's Operation. Contains entries for dates 3/4/24, 3/5/24, 3/6/24, 3/7/24, 3/11/24, 3/12/24, and 3/29/24.

Service Rig: 3G WELL SERVICE
Prepared by: Jack 3G 575 420 8547
Prepared for: DONNY MATHEWS 575-626-4344




WELL SCHEMATIC - CURRENT P&A Merland C Well No.2

Carlsbad, Delaware, South (9692)

API 30-015-25355

1980' FSL & 660' FWL, 'L', SEC. 19-T22S-R27E
EDDY COUNTY, NEW MEXICO

Spud Date: 9/16/1985
Last Cmpltn Dt: 10/13/1997
P&A Date: 3/29/2024



Surface Casing

8.625" 40# Csg. (12.25" Hole) @ 597'
500 sx - Circulated to Surface

RAY WESTALL OPERATING, INC.

P&A Procedure as Performed

Tagged Existing CIBP @ 2965'. Pressure tested casing & pressure fell off. Ran TBG/ PKR and found hole in CSG between 30' and surface. Ran CBL Log from 2950' to surface. Spot bottom 50 sx plug and continue as designed w/ 50 sx Shoot SQZ holes @ 1000' and could not pump into; Spotted 25 sx 1650' to 812' (Tagged). Wait 6 hours and Shoot SQZ holes @ 650' - could not pump into. Spot 25 sx @ 700' - 430' (Tagged). Perf @ 130' - wouldn't SQZ; Spot Cmt 200' to surface. Topped off w/ 5 sx for top 6 feet. Install P&A marker w/ API# and required info.

Clean all remaining equipment and debris from location.
Call for final OCD P&A Release inspection.
File C-103 Surdry Reports as required.

DELAWARE Perfs: 2769'-81' (4 spf)

DELAWARE Perfs: 3171'-77' (4 spf)

Production Casing

5.5", 15.5 & 17.0# J-55 Csg. (7.875" Hole) @ 4353'
900 sx - Circulated to Surface

Drawn by: Ben Stone, Rvs'd 4/10/2024



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 332053

CONDITIONS

Operator: RAY WESTALL OPERATING, INC. P.O. Box 4 Loco Hills, NM 88255	OGRID: 119305
	Action Number: 332053
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	cut off 3/12/24. CBL in well file.	5/28/2024