

Well Name: BO HOWARD 1211 FED COM	Well Location: T21S / R27E / SEC 12 / NESE / 32.4922686 / -104.1361812	County or Parish/State: EDDY / NM
Well Number: 124H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM109425	Unit or CA Name:	Unit or CA Number:
US Well Number: 300155414100X1	Well Status: Drilling Well	Operator: MATADOR PRODUCTION COMPANY

Notice of Intent

Sundry ID: 2751569

Type of Submission: Notice of Intent

Type of Action: APD Change

Date Sundry Submitted: 09/15/2023

Time Sundry Submitted: 04:39

Date proposed operation will begin: 09/15/2023

Procedure Description: BLM Bond NMB001079 Surety Bond No.: RLB0015172 As previously discussed with the BLM, while drilling this well we became stuck and will be skidding over to spud the well using a new surface hole location, as reflected in this sundry. As reflected in the attached, the completed lateral and bottom hole location for the well remains the same. Based on our communications with the NMOCD, we understand the NMOCD will then assign the replacement well under this sundry a new API number, leaving the original, partially-drilled wellbore with its same API number. The original well will be named BO HOWARD 1211 FED COM 124Y (API 30-015-54141). The well we will skid to spud will be named BO HOWARD 1211 FED COM 124H and will be assigned a new API # from NMOCD. Please see the attached supporting documents.

NOI Attachments

Procedure Description

- 3160_003_20230915124404_20230915142530.pdf
- Bo_Howard_1211_Fed_Com_124H___AC_v4_20230915142327.pdf
- Bo_Howard_1211_Fed_Com_124H___Well_Plan_v4_20230915142326.pdf
- LO_BO_HOWARD_1211_FED_COM_124H_REV5_S_20230915142308.pdf

Received by OCD: 5/31/2024 4:09:29 PM

Page 2 of 62

Well Name: DO HOWARD 1211 FLD COM	Well Location: T21S / R27E / SEC 12 / NESE / 32.4922686 / -104.1361812	County or Parish/State: EDDY / NM
Well Number: 124H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM109425	Unit or CA Name:	Unit or CA Number:
US Well Number: 300155414100X1	Well Status: Drilling Well	Operator: MATADOR PRODUCTION COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICKY FITZGERALD	Signed on: SEP 15, 2023 12:45 PM
Name: MATADOR PRODUCTION COMPANY	
Title: Regulatory Consultant	
Street Address: 5400 LBJ FREEWAY STE 1500	
City: DALLAS	State: TX
Phone: (972) 371-5448	
Email address: nicky.fitzgerald@matadorresources.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: LONG VO	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: LVO@BLM.GOV
Disposition: Approved	Disposition Date: 09/18/2023
Signature: Long Vo	

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

3a. Address

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.	
----------------------	--

9. API Well No.	
-----------------	--

10. Field and Pool or Exploratory Area

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (*Printed/Typed*)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____

Title

Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NESE / 1693 FSL / 535 FEL / TWSP: 21S / RANGE: 27E / SECTION: 12 / LAT: 32.4922686 / LONG: -104.1361812 (TVD: 0 feet, MD: 0 feet)

PPP: SWSW / 989 FSL / 0 FEL / TWSP: 21S / RANGE: 27E / SECTION: 12 / LAT: 32.4902757 / LONG: -104.1518498 (TVD: 7661 feet, MD: 12913 feet)

PPP: SESW / 989 FSL / 1344 FWL / TWSP: 21S / RANGE: 27E / SECTION: 12 / LAT: 32.4902919 / LONG: -104.1474898 (TVD: 7695 feet, MD: 11569 feet)

BHL: SESW / 989 FSL / 2543 FEL / TWSP: 21S / RANGE: 27E / SECTION: 11 / LAT: 32.4902448 / LONG: -104.1600984 (TVD: 7598 feet, MD: 15459 feet)

CONFIDENTIAL

Form 3160-3
(June 2015)FORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: <input type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No.
1b. Type of Well: <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
1c. Type of Completion: <input type="checkbox"/> Hydraulic Fracturing <input type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		7. If Unit or CA Agreement, Name and No.
2. Name of Operator		8. Lease Name and Well No.
3a. Address		9. API Well No. 30-015-54223
3b. Phone No. (include area code)		10. Field and Pool, or Exploratory
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface At proposed prod. zone		11. Sec., T. R. M. or Blk. and Survey or Area
14. Distance in miles and direction from nearest town or post office*		12. County or Parish
		13. State
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No of acres in lease	17. Spacing Unit dedicated to this well
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed Depth	20. BLM/BIA Bond No. in file
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will start*	23. Estimated duration
24. Attachments		

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, and the Hydraulic Fracturing rule per 43 CFR 3162.3-3 (as applicable)

- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification. |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be requested by the BLM. |

25. Signature <i>Nicky Fitzgerald</i>	Name (Printed/Typed)	Date
Title		
Approved by (Signature)	Name (Printed/Typed)	Date
Title	Office	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

INSTRUCTIONS

GENERAL: This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

ITEM I: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

ITEM 4: Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

ITEM 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

ITEMS 15 AND 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

ITEM 22: Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

ITEM 24: If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

PRINCIPAL PURPOSES: The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

ROUTINE USE: Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

EFFECT OF NOT PROVIDING INFORMATION: Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM connects this information to an evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications. Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease. The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Connection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

Matador Production Company

Ranger/Arrowhead

Bo Howard 1211

Bo Howard 1211 Fed Com #124H

Wellbore #1

BLM Plan #1

Anticollision Report

15 September, 2023

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Reference	BLM Plan #1		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum center-center distance of 10,000.0 usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.00 Sigma	Casing Method:	Not applied

Survey Tool Program	Date	9/15/2023		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.0	15,463.1	BLM Plan #1 (Wellbore #1)	MWD	OWSG MWD - Standard

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Bo Howard 1211						
Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM P	1,504.5	1,500.8	40.2	30.0	3.942	CC, ES
Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM P	1,600.0	1,594.6	42.4	31.6	3.910	SF
Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM P	1,000.0	1,000.0	42.5	35.8	6.339	CC
Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM P	1,100.0	1,099.5	43.1	35.7	5.823	ES
Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM P	1,200.0	1,198.7	45.3	37.2	5.597	SF
Bo Howard 1211 Fed Com #121H - Wellbore #1 - BLM P	1,200.0	1,222.0	2,933.4	2,925.2	356.797	CC, ES
Bo Howard 1211 Fed Com #121H - Wellbore #1 - BLM P	15,463.1	15,427.5	3,962.5	3,582.0	10.414	SF
Bo Howard 1211 Fed Com #122H - Wellbore #1 - BLM P	6,404.8	6,818.4	2,552.8	2,504.0	52.309	CC
Bo Howard 1211 Fed Com #122H - Wellbore #1 - BLM P	15,463.1	15,522.8	2,644.1	2,263.5	6.947	ES, SF
Bo Howard 1211 Fed Com #124Y - Wellbore #1 - Actual	0.0	0.0	29.6			
Bo Howard 1211 Fed Com #124Y - Wellbore #1 - Actual	500.0	397.0	108.2	100.9	14.891	SF
Bo Howard 1211 Fed Com #131H - Wellbore #1 - BLM P	1,200.0	1,222.0	2,962.8	2,954.6	360.370	CC, ES
Bo Howard 1211 Fed Com #131H - Wellbore #1 - BLM P	15,463.1	16,559.5	4,161.6	3,797.4	11.426	SF
Bo Howard 1211 Fed Com #132H - Wellbore #1 - BLM P	7,784.0	8,023.5	2,712.6	2,655.2	47.262	CC
Bo Howard 1211 Fed Com #132H - Wellbore #1 - BLM P	15,463.1	16,606.2	2,934.2	2,584.9	8.400	ES, SF
Cholula 12/11 W0IJ Fed Com 2H - Wellbore #1 - Actual	3,850.1	3,808.6	146.0	118.1	5.249	CC, ES
Cholula 12/11 W0IJ Fed Com 2H - Wellbore #1 - Actual	3,900.0	3,856.7	146.6	118.3	5.190	SF
Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actu	6,712.1	6,639.7	186.5	138.1	3.859	CC
Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actu	6,800.0	6,728.4	187.1	138.1	3.814	ES
Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actu	7,000.0	6,932.6	191.2	140.6	3.775	SF

Offset Design		Bo Howard 1211 - Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM Plan #1											Offset Site Error:		0.0 usft
Survey Program:		O-MWD											Offset Well Error:		0.0 usft
Reference		Offset		Semi Major Axis			Distance							Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor			
0.0	0.0	1.0	-1.0	0.0	0.0	134.17	-29.5	30.4	42.4						
100.0	100.0	101.0	99.0	0.1	0.1	134.17	-29.5	30.4	42.4	42.1	0.26	163.081			
200.0	200.0	201.0	199.0	0.5	0.5	134.17	-29.5	30.4	42.4	41.4	0.98	43.388			
300.0	300.0	301.0	299.0	0.8	0.8	134.17	-29.5	30.4	42.4	40.7	1.69	25.023			
400.0	400.0	401.0	399.0	1.2	1.2	134.17	-29.5	30.4	42.4	40.0	2.41	17.581			
500.0	500.0	501.0	499.0	1.6	1.6	134.17	-29.5	30.4	42.4	39.3	3.13	13.551			
600.0	600.0	601.0	599.0	1.9	1.9	134.17	-29.5	30.4	42.4	38.5	3.84	11.024			
700.0	700.0	701.0	699.0	2.3	2.3	134.17	-29.5	30.4	42.4	37.8	4.56	9.291			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
800.0	800.0	801.0	799.0	2.6	2.6	134.17	-29.5	30.4	42.4	37.1	5.28	8.029		
900.0	900.0	901.0	899.0	3.0	3.0	134.17	-29.5	30.4	42.4	36.4	6.00	7.069		
1,000.0	1,000.0	999.0	999.0	3.4	3.4	134.17	-29.5	30.4	42.4	35.7	6.71	6.321		
1,100.0	1,100.0	1,098.8	1,098.8	3.7	3.7	133.05	-29.1	31.1	42.6	35.2	7.42	5.742		
1,200.0	1,200.0	1,198.6	1,198.5	4.1	4.1	129.74	-27.7	33.3	43.3	35.2	8.13	5.330		
1,300.0	1,300.0	1,298.2	1,298.1	4.4	4.4	-22.71	-25.4	36.9	43.2	34.4	8.82	4.900		
1,400.0	1,399.8	1,397.5	1,397.2	4.7	4.8	-33.15	-22.1	42.0	41.5	32.0	9.50	4.374		
1,500.0	1,499.5	1,496.4	1,495.8	5.1	5.1	-49.12	-18.0	48.5	40.2	30.0	10.17	3.954		
1,504.5	1,503.9	1,500.8	1,500.1	5.1	5.1	-49.96	-17.8	48.9	40.2	30.0	10.20	3.942 CC, ES		
1,600.0	1,598.7	1,594.6	1,593.5	5.4	5.5	-69.78	-13.0	56.4	42.4	31.6	10.85	3.910 SF		
1,656.4	1,654.4	1,649.6	1,648.2	5.6	5.7	-81.68	-9.8	61.4	46.4	35.1	11.23	4.128		
1,700.0	1,697.5	1,692.1	1,690.4	5.8	5.8	-89.89	-7.1	65.6	51.0	39.5	11.54	4.424		
1,800.0	1,796.3	1,789.0	1,786.6	6.2	6.2	-103.28	-0.4	76.2	65.9	53.6	12.24	5.379		
1,900.0	1,895.0	1,886.7	1,883.3	6.5	6.6	-111.33	6.9	87.6	83.9	70.9	12.97	6.464		
2,000.0	1,993.7	1,984.6	1,980.2	6.9	7.0	-116.50	14.2	99.1	102.9	89.2	13.71	7.507		
2,100.0	2,092.5	2,082.4	2,077.0	7.3	7.3	-120.05	21.5	110.6	122.5	108.1	14.45	8.479		
2,200.0	2,191.2	2,180.2	2,173.9	7.7	7.7	-122.61	28.8	122.1	142.5	127.3	15.20	9.376		
2,300.0	2,289.9	2,278.0	2,270.8	8.1	8.1	-124.54	36.1	133.6	162.6	146.7	15.95	10.199		
2,400.0	2,388.7	2,375.8	2,367.6	8.5	8.5	-126.05	43.4	145.0	182.9	166.2	16.70	10.954		
2,500.0	2,487.4	2,473.7	2,464.5	8.9	8.9	-127.26	50.8	156.5	203.3	185.9	17.45	11.648		
2,600.0	2,586.1	2,571.5	2,561.4	9.4	9.3	-128.24	58.1	168.0	223.8	205.6	18.21	12.286		
2,700.0	2,684.9	2,669.3	2,658.2	9.8	9.7	-129.06	65.4	179.5	244.3	225.3	18.97	12.874		
2,800.0	2,783.6	2,767.1	2,755.1	10.2	10.1	-129.76	72.7	191.0	264.8	245.1	19.74	13.417		
2,900.0	2,882.3	2,864.9	2,852.0	10.6	10.5	-130.35	80.0	202.5	285.4	264.9	20.50	13.920		
3,000.0	2,981.1	2,962.7	2,948.8	11.0	10.9	-130.86	87.3	214.0	306.0	284.7	21.27	14.387		
3,100.0	3,079.8	3,060.6	3,045.7	11.5	11.3	-131.31	94.6	225.4	326.6	304.6	22.04	14.821		
3,200.0	3,178.5	3,158.4	3,142.6	11.9	11.7	-131.71	101.9	236.9	347.3	324.5	22.81	15.226		
3,300.0	3,277.3	3,256.2	3,239.4	12.3	12.1	-132.06	109.2	248.4	368.0	344.4	23.58	15.604		
3,400.0	3,376.0	3,354.0	3,336.3	12.7	12.5	-132.37	116.6	259.9	388.6	364.3	24.35	15.957		
3,500.0	3,474.7	3,451.8	3,433.2	13.2	12.9	-132.65	123.9	271.4	409.3	384.2	25.13	16.289		
3,600.0	3,573.5	3,549.7	3,530.0	13.6	13.3	-132.91	131.2	282.9	430.0	404.1	25.90	16.601		
3,700.0	3,672.2	3,647.5	3,626.9	14.0	13.7	-133.14	138.5	294.3	450.7	424.0	26.68	16.894		
3,800.0	3,770.9	3,745.3	3,723.8	14.5	14.1	-133.35	145.8	305.8	471.4	443.9	27.46	17.170		
3,900.0	3,869.7	3,843.1	3,820.6	14.9	14.5	-133.55	153.1	317.3	492.1	463.9	28.23	17.430		
4,000.0	3,968.4	3,940.9	3,917.5	15.3	14.9	-133.72	160.4	328.8	512.8	483.8	29.01	17.677		
4,100.0	4,067.1	4,038.8	4,014.4	15.8	15.3	-133.89	167.7	340.3	533.5	503.8	29.79	17.910		
4,200.0	4,165.9	4,136.6	4,111.2	16.2	15.7	-134.04	175.0	351.8	554.3	523.7	30.57	18.131		
4,300.0	4,264.6	4,234.4	4,208.1	16.6	16.1	-134.18	182.3	363.2	575.0	543.6	31.35	18.341		
4,400.0	4,363.3	4,332.2	4,305.0	17.1	16.5	-134.31	189.7	374.7	595.7	563.6	32.13	18.541		
4,500.0	4,462.1	4,430.0	4,401.8	17.5	16.9	-134.43	197.0	386.2	616.5	583.5	32.91	18.731		
4,600.0	4,560.8	4,527.9	4,498.7	17.9	17.3	-134.55	204.3	397.7	637.2	603.5	33.69	18.912		
4,700.0	4,659.5	4,625.7	4,595.6	18.4	17.7	-134.65	211.6	409.2	657.9	623.5	34.47	19.084		
4,800.0	4,758.3	4,723.5	4,692.4	18.8	18.1	-134.76	218.9	420.7	678.7	643.4	35.26	19.249		
4,900.0	4,857.0	4,821.3	4,789.3	19.2	18.5	-134.85	226.2	432.2	699.4	663.4	36.04	19.406		
5,000.0	4,955.7	4,919.1	4,886.2	19.7	18.9	-134.94	233.5	443.6	720.2	683.3	36.82	19.557		
5,100.0	5,054.5	5,019.6	4,985.6	20.1	19.4	-135.03	241.0	455.4	740.9	703.2	37.63	19.689		
5,200.0	5,153.2	5,132.8	5,098.1	20.5	19.8	-135.25	248.3	466.8	760.3	721.7	38.53	19.732		
5,300.0	5,251.9	5,246.7	5,211.5	21.0	20.2	-135.64	253.7	475.4	777.7	738.3	39.40	19.737		
5,400.0	5,350.7	5,361.2	5,325.7	21.4	20.7	-136.20	257.4	481.2	793.2	753.0	40.25	19.708		
5,500.0	5,449.4	5,475.9	5,440.4	21.9	21.1	-136.92	259.3	484.1	806.8	765.7	41.06	19.649		
5,600.0	5,548.1	5,582.6	5,547.1	22.3	21.4	-137.71	259.5	484.5	818.8	777.0	41.81	19.582		
5,700.0	5,646.9	5,681.3	5,645.9	22.7	21.7	-138.44	259.5	484.5	830.6	788.1	42.53	19.532		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,800.0	5,745.6	5,780.1	5,744.6	23.2	22.1	-139.16	259.5	484.5	842.6	799.4	43.24	19.487		
5,900.0	5,844.3	5,878.8	5,843.3	23.6	22.4	-139.85	259.5	484.5	854.8	810.8	43.95	19.447		
6,000.0	5,943.1	5,977.5	5,942.1	24.1	22.7	-140.52	259.5	484.5	867.0	822.3	44.67	19.411		
6,100.0	6,041.8	6,076.3	6,040.8	24.5	23.0	-141.17	259.5	484.5	879.4	834.0	45.38	19.379		
6,200.0	6,140.5	6,175.0	6,139.5	24.9	23.3	-141.81	259.5	484.5	891.9	845.8	46.09	19.351		
6,300.0	6,239.3	6,275.3	6,239.8	25.4	23.7	-142.45	259.5	484.3	904.4	857.6	46.80	19.325		
6,400.0	6,338.0	6,381.8	6,345.5	25.8	24.0	-143.88	259.4	471.8	916.5	869.1	47.45	19.314		
6,500.0	6,436.7	6,477.6	6,437.0	26.2	24.2	-146.13	259.3	444.0	928.9	880.9	47.98	19.361		
6,600.0	6,535.5	6,559.6	6,510.8	26.7	24.3	-148.71	259.1	408.4	943.3	894.9	48.38	19.500		
6,664.9	6,599.6	6,605.5	6,549.6	27.0	24.3	-150.39	258.9	384.0	954.7	906.1	48.56	19.660		
6,700.0	6,634.2	6,628.1	6,568.0	27.1	24.4	-151.33	258.9	370.8	961.5	912.8	48.62	19.773		
6,800.0	6,733.3	6,685.3	6,612.1	27.5	24.5	-153.83	258.7	334.4	982.9	934.3	48.67	20.195		
6,900.0	6,832.7	6,733.5	6,646.2	27.9	24.5	-156.08	258.5	300.4	1,008.0	959.6	48.48	20.792		
7,000.0	6,932.3	6,774.2	6,672.8	28.3	24.6	-158.09	258.3	269.6	1,037.2	989.2	48.04	21.590		
7,100.0	7,032.1	6,809.0	6,693.7	28.7	24.6	-159.88	258.2	241.8	1,070.7	1,023.3	47.36	22.609		
7,200.0	7,132.1	6,839.1	6,710.4	29.0	24.7	-161.47	258.0	216.7	1,108.3	1,061.8	46.45	23.860		
7,273.4	7,205.5	6,850.0	6,716.1	29.2	24.7	-15.80	258.0	207.4	1,138.5	1,092.9	45.55	24.994		
7,300.0	7,232.1	6,865.6	6,724.0	29.3	24.8	72.58	257.9	194.0	1,149.8	1,104.4	45.35	25.356		
7,350.0	7,281.9	6,879.2	6,730.6	29.4	24.8	69.74	257.8	182.1	1,171.3	1,126.6	44.75	26.175		
7,400.0	7,331.1	6,900.0	6,740.0	29.6	24.9	66.71	257.7	163.6	1,192.9	1,148.7	44.22	26.978		
7,450.0	7,379.3	6,900.0	6,740.0	29.7	24.9	64.55	257.7	163.6	1,214.3	1,170.9	43.43	27.962		
7,500.0	7,426.2	6,924.2	6,750.2	29.7	25.0	61.70	257.6	141.6	1,235.1	1,192.2	42.93	28.769		
7,550.0	7,471.5	6,950.0	6,760.1	29.8	25.1	59.03	257.5	117.7	1,255.5	1,213.0	42.46	29.570		
7,600.0	7,514.7	6,950.0	6,760.1	29.9	25.1	57.25	257.5	117.7	1,274.8	1,233.1	41.70	30.572		
7,650.0	7,555.6	6,973.5	6,768.1	29.9	25.2	55.07	257.3	95.6	1,293.1	1,251.8	41.25	31.347		
7,700.0	7,593.8	7,000.0	6,776.0	29.9	25.3	53.07	257.2	70.4	1,310.3	1,269.4	40.86	32.065		
7,750.0	7,629.0	7,000.0	6,776.0	30.0	25.3	51.75	257.2	70.4	1,326.1	1,285.8	40.24	32.951		
7,800.0	7,661.0	7,025.7	6,782.6	30.0	25.5	50.19	257.1	45.5	1,340.4	1,300.4	39.97	33.534		
7,850.0	7,689.6	7,050.0	6,787.7	30.0	25.6	48.89	256.9	21.8	1,353.2	1,313.5	39.74	34.051		
7,900.0	7,714.5	7,050.0	6,787.7	30.0	25.6	48.02	256.9	21.8	1,364.4	1,325.0	39.38	34.650		
7,950.0	7,735.4	7,079.8	6,792.7	29.9	25.8	47.06	256.8	-7.6	1,373.7	1,334.3	39.38	34.883		
8,000.0	7,752.4	7,100.0	6,795.2	29.9	25.9	46.36	256.6	-27.6	1,381.3	1,341.9	39.39	35.066		
8,050.0	7,765.2	7,116.4	6,796.7	29.9	26.1	45.87	256.6	-44.0	1,387.0	1,347.5	39.49	35.127		
8,100.0	7,773.8	7,134.8	6,797.9	29.9	26.2	45.53	256.5	-62.3	1,390.8	1,351.1	39.70	35.031		
8,150.0	7,778.0	7,153.3	6,798.4	29.9	26.4	45.37	256.4	-80.8	1,392.7	1,352.7	40.03	34.795		
8,173.4	7,778.5	7,161.0	6,798.5	29.9	26.4	45.35	256.3	-88.5	1,393.0	1,352.8	40.21	34.641		
8,200.0	7,778.3	7,182.8	6,798.4	30.0	26.6	45.35	256.2	-110.3	1,393.0	1,352.4	40.51	34.384		
8,244.5	7,777.6	7,225.6	6,798.0	30.2	27.0	45.35	256.0	-142.3	1,392.8	1,351.7	41.11	33.881		
8,300.0	7,776.2	7,270.3	6,796.8	30.7	27.4	45.36	255.7	-197.8	1,392.7	1,350.8	41.83	33.291		
8,400.0	7,773.7	7,370.3	6,794.7	31.7	28.6	45.37	255.1	-297.8	1,392.4	1,348.9	43.48	32.022		
8,500.0	7,771.2	7,470.3	6,792.7	32.9	29.9	45.38	254.5	-397.7	1,392.1	1,346.7	45.37	30.685		
8,600.0	7,768.8	7,570.3	6,790.6	34.2	31.3	45.39	253.9	-497.7	1,391.8	1,344.3	47.46	29.324		
8,700.0	7,766.3	7,670.3	6,788.5	35.7	32.8	45.41	253.3	-597.7	1,391.5	1,341.8	49.74	27.973		
8,800.0	7,763.8	7,770.3	6,786.5	37.2	34.5	45.42	252.7	-697.7	1,391.2	1,339.0	52.19	26.659		
8,900.0	7,761.3	7,870.3	6,784.4	38.9	36.2	45.43	252.1	-797.6	1,390.9	1,336.2	54.77	25.396		
9,000.0	7,758.8	7,970.3	6,782.3	40.6	38.0	45.44	251.5	-897.6	1,390.7	1,333.2	57.47	24.197		
9,100.0	7,756.4	8,070.3	6,780.3	42.4	39.9	45.46	250.8	-997.6	1,390.4	1,330.1	60.28	23.065		
9,200.0	7,753.9	8,170.3	6,778.2	44.3	41.9	45.47	250.2	-1,097.6	1,390.1	1,326.9	63.18	22.001		
9,300.0	7,751.4	8,270.3	6,776.1	46.2	43.9	45.48	249.6	-1,197.5	1,389.8	1,323.6	66.16	21.006		
9,400.0	7,748.9	8,370.3	6,774.1	48.1	45.9	45.49	249.0	-1,297.5	1,389.5	1,320.3	69.21	20.076		
9,500.0	7,746.4	8,470.3	6,772.0	50.1	48.0	45.50	248.4	-1,397.5	1,389.2	1,316.9	72.32	19.209		
9,600.0	7,743.9	8,570.3	6,769.9	52.2	50.1	45.52	247.8	-1,497.5	1,388.9	1,313.4	75.48	18.400		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM Plan #1												Offset Site Error:	0.0 usft
Survey Program: 0-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
9,700.0	7,741.5	8,670.3	6,767.9	54.3	52.3	45.53	247.2	-1,597.5	1,388.6	1,309.9	78.69	17.646	
9,800.0	7,739.0	8,770.3	6,765.8	56.4	54.4	45.54	246.6	-1,697.4	1,388.3	1,306.4	81.95	16.942	
9,900.0	7,736.5	8,870.3	6,763.7	58.5	56.6	45.55	246.0	-1,797.4	1,388.1	1,302.8	85.24	16.285	
10,000.0	7,734.0	8,970.3	6,761.7	60.7	58.9	45.57	245.4	-1,897.4	1,387.8	1,299.2	88.56	15.670	
10,100.0	7,731.5	9,070.3	6,759.6	62.8	61.1	45.58	244.8	-1,997.4	1,387.5	1,295.6	91.91	15.095	
10,200.0	7,729.1	9,170.3	6,757.5	65.0	63.3	45.59	244.2	-2,097.3	1,387.2	1,291.9	95.29	14.557	
10,300.0	7,726.6	9,270.3	6,755.5	67.3	65.6	45.60	243.6	-2,197.3	1,386.9	1,288.2	98.70	14.052	
10,400.0	7,724.1	9,370.3	6,753.4	69.5	67.9	45.61	243.0	-2,297.3	1,386.6	1,284.5	102.12	13.578	
10,500.0	7,721.6	9,470.3	6,751.3	71.7	70.2	45.63	242.4	-2,397.3	1,386.3	1,280.8	105.57	13.132	
10,600.0	7,719.1	9,570.3	6,749.3	74.0	72.5	45.64	241.8	-2,497.2	1,386.0	1,277.0	109.03	12.712	
10,700.0	7,716.7	9,670.3	6,747.2	76.3	74.8	45.65	241.2	-2,597.2	1,385.7	1,273.2	112.51	12.316	
10,800.0	7,714.2	9,770.3	6,745.1	78.6	77.1	45.66	240.6	-2,697.2	1,385.5	1,269.5	116.01	11.943	
10,900.0	7,711.7	9,870.3	6,743.1	80.9	79.4	45.68	240.0	-2,797.2	1,385.2	1,265.7	119.52	11.590	
11,000.0	7,709.2	9,970.3	6,741.0	83.2	81.8	45.69	239.4	-2,897.1	1,384.9	1,261.8	123.04	11.256	
11,100.0	7,706.7	10,070.3	6,738.9	85.5	84.1	45.70	238.8	-2,997.1	1,384.6	1,258.0	126.57	10.939	
11,200.0	7,704.3	10,170.3	6,736.8	87.8	86.5	45.71	238.2	-3,097.1	1,384.3	1,254.2	130.12	10.639	
11,300.0	7,701.8	10,270.3	6,734.8	90.1	88.8	45.72	237.6	-3,197.1	1,384.0	1,250.3	133.68	10.354	
11,400.0	7,699.3	10,370.3	6,732.7	92.5	91.2	45.74	237.0	-3,297.0	1,383.7	1,246.5	137.24	10.083	
11,500.0	7,696.8	10,470.3	6,730.6	94.8	93.6	45.75	236.4	-3,397.0	1,383.4	1,242.6	140.82	9.825	
11,600.0	7,694.3	10,570.3	6,728.6	97.1	95.9	45.76	235.8	-3,497.0	1,383.2	1,238.8	144.40	9.579	
11,700.0	7,691.9	10,670.3	6,726.5	99.5	98.3	45.77	235.2	-3,597.0	1,382.9	1,234.9	147.99	9.344	
11,800.0	7,689.4	10,770.3	6,724.4	101.8	100.7	45.79	234.6	-3,696.9	1,382.6	1,231.0	151.59	9.121	
11,900.0	7,686.9	10,870.3	6,722.4	104.2	103.1	45.80	234.0	-3,796.9	1,382.3	1,227.1	155.19	8.907	
12,000.0	7,684.4	10,970.3	6,720.3	106.6	105.5	45.81	233.4	-3,896.9	1,382.0	1,223.2	158.80	8.703	
12,100.0	7,681.9	11,070.3	6,718.2	108.9	107.8	45.82	232.8	-3,996.9	1,381.7	1,219.3	162.42	8.507	
12,200.0	7,679.4	11,170.3	6,716.2	111.3	110.2	45.84	232.2	-4,096.9	1,381.4	1,215.4	166.04	8.320	
12,300.0	7,677.0	11,270.3	6,714.1	113.7	112.6	45.85	231.6	-4,196.8	1,381.1	1,211.5	169.67	8.140	
12,400.0	7,674.5	11,370.3	6,712.0	116.1	115.0	45.86	231.0	-4,296.8	1,380.9	1,207.6	173.31	7.968	
12,500.0	7,672.0	11,470.3	6,710.0	118.5	117.4	45.87	230.4	-4,396.8	1,380.6	1,203.6	176.95	7.802	
12,600.0	7,669.5	11,570.3	6,707.9	120.9	119.8	45.88	229.8	-4,496.8	1,380.3	1,199.7	180.59	7.643	
12,700.0	7,667.0	11,670.3	6,705.8	123.2	122.2	45.90	229.2	-4,596.7	1,380.0	1,195.8	184.24	7.490	
12,800.0	7,664.6	11,770.3	6,703.8	125.6	124.6	45.91	228.6	-4,696.7	1,379.7	1,191.8	187.90	7.343	
12,900.0	7,662.1	11,870.3	6,701.7	128.0	127.1	45.92	228.0	-4,796.7	1,379.4	1,187.9	191.56	7.201	
13,000.0	7,659.6	11,970.3	6,699.6	130.4	129.5	45.93	227.4	-4,896.7	1,379.1	1,183.9	195.22	7.065	
13,100.0	7,657.1	12,070.3	6,697.6	132.8	131.9	45.95	226.8	-4,996.6	1,378.9	1,180.0	198.88	6.933	
13,200.0	7,654.6	12,170.2	6,695.5	135.2	134.3	45.96	226.2	-5,096.6	1,378.6	1,176.0	202.55	6.806	
13,300.0	7,652.2	12,270.2	6,693.4	137.6	136.7	45.97	225.6	-5,196.6	1,378.3	1,172.1	206.23	6.683	
13,400.0	7,649.7	12,370.2	6,691.4	140.0	139.1	45.98	225.0	-5,296.6	1,378.0	1,168.1	209.91	6.565	
13,500.0	7,647.2	12,470.2	6,689.3	142.4	141.5	46.00	224.4	-5,396.5	1,377.7	1,164.1	213.59	6.450	
13,600.0	7,644.7	12,570.2	6,687.2	144.9	144.0	46.01	223.8	-5,496.5	1,377.4	1,160.2	217.27	6.340	
13,700.0	7,642.2	12,670.2	6,685.2	147.3	146.4	46.02	223.2	-5,596.5	1,377.1	1,156.2	220.96	6.233	
13,800.0	7,639.8	12,770.2	6,683.1	149.7	148.8	46.03	222.6	-5,696.5	1,376.9	1,152.2	224.65	6.129	
13,900.0	7,637.3	12,870.2	6,681.0	152.1	151.2	46.05	222.0	-5,796.4	1,376.6	1,148.2	228.34	6.029	
14,000.0	7,634.8	12,970.2	6,679.0	154.5	153.6	46.06	221.3	-5,896.4	1,376.3	1,144.2	232.04	5.931	
14,100.0	7,632.3	13,070.2	6,676.9	156.9	156.1	46.07	220.7	-5,996.4	1,376.0	1,140.3	235.74	5.837	
14,200.0	7,629.8	13,170.2	6,674.8	159.3	158.5	46.08	220.1	-6,096.4	1,375.7	1,136.3	239.44	5.746	
14,300.0	7,627.4	13,270.2	6,672.8	161.8	160.9	46.10	219.5	-6,196.3	1,375.4	1,132.3	243.15	5.657	
14,400.0	7,624.9	13,370.2	6,670.7	164.2	163.4	46.11	218.9	-6,296.3	1,375.1	1,128.3	246.85	5.571	
14,500.0	7,622.4	13,470.2	6,668.6	166.6	165.8	46.12	218.3	-6,396.3	1,374.9	1,124.3	250.56	5.487	
14,600.0	7,619.9	13,570.2	6,666.5	169.0	168.2	46.13	217.7	-6,496.3	1,374.6	1,120.3	254.28	5.406	
14,700.0	7,617.4	13,670.2	6,664.5	171.5	170.6	46.15	217.1	-6,596.2	1,374.3	1,116.3	257.99	5.327	
14,800.0	7,614.9	13,770.2	6,662.4	173.9	173.1	46.16	216.5	-6,696.2	1,374.0	1,112.3	261.71	5.250	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design		Bo Howard 1211 - Bo Howard 1211 Fed Com #113H - Wellbore #1 - BLM Plan #1										Offset Site Error:	0.0 usft
Survey Program:		0-MWD										Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,900.0	7,612.5	13,870.2	6,660.3	176.3	175.5	46.17	215.9	-6,796.2	1,373.7	1,108.3	265.43	5.175	
15,000.0	7,610.0	13,970.2	6,658.3	178.7	177.9	46.18	215.3	-6,896.2	1,373.4	1,104.3	269.15	5.103	
15,100.0	7,607.5	14,070.2	6,656.2	181.2	180.4	46.20	214.7	-6,996.2	1,373.1	1,100.3	272.88	5.032	
15,200.0	7,605.0	14,170.2	6,654.1	183.6	182.8	46.21	214.1	-7,096.1	1,372.9	1,096.2	276.60	4.963	
15,300.0	7,602.5	14,270.2	6,652.1	186.0	185.2	46.22	213.5	-7,196.1	1,372.6	1,092.2	280.33	4.896	
15,400.0	7,600.1	14,370.2	6,650.0	188.4	187.7	46.23	212.9	-7,296.1	1,372.3	1,088.2	284.07	4.831	
15,463.1	7,598.5	14,433.3	6,648.7	190.0	189.2	46.24	212.5	-7,359.2	1,372.1	1,085.7	286.42	4.790	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	-135.88	-30.5	-29.6	42.5					
100.0	100.0	100.0	100.0	0.1	0.1	-135.88	-30.5	-29.6	42.5	42.3	0.26	165.926		
200.0	200.0	200.0	200.0	0.5	0.5	-135.88	-30.5	-29.6	42.5	41.6	0.97	43.697		
300.0	300.0	300.0	300.0	0.8	0.8	-135.88	-30.5	-29.6	42.5	40.8	1.69	25.162		
400.0	400.0	400.0	400.0	1.2	1.2	-135.88	-30.5	-29.6	42.5	40.1	2.41	17.668		
500.0	500.0	500.0	500.0	1.6	1.6	-135.88	-30.5	-29.6	42.5	39.4	3.12	13.613		
600.0	600.0	600.0	600.0	1.9	1.9	-135.88	-30.5	-29.6	42.5	38.7	3.84	11.072		
700.0	700.0	700.0	700.0	2.3	2.3	-135.88	-30.5	-29.6	42.5	38.0	4.56	9.330		
800.0	800.0	800.0	800.0	2.6	2.6	-135.88	-30.5	-29.6	42.5	37.3	5.27	8.062		
900.0	900.0	900.0	900.0	3.0	3.0	-135.88	-30.5	-29.6	42.5	36.5	5.99	7.098		
1,000.0	1,000.0	1,000.0	1,000.0	3.4	3.4	-135.88	-30.5	-29.6	42.5	35.8	6.71	6.339 CC		
1,100.0	1,100.0	1,099.5	1,099.5	3.7	3.7	-138.05	-32.1	-28.8	43.1	35.7	7.41	5,823 ES		
1,200.0	1,200.0	1,198.7	1,198.6	4.1	4.0	-144.15	-36.7	-26.5	45.3	37.2	8.09	5.597 SF		
1,300.0	1,300.0	1,297.6	1,297.1	4.4	4.4	62.44	-44.3	-22.7	49.0	40.3	8.76	5.598		
1,400.0	1,399.8	1,396.3	1,395.0	4.7	4.7	56.74	-55.0	-17.3	53.8	44.3	9.42	5.708		
1,500.0	1,499.5	1,494.8	1,492.3	5.1	5.1	52.28	-68.6	-10.5	59.2	49.1	10.08	5.873		
1,600.0	1,598.7	1,593.0	1,588.7	5.4	5.4	48.87	-85.2	-2.1	65.2	54.4	10.74	6.066		
1,656.4	1,654.4	1,648.2	1,642.7	5.6	5.7	47.33	-95.8	3.2	68.7	57.6	11.12	6.181		
1,700.0	1,697.5	1,690.9	1,684.2	5.8	5.8	46.15	-104.6	7.6	71.8	60.4	11.41	6.292		
1,800.0	1,796.3	1,789.4	1,779.6	6.2	6.3	42.93	-126.7	18.8	80.6	68.5	12.10	6.659		
1,900.0	1,895.0	1,888.9	1,875.7	6.5	6.7	40.15	-149.5	30.2	89.9	77.1	12.83	7.013		
2,000.0	1,993.7	1,988.4	1,971.9	6.9	7.2	37.90	-172.2	41.6	99.5	85.9	13.56	7.338		
2,100.0	2,092.5	2,087.8	2,068.1	7.3	7.7	36.05	-194.9	53.1	109.1	94.8	14.29	7.635		
2,200.0	2,191.2	2,187.3	2,164.2	7.7	8.1	34.50	-217.7	64.5	118.9	103.8	15.04	7.907		
2,300.0	2,289.9	2,286.8	2,260.4	8.1	8.6	33.18	-240.4	76.0	128.7	112.9	15.78	8.155		
2,400.0	2,388.7	2,386.3	2,356.6	8.5	9.1	32.06	-263.2	87.4	138.6	122.1	16.53	8.383		
2,500.0	2,487.4	2,485.7	2,452.7	8.9	9.6	31.08	-285.9	98.8	148.5	131.2	17.28	8.593		
2,600.0	2,586.1	2,585.2	2,548.9	9.4	10.1	30.22	-308.6	110.3	158.5	140.4	18.04	8.785		
2,700.0	2,684.9	2,684.7	2,645.1	9.8	10.7	29.47	-331.4	121.7	168.5	149.7	18.80	8.963		
2,800.0	2,783.6	2,784.2	2,741.2	10.2	11.2	28.80	-354.1	133.1	178.5	158.9	19.56	9.127		
2,900.0	2,882.3	2,883.7	2,837.4	10.6	11.7	28.20	-376.8	144.6	188.5	168.2	20.32	9.279		
3,000.0	2,981.1	2,983.1	2,933.6	11.0	12.2	27.66	-399.6	156.0	198.6	177.5	21.08	9.421		
3,100.0	3,079.8	3,082.6	3,029.7	11.5	12.7	27.18	-422.3	167.4	208.7	186.8	21.85	9.552		
3,200.0	3,178.5	3,182.1	3,125.9	11.9	13.3	26.74	-445.1	178.9	218.8	196.2	22.61	9.675		
3,300.0	3,277.3	3,281.6	3,222.0	12.3	13.8	26.33	-467.8	190.3	228.9	205.5	23.38	9.790		
3,400.0	3,376.0	3,381.0	3,318.2	12.7	14.3	25.97	-490.5	201.7	239.0	214.8	24.15	9.897		
3,500.0	3,474.7	3,480.5	3,414.4	13.2	14.8	25.63	-513.3	213.2	249.1	224.2	24.92	9.998		
3,600.0	3,573.5	3,580.0	3,510.5	13.6	15.4	25.32	-536.0	224.6	259.2	233.5	25.69	10.092		
3,700.0	3,672.2	3,679.5	3,606.7	14.0	15.9	25.03	-558.7	236.0	269.4	242.9	26.46	10.181		
3,800.0	3,770.9	3,778.9	3,702.9	14.5	16.4	24.76	-581.5	247.5	279.5	252.3	27.23	10.265		
3,900.0	3,869.7	3,878.4	3,799.0	14.9	17.0	24.51	-604.2	258.9	289.7	261.7	28.00	10.344		
4,000.0	3,968.4	3,977.9	3,895.2	15.3	17.5	24.28	-627.0	270.3	299.8	271.0	28.78	10.419		
4,100.0	4,067.1	4,077.4	3,991.4	15.8	18.1	24.06	-649.7	281.8	310.0	280.4	29.55	10.490		
4,200.0	4,165.9	4,176.8	4,087.5	16.2	18.6	23.86	-672.4	293.2	320.1	289.8	30.32	10.558		
4,300.0	4,264.6	4,276.3	4,183.7	16.6	19.1	23.67	-695.2	304.6	330.3	299.2	31.10	10.621		
4,400.0	4,363.3	4,375.8	4,279.9	17.1	19.7	23.49	-717.9	316.1	340.5	308.6	31.87	10.682		
4,500.0	4,462.1	4,475.3	4,376.0	17.5	20.2	23.32	-740.6	327.5	350.6	318.0	32.65	10.740		
4,600.0	4,560.8	4,574.7	4,472.2	17.9	20.8	23.16	-763.4	339.0	360.8	327.4	33.43	10.795		
4,700.0	4,659.5	4,674.2	4,568.4	18.4	21.3	23.01	-786.1	350.4	371.0	336.8	34.20	10.847		
4,800.0	4,758.3	4,773.7	4,664.5	18.8	21.8	22.87	-808.8	361.8	381.2	346.2	34.98	10.897		
4,900.0	4,857.0	4,873.2	4,760.7	19.2	22.4	22.74	-831.6	373.3	391.4	355.6	35.76	10.945		
5,000.0	4,955.7	4,972.7	4,856.9	19.7	22.9	22.61	-854.3	384.7	401.5	365.0	36.53	10.991		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.0	5,054.5	5,072.1	4,953.0	20.1	23.5	22.49	-877.1	396.1	411.7	374.4	37.31	11.035		
5,200.0	5,153.2	5,171.6	5,049.2	20.5	24.0	22.37	-899.8	407.6	421.9	383.8	38.09	11.077		
5,300.0	5,251.9	5,271.1	5,145.4	21.0	24.5	22.26	-922.5	419.0	432.1	393.2	38.87	11.117		
5,400.0	5,350.7	5,370.6	5,241.5	21.4	25.1	22.15	-945.3	430.4	442.3	402.7	39.65	11.156		
5,500.0	5,449.4	5,481.8	5,349.4	21.9	25.7	22.09	-969.5	442.6	451.3	410.7	40.56	11.128		
5,600.0	5,548.1	5,594.6	5,459.5	22.3	26.2	22.13	-991.2	453.5	457.5	416.0	41.45	11.037		
5,700.0	5,646.9	5,707.6	5,570.6	22.7	26.8	22.29	-1,010.0	463.0	460.8	418.5	42.31	10.890		
5,800.0	5,745.6	5,820.8	5,682.3	23.2	27.3	22.55	-1,025.9	471.0	461.3	418.1	43.14	10.693		
5,900.0	5,844.3	5,933.8	5,794.4	23.6	27.7	22.93	-1,038.8	477.5	458.9	415.0	43.93	10.446		
6,000.0	5,943.1	6,046.5	5,906.6	24.1	28.1	23.42	-1,048.7	482.4	453.7	409.1	44.69	10.152		
6,100.0	6,041.8	6,158.8	6,018.6	24.5	28.5	24.06	-1,055.6	485.9	445.8	400.4	45.42	9.815		
6,200.0	6,140.5	6,270.4	6,130.1	24.9	28.9	24.84	-1,059.6	487.9	435.1	389.0	46.12	9.435		
6,300.0	6,239.3	6,381.0	6,240.7	25.4	29.2	25.83	-1,060.7	488.3	421.7	375.0	46.78	9.015		
6,400.0	6,338.0	6,487.0	6,345.8	25.8	29.4	28.61	-1,060.7	475.9	406.3	358.6	47.64	8.528		
6,500.0	6,436.7	6,582.2	6,436.9	26.2	29.5	33.67	-1,060.9	448.4	391.3	342.3	48.96	7.992		
6,600.0	6,535.5	6,664.0	6,510.5	26.7	29.6	39.96	-1,061.1	413.1	381.4	330.7	50.63	7.532		
6,650.2	6,585.0	6,699.8	6,541.1	26.9	29.6	43.22	-1,061.1	394.4	379.9	328.5	51.41	7.389		
6,664.9	6,599.6	6,709.8	6,549.3	27.0	29.6	44.18	-1,061.2	388.8	380.0	328.4	51.61	7.363		
6,700.0	6,634.2	6,732.3	6,567.7	27.1	29.7	46.41	-1,061.2	375.8	381.6	329.6	52.00	7.338		
6,800.0	6,733.3	6,789.5	6,611.9	27.5	29.7	52.48	-1,061.4	339.5	396.9	344.6	52.28	7.593		
6,900.0	6,832.7	6,837.6	6,646.1	27.9	29.7	57.94	-1,061.6	305.6	428.3	377.1	51.17	8.369		
7,000.0	6,932.3	6,878.4	6,672.8	28.3	29.7	62.83	-1,061.8	274.8	474.0	425.0	49.04	9.667		
7,100.0	7,032.1	6,913.3	6,693.8	28.7	29.7	67.26	-1,061.9	247.0	531.5	485.1	46.42	11.451		
7,200.0	7,132.1	6,950.0	6,714.1	29.0	29.6	71.93	-1,062.0	216.4	598.0	553.9	44.03	13.579		
7,273.4	7,205.5	6,963.1	6,720.9	29.2	29.6	-139.50	-1,062.1	205.2	651.0	609.1	41.87	15.548		
7,300.0	7,232.1	6,970.0	6,724.3	29.3	29.6	-46.46	-1,062.1	199.2	670.7	629.5	41.22	16.272		
7,350.0	7,281.9	6,983.7	6,730.9	29.4	29.6	-41.83	-1,062.2	187.2	707.0	667.0	40.00	17.676		
7,400.0	7,331.1	7,000.0	6,738.5	29.6	29.6	-37.74	-1,062.3	172.8	742.2	703.4	38.88	19.092		
7,450.0	7,379.3	7,013.1	6,744.2	29.7	29.6	-34.45	-1,062.3	161.0	776.1	738.5	37.63	20.626		
7,500.0	7,426.2	7,028.7	6,750.7	29.7	29.6	-31.57	-1,062.4	146.8	808.4	771.9	36.49	22.156		
7,550.0	7,471.5	7,050.0	6,758.9	29.8	29.6	-29.00	-1,062.5	127.2	839.0	803.4	35.57	23.588		
7,600.0	7,514.7	7,050.0	6,758.9	29.9	29.6	-27.34	-1,062.5	127.2	867.8	833.8	33.96	25.556		
7,650.0	7,555.6	7,078.1	6,768.7	29.9	29.5	-25.37	-1,062.6	100.8	894.3	861.0	33.33	26.828		
7,700.0	7,593.8	7,100.0	6,775.4	29.9	29.5	-23.85	-1,062.7	80.0	918.9	886.4	32.55	28.235		
7,750.0	7,629.0	7,100.0	6,775.4	30.0	29.5	-22.85	-1,062.7	80.0	941.4	910.2	31.22	30.152		
7,800.0	7,661.0	7,130.4	6,783.3	30.0	29.5	-21.69	-1,062.9	50.7	961.3	930.5	30.81	31.197		
7,850.0	7,689.6	7,150.0	6,787.6	30.0	29.5	-20.84	-1,063.0	31.5	979.0	948.8	30.21	32.403		
7,900.0	7,714.5	7,166.2	6,790.7	30.0	29.5	-20.16	-1,063.1	15.5	994.2	964.6	29.66	33.522		
7,950.0	7,735.4	7,184.4	6,793.5	29.9	29.4	-19.62	-1,063.2	-2.4	1,007.0	977.7	29.28	34.392		
8,000.0	7,752.4	7,200.0	6,795.6	29.9	29.4	-19.20	-1,063.2	-17.8	1,017.2	988.2	29.01	35.063		
8,050.0	7,765.2	7,221.0	6,797.6	29.9	29.4	-18.88	-1,063.3	-38.8	1,024.9	995.9	28.97	35.373		
8,100.0	7,773.8	7,250.0	6,799.2	29.9	29.4	-18.66	-1,063.5	-67.7	1,030.2	1,001.0	29.14	35.351		
8,150.0	7,778.0	7,257.9	6,799.4	29.9	29.4	-18.58	-1,063.5	-75.6	1,032.5	1,003.2	29.31	35.227		
8,173.4	7,778.5	7,266.8	6,799.5	29.9	29.4	-18.57	-1,063.6	-84.5	1,032.8	1,003.3	29.48	35.030		
8,200.0	7,778.3	7,286.0	6,799.4	30.0	29.3	-18.57	-1,063.7	-103.7	1,032.8	1,003.0	29.73	34.735		
8,244.5	7,777.6	7,319.1	6,799.0	30.2	29.3	-18.58	-1,063.9	-136.8	1,032.6	1,002.4	30.18	34.209		
8,300.0	7,776.2	7,372.2	6,797.9	30.7	29.2	-18.58	-1,064.2	-189.9	1,032.3	1,001.5	30.80	33.515		
8,400.0	7,773.7	7,472.2	6,795.8	31.7	29.2	-18.59	-1,064.8	-289.8	1,031.9	999.9	32.00	32.246		
8,500.0	7,771.2	7,572.2	6,793.8	32.9	30.3	-18.60	-1,065.4	-389.8	1,031.5	998.2	33.29	30.982		
8,600.0	7,768.8	7,672.2	6,791.7	34.2	31.7	-18.60	-1,066.0	-489.8	1,031.1	996.5	34.68	29.737		
8,700.0	7,766.3	7,772.2	6,789.6	35.7	33.3	-18.61	-1,066.6	-589.8	1,030.8	994.6	36.13	28.527		
8,800.0	7,763.8	7,872.2	6,787.6	37.2	34.9	-18.62	-1,067.2	-689.7	1,030.4	992.7	37.66	27.361		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	7,972.2	6,785.5	38.9	36.6	-18.63	-1,067.8	-789.7	1,030.0	990.7	39.24	26.246		
9,000.0	7,758.8	8,072.2	6,783.4	40.6	38.4	-18.63	-1,068.4	-889.7	1,029.6	988.7	40.88	25.184		
9,100.0	7,756.4	8,172.2	6,781.4	42.4	40.3	-18.64	-1,069.0	-989.7	1,029.2	986.6	42.57	24.178		
9,200.0	7,753.9	8,272.2	6,779.3	44.3	42.2	-18.65	-1,069.6	-1,089.6	1,028.8	984.5	44.29	23.226		
9,300.0	7,751.4	8,372.2	6,777.2	46.2	44.2	-18.66	-1,070.2	-1,189.6	1,028.4	982.3	46.06	22.327		
9,400.0	7,748.9	8,472.2	6,775.2	48.1	46.2	-18.66	-1,070.8	-1,289.6	1,028.0	980.1	47.86	21.480		
9,500.0	7,746.4	8,572.2	6,773.1	50.1	48.3	-18.67	-1,071.4	-1,389.6	1,027.6	977.9	49.69	20.682		
9,600.0	7,743.9	8,672.2	6,771.1	52.2	50.4	-18.68	-1,072.0	-1,489.6	1,027.2	975.7	51.54	19.930		
9,700.0	7,741.5	8,772.2	6,769.0	54.3	52.5	-18.69	-1,072.6	-1,589.5	1,026.8	973.4	53.42	19.221		
9,800.0	7,739.0	8,872.2	6,766.9	56.4	54.7	-18.69	-1,073.2	-1,689.5	1,026.4	971.1	55.32	18.554		
9,900.0	7,736.5	8,972.2	6,764.9	58.5	56.8	-18.70	-1,073.8	-1,789.5	1,026.0	968.8	57.24	17.925		
10,000.0	7,734.0	9,072.2	6,762.8	60.7	59.0	-18.71	-1,074.4	-1,889.5	1,025.6	966.5	59.18	17.331		
10,100.0	7,731.5	9,172.2	6,760.7	62.8	61.2	-18.72	-1,075.1	-1,989.4	1,025.2	964.1	61.13	16.770		
10,200.0	7,729.1	9,272.2	6,758.7	65.0	63.5	-18.72	-1,075.7	-2,089.4	1,024.8	961.7	63.10	16.241		
10,300.0	7,726.6	9,372.2	6,756.6	67.3	65.7	-18.73	-1,076.3	-2,189.4	1,024.5	959.4	65.09	15.740		
10,400.0	7,724.1	9,472.2	6,754.5	69.5	68.0	-18.74	-1,076.9	-2,289.4	1,024.1	957.0	67.08	15.266		
10,500.0	7,721.6	9,572.2	6,752.5	71.7	70.3	-18.75	-1,077.5	-2,389.3	1,023.7	954.6	69.09	14.817		
10,600.0	7,719.1	9,672.2	6,750.4	74.0	72.6	-18.75	-1,078.1	-2,489.3	1,023.3	952.2	71.10	14.391		
10,700.0	7,716.7	9,772.2	6,748.3	76.3	74.9	-18.76	-1,078.7	-2,589.3	1,022.9	949.7	73.13	13.987		
10,800.0	7,714.2	9,872.2	6,746.3	78.6	77.2	-18.77	-1,079.3	-2,689.3	1,022.5	947.3	75.17	13.603		
10,900.0	7,711.7	9,972.2	6,744.2	80.9	79.5	-18.78	-1,079.9	-2,789.2	1,022.1	944.9	77.21	13.238		
11,000.0	7,709.2	10,072.2	6,742.1	83.2	81.8	-18.78	-1,080.5	-2,889.2	1,021.7	942.4	79.26	12.890		
11,100.0	7,706.7	10,172.2	6,740.1	85.5	84.1	-18.79	-1,081.1	-2,989.2	1,021.3	940.0	81.32	12.559		
11,200.0	7,704.3	10,272.2	6,738.0	87.8	86.5	-18.80	-1,081.7	-3,089.2	1,020.9	937.5	83.39	12.243		
11,300.0	7,701.8	10,372.2	6,735.9	90.1	88.8	-18.81	-1,082.3	-3,189.1	1,020.5	935.1	85.46	11.941		
11,400.0	7,699.3	10,472.2	6,733.9	92.5	91.2	-18.81	-1,082.9	-3,289.1	1,020.1	932.6	87.54	11.653		
11,500.0	7,696.8	10,572.2	6,731.8	94.8	93.5	-18.82	-1,083.5	-3,389.1	1,019.7	930.1	89.62	11.378		
11,600.0	7,694.3	10,672.2	6,729.8	97.1	95.9	-18.83	-1,084.1	-3,489.1	1,019.3	927.6	91.71	11.115		
11,700.0	7,691.9	10,772.2	6,727.7	99.5	98.3	-18.84	-1,084.7	-3,589.0	1,018.9	925.1	93.81	10.862		
11,800.0	7,689.4	10,872.2	6,725.6	101.8	100.6	-18.84	-1,085.3	-3,689.0	1,018.5	922.6	95.90	10.620		
11,900.0	7,686.9	10,972.2	6,723.6	104.2	103.0	-18.85	-1,085.9	-3,789.0	1,018.2	920.1	98.01	10.389		
12,000.0	7,684.4	11,072.2	6,721.5	106.6	105.4	-18.86	-1,086.5	-3,889.0	1,017.8	917.6	100.11	10.166		
12,100.0	7,681.9	11,172.2	6,719.4	108.9	107.8	-18.87	-1,087.1	-3,989.0	1,017.4	915.1	102.23	9.952		
12,200.0	7,679.4	11,272.2	6,717.4	111.3	110.1	-18.87	-1,087.7	-4,088.9	1,017.0	912.6	104.34	9.747		
12,300.0	7,677.0	11,372.2	6,715.3	113.7	112.5	-18.88	-1,088.3	-4,188.9	1,016.6	910.1	106.46	9.549		
12,400.0	7,674.5	11,472.2	6,713.2	116.1	114.9	-18.89	-1,088.9	-4,288.9	1,016.2	907.6	108.58	9.359		
12,500.0	7,672.0	11,572.2	6,711.2	118.5	117.3	-18.90	-1,089.6	-4,388.9	1,015.8	905.1	110.71	9.175		
12,600.0	7,669.5	11,672.2	6,709.1	120.9	119.7	-18.91	-1,090.2	-4,488.8	1,015.4	902.6	112.84	8.999		
12,700.0	7,667.0	11,772.2	6,707.0	123.2	122.1	-18.91	-1,090.8	-4,588.8	1,015.0	900.0	114.97	8.828		
12,800.0	7,664.6	11,872.2	6,705.0	125.6	124.5	-18.92	-1,091.4	-4,688.8	1,014.6	897.5	117.11	8.664		
12,900.0	7,662.1	11,972.2	6,702.9	128.0	126.9	-18.93	-1,092.0	-4,788.8	1,014.2	895.0	119.24	8.505		
13,000.0	7,659.6	12,072.2	6,700.8	130.4	129.3	-18.94	-1,092.6	-4,888.7	1,013.8	892.4	121.39	8.352		
13,100.0	7,657.1	12,172.2	6,698.8	132.8	131.7	-18.94	-1,093.2	-4,988.7	1,013.4	889.9	123.53	8.204		
13,200.0	7,654.6	12,272.2	6,696.7	135.2	134.1	-18.95	-1,093.8	-5,088.7	1,013.0	887.4	125.67	8.061		
13,300.0	7,652.2	12,372.2	6,694.7	137.6	136.5	-18.96	-1,094.4	-5,188.7	1,012.6	884.8	127.82	7.922		
13,400.0	7,649.7	12,472.2	6,692.6	140.0	139.0	-18.97	-1,095.0	-5,288.6	1,012.3	882.3	129.97	7.788		
13,500.0	7,647.2	12,572.2	6,690.5	142.4	141.4	-18.97	-1,095.6	-5,388.6	1,011.9	879.7	132.13	7.658		
13,600.0	7,644.7	12,672.2	6,688.5	144.9	143.8	-18.98	-1,096.2	-5,488.6	1,011.5	877.2	134.28	7.532		
13,700.0	7,642.2	12,772.2	6,686.4	147.3	146.2	-18.99	-1,096.8	-5,588.6	1,011.1	874.6	136.44	7.410		
13,800.0	7,639.8	12,872.2	6,684.3	149.7	148.6	-19.00	-1,097.4	-5,688.5	1,010.7	872.1	138.60	7.292		
13,900.0	7,637.3	12,972.2	6,682.3	152.1	151.0	-19.01	-1,098.0	-5,788.5	1,010.3	869.5	140.76	7.177		
14,000.0	7,634.8	13,072.2	6,680.2	154.5	153.5	-19.01	-1,098.6	-5,888.5	1,009.9	867.0	142.93	7.066		

CC - Min centre to center distance or covergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #114H - Wellbore #1 - BLM Plan #1												Offset Site Error:	0.0 usft
Survey Program: 0-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,100.0	7,632.3	13,172.1	6,678.1	156.9	155.9	-19.02	-1,099.2	-5,988.5	1,009.5	864.4	145.09	6.958	
14,200.0	7,629.8	13,272.1	6,676.1	159.3	158.3	-19.03	-1,099.8	-6,088.4	1,009.1	861.8	147.26	6.853	
14,300.0	7,627.4	13,372.1	6,674.0	161.8	160.7	-19.04	-1,100.4	-6,188.4	1,008.7	859.3	149.43	6.750	
14,400.0	7,624.9	13,472.1	6,671.9	164.2	163.1	-19.04	-1,101.0	-6,288.4	1,008.3	856.7	151.60	6.651	
14,500.0	7,622.4	13,572.1	6,669.9	166.6	165.6	-19.05	-1,101.6	-6,388.4	1,007.9	854.2	153.77	6.555	
14,600.0	7,619.9	13,672.1	6,667.8	169.0	168.0	-19.06	-1,102.2	-6,488.4	1,007.5	851.6	155.95	6.461	
14,700.0	7,617.4	13,772.1	6,665.7	171.5	170.4	-19.07	-1,102.8	-6,588.3	1,007.1	849.0	158.13	6.369	
14,800.0	7,614.9	13,872.1	6,663.7	173.9	172.9	-19.08	-1,103.4	-6,688.3	1,006.8	846.4	160.30	6.280	
14,900.0	7,612.5	13,972.1	6,661.6	176.3	175.3	-19.08	-1,104.1	-6,788.3	1,006.4	843.9	162.48	6.194	
15,000.0	7,610.0	14,072.1	6,659.6	178.7	177.7	-19.09	-1,104.7	-6,888.3	1,006.0	841.3	164.67	6.109	
15,100.0	7,607.5	14,172.1	6,657.5	181.2	180.1	-19.10	-1,105.3	-6,988.2	1,005.6	838.7	166.85	6.027	
15,200.0	7,605.0	14,272.1	6,655.4	183.6	182.6	-19.11	-1,105.9	-7,088.2	1,005.2	836.1	169.03	5.947	
15,300.0	7,602.5	14,372.1	6,653.4	186.0	185.0	-19.11	-1,106.5	-7,188.2	1,004.8	833.6	171.22	5.868	
15,400.0	7,600.1	14,472.1	6,651.3	188.4	187.4	-19.12	-1,107.1	-7,288.2	1,004.4	831.0	173.41	5.792	
15,463.1	7,598.5	14,535.2	6,650.0	190.0	189.0	-19.13	-1,107.5	-7,351.3	1,004.1	829.4	174.79	5.745	

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #121H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	22.0	22.0	0.0	0.0	4.85	2,922.9	248.2	2,933.4					
100.0	100.0	122.0	122.0	0.1	0.2	4.85	2,922.9	248.2	2,933.4	2,933.1	0.34	8,752.015		
200.0	200.0	222.0	222.0	0.5	0.6	4.85	2,922.9	248.2	2,933.4	2,932.4	1.05	2,788.123		
300.0	300.0	322.0	322.0	0.8	0.9	4.85	2,922.9	248.2	2,933.4	2,931.7	1.77	1,658.185		
400.0	400.0	422.0	422.0	1.2	1.3	4.85	2,922.9	248.2	2,933.4	2,930.9	2.49	1,179.977		
500.0	500.0	522.0	522.0	1.6	1.6	4.85	2,922.9	248.2	2,933.4	2,930.2	3.20	915.852		
600.0	600.0	622.0	622.0	1.9	2.0	4.85	2,922.9	248.2	2,933.4	2,929.5	3.92	748.344		
700.0	700.0	722.0	722.0	2.3	2.4	4.85	2,922.9	248.2	2,933.4	2,928.8	4.64	632.636		
800.0	800.0	822.0	822.0	2.6	2.7	4.85	2,922.9	248.2	2,933.4	2,928.1	5.35	547.917		
900.0	900.0	922.0	922.0	3.0	3.1	4.85	2,922.9	248.2	2,933.4	2,927.4	6.07	483.209		
1,000.0	1,000.0	1,022.0	1,022.0	3.4	3.4	4.85	2,922.9	248.2	2,933.4	2,926.6	6.79	432.170		
1,100.0	1,100.0	1,122.0	1,122.0	3.7	3.8	4.85	2,922.9	248.2	2,933.4	2,925.9	7.50	390.883		
1,200.0	1,200.0	1,222.0	1,222.0	4.1	4.2	4.85	2,922.9	248.2	2,933.4	2,925.2	8.22	356.797	CC, ES	
1,300.0	1,300.0	1,322.0	1,322.0	4.4	4.5	-141.48	2,922.9	248.2	2,934.8	2,925.9	8.92	328.925		
1,400.0	1,399.8	1,421.8	1,421.8	4.7	4.9	-141.49	2,922.9	248.2	2,938.9	2,929.3	9.61	305.774		
1,500.0	1,499.5	1,521.5	1,521.5	5.1	5.2	-141.51	2,922.9	248.2	2,945.7	2,935.4	10.30	285.854		
1,600.0	1,598.7	1,620.7	1,620.7	5.4	5.6	-141.54	2,922.9	248.2	2,955.3	2,944.3	11.00	268.582		
1,656.4	1,654.4	1,676.4	1,676.4	5.6	5.8	-141.55	2,922.9	248.2	2,961.9	2,950.5	11.40	259.821		
1,700.0	1,697.5	1,719.5	1,719.5	5.8	5.9	-141.64	2,922.9	248.2	2,967.3	2,955.6	11.71	253.469		
1,800.0	1,796.3	1,818.3	1,818.3	6.2	6.3	-141.83	2,922.9	248.2	2,979.9	2,967.4	12.41	240.055		
1,900.0	1,895.0	1,917.0	1,917.0	6.5	6.6	-142.01	2,922.9	248.2	2,992.4	2,979.3	13.12	228.000		
2,000.0	1,993.7	2,015.7	2,015.7	6.9	7.0	-142.20	2,922.9	248.2	3,005.0	2,991.1	13.84	217.120		
2,100.0	2,092.5	2,114.5	2,114.5	7.3	7.3	-142.38	2,922.9	248.2	3,017.6	3,003.0	14.56	207.263		
2,200.0	2,191.2	2,209.1	2,209.1	7.7	7.7	-142.56	2,922.9	248.2	3,030.2	3,015.0	15.27	198.493		
2,300.0	2,289.9	2,277.4	2,277.4	8.1	7.9	-142.68	2,923.3	248.5	3,043.5	3,027.7	15.88	191.703		
2,400.0	2,388.7	2,345.6	2,345.6	8.5	8.2	-142.79	2,924.4	249.2	3,057.8	3,041.3	16.48	185.492		
2,500.0	2,487.4	2,413.7	2,413.6	8.9	8.4	-142.89	2,926.1	250.5	3,073.1	3,056.1	17.09	179.799		
2,600.0	2,586.1	2,481.6	2,481.4	9.4	8.7	-142.98	2,928.5	252.2	3,089.4	3,071.7	17.70	174.567		
2,700.0	2,684.9	2,549.3	2,549.1	9.8	8.9	-143.06	2,931.5	254.4	3,106.7	3,088.4	18.30	169.751		
2,800.0	2,783.6	2,616.8	2,616.5	10.2	9.1	-143.14	2,935.1	257.1	3,125.0	3,106.1	18.90	165.313		
2,900.0	2,882.3	2,684.2	2,683.6	10.6	9.4	-143.20	2,939.4	260.2	3,144.2	3,124.7	19.50	161.218		
3,000.0	2,981.1	2,751.3	2,750.4	11.0	9.6	-143.26	2,944.3	263.8	3,164.4	3,144.3	20.10	157.433		
3,100.0	3,079.8	2,818.2	2,817.0	11.5	9.9	-143.31	2,949.8	267.8	3,185.6	3,164.9	20.69	153.934		
3,200.0	3,178.5	2,884.8	2,883.2	11.9	10.1	-143.34	2,955.9	272.3	3,207.7	3,186.4	21.29	150.693		
3,300.0	3,277.3	2,951.1	2,949.0	12.3	10.3	-143.37	2,962.6	277.2	3,230.8	3,208.9	21.88	147.689		
3,400.0	3,376.0	3,025.3	3,022.5	12.7	10.6	-143.40	2,970.7	283.2	3,254.7	3,232.2	22.50	144.660		
3,500.0	3,474.7	3,122.3	3,118.5	13.2	11.0	-143.43	2,981.6	291.1	3,278.9	3,255.7	23.23	141.152		
3,600.0	3,573.5	3,219.3	3,214.6	13.6	11.3	-143.46	2,992.5	299.1	3,303.1	3,279.1	23.96	137.846		
3,700.0	3,672.2	3,316.4	3,310.7	14.0	11.7	-143.49	3,003.4	307.1	3,327.3	3,302.6	24.70	134.726		
3,800.0	3,770.9	3,413.4	3,406.8	14.5	12.1	-143.52	3,014.3	315.1	3,351.5	3,326.1	25.43	131.777		
3,900.0	3,869.7	3,510.4	3,502.8	14.9	12.4	-143.54	3,025.2	323.0	3,375.7	3,349.5	26.17	128.986		
4,000.0	3,968.4	3,607.4	3,598.9	15.3	12.8	-143.57	3,036.1	331.0	3,399.9	3,373.0	26.91	126.341		
4,100.0	4,067.1	3,704.4	3,695.0	15.8	13.2	-143.60	3,047.0	339.0	3,424.1	3,396.5	27.65	123.831		
4,200.0	4,165.9	3,801.4	3,791.0	16.2	13.6	-143.62	3,057.9	347.0	3,448.3	3,419.9	28.39	121.447		
4,300.0	4,264.6	3,898.4	3,887.1	16.6	14.0	-143.65	3,068.8	354.9	3,472.5	3,443.4	29.14	119.180		
4,400.0	4,363.3	4,004.5	3,993.2	17.1	14.4	-143.68	3,079.7	362.9	3,496.7	3,466.8	29.92	116.888		
4,500.0	4,462.1	4,107.5	4,079.2	17.5	14.8	-143.70	3,090.6	370.9	3,521.0	3,490.3	30.68	114.752		
4,600.0	4,560.8	4,189.5	4,175.3	17.9	15.1	-143.73	3,101.5	378.9	3,545.2	3,513.8	31.37	113.001		
4,700.0	4,659.5	4,286.5	4,271.4	18.4	15.5	-143.75	3,112.4	386.9	3,569.4	3,537.3	32.12	111.126		
4,800.0	4,758.3	4,383.5	4,367.4	18.8	15.9	-143.78	3,123.3	394.8	3,593.6	3,560.7	32.87	109.334		
4,900.0	4,857.0	4,480.5	4,463.5	19.2	16.2	-143.80	3,134.2	402.8	3,617.8	3,584.2	33.62	107.619		
5,000.0	4,955.7	4,577.5	4,559.6	19.7	16.6	-143.83	3,145.1	410.8	3,642.0	3,607.6	34.37	105.977		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #121H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.0	5,054.5	4,674.6	4,655.7	20.1	17.0	-143.85	3,155.9	418.8	3,666.2	3,631.1	35.12	104.403		
5,200.0	5,153.2	4,771.6	4,751.7	20.5	17.4	-143.87	3,166.8	426.7	3,690.4	3,654.6	35.87	102.893		
5,300.0	5,251.9	4,868.6	4,847.8	21.0	17.8	-143.90	3,177.7	434.7	3,714.6	3,678.0	36.62	101.443		
5,400.0	5,350.7	4,965.6	4,943.9	21.4	18.2	-143.92	3,188.6	442.7	3,738.9	3,701.5	37.37	100.050		
5,500.0	5,449.4	5,062.6	5,039.9	21.9	18.6	-143.94	3,199.5	450.7	3,763.1	3,725.0	38.12	98.711		
5,600.0	5,548.1	5,383.4	5,358.7	22.3	19.8	-144.10	3,227.7	471.3	3,785.8	3,745.9	39.95	94.773		
5,700.0	5,646.9	5,706.3	5,668.9	22.7	21.0	-144.46	3,234.8	476.4	3,800.1	3,758.5	41.58	91.383		
5,800.0	5,745.6	5,807.5	5,767.6	23.2	21.3	-144.60	3,234.8	476.4	3,813.1	3,770.7	42.33	90.088		
5,900.0	5,844.3	5,908.8	5,866.3	23.6	21.7	-144.74	3,234.8	476.4	3,826.1	3,783.0	43.07	88.838		
6,000.0	5,943.1	5,989.9	5,955.1	24.1	21.9	-144.87	3,234.8	476.4	3,839.1	3,795.3	43.74	87.772		
6,100.0	6,041.8	6,088.7	6,063.8	24.5	22.3	-145.01	3,234.8	476.4	3,852.1	3,807.6	44.47	86.618		
6,200.0	6,140.5	6,187.4	6,162.5	24.9	22.6	-145.14	3,234.8	476.4	3,865.2	3,820.0	45.21	85.502		
6,300.0	6,239.3	6,286.1	6,261.3	25.4	23.0	-145.28	3,234.8	476.4	3,878.3	3,832.3	45.94	84.422		
6,400.0	6,338.0	6,384.9	6,360.0	25.8	23.3	-145.41	3,234.8	476.4	3,891.4	3,844.7	46.67	83.376		
6,500.0	6,436.7	6,483.6	6,458.7	26.2	23.6	-145.54	3,234.8	476.4	3,904.5	3,857.1	47.41	82.364		
6,600.0	6,535.5	6,582.3	6,557.5	26.7	24.0	-145.67	3,234.8	476.4	3,917.6	3,869.5	48.14	81.382		
6,664.9	6,599.6	6,646.4	6,621.6	27.0	24.2	-145.76	3,234.8	476.4	3,926.2	3,877.5	48.61	80.760		
6,700.0	6,634.2	6,681.1	6,656.2	27.1	24.3	-145.84	3,234.8	476.4	3,930.6	3,881.8	48.87	80.428		
6,800.0	6,733.3	6,780.2	6,755.3	27.5	24.7	-146.05	3,234.8	476.4	3,942.0	3,892.4	49.60	79.478		
6,900.0	6,832.7	6,879.5	6,854.7	27.9	25.0	-146.21	3,234.8	476.4	3,951.2	3,900.9	50.32	78.524		
7,000.0	6,932.3	6,979.2	6,954.3	28.3	25.4	-146.34	3,234.8	476.4	3,958.2	3,907.2	51.03	77.566		
7,100.0	7,032.1	7,079.0	7,054.1	28.7	25.7	-146.43	3,234.8	476.4	3,963.1	3,911.4	51.73	76.604		
7,200.0	7,132.1	7,178.9	7,154.1	29.0	26.0	-146.47	3,234.8	476.4	3,965.8	3,913.4	52.43	75.639		
7,273.4	7,205.5	7,258.8	7,234.0	29.2	26.3	-0.17	3,234.7	476.0	3,966.4	3,913.4	52.95	74.910		
7,300.0	7,232.1	7,295.8	7,270.8	29.3	26.4	90.12	3,234.6	473.3	3,966.3	3,913.2	53.15	74.626		
7,350.0	7,281.9	7,364.7	7,338.8	29.4	26.6	90.07	3,234.1	462.0	3,966.0	3,912.5	53.50	74.134		
7,400.0	7,331.1	7,432.7	7,404.0	29.6	26.8	90.02	3,233.3	443.0	3,965.4	3,911.6	53.81	73.693		
7,450.0	7,379.3	7,499.5	7,465.4	29.7	27.0	89.97	3,232.2	416.9	3,964.7	3,910.6	54.09	73.293		
7,500.0	7,426.2	7,564.8	7,522.2	29.7	27.1	89.91	3,230.8	384.7	3,963.7	3,909.4	54.35	72.925		
7,550.0	7,471.5	7,628.5	7,573.6	29.8	27.2	89.85	3,229.1	347.2	3,962.6	3,908.0	54.60	72.573		
7,600.0	7,514.7	7,690.5	7,619.4	29.9	27.4	89.79	3,227.3	305.5	3,961.3	3,906.5	54.85	72.222		
7,650.0	7,555.6	7,750.8	7,659.3	29.9	27.5	89.73	3,225.3	260.4	3,959.9	3,904.8	55.11	71.854		
7,700.0	7,593.8	7,809.3	7,693.4	29.9	27.7	89.67	3,223.3	212.9	3,958.3	3,902.9	55.40	71.450		
7,750.0	7,629.0	7,866.0	7,721.6	30.0	27.9	89.62	3,221.1	163.8	3,956.7	3,901.0	55.73	71.000		
7,800.0	7,661.0	7,921.1	7,744.2	30.0	28.2	89.58	3,218.9	113.6	3,955.0	3,898.9	56.10	70.496		
7,850.0	7,689.6	7,974.6	7,761.4	30.0	28.5	89.55	3,216.7	63.0	3,953.2	3,896.7	56.53	69.930		
7,900.0	7,714.5	8,026.7	7,773.6	30.0	28.8	89.52	3,214.5	12.5	3,951.4	3,894.4	57.02	69.301		
7,950.0	7,735.4	8,077.3	7,781.0	29.9	29.2	89.49	3,212.3	-37.6	3,949.5	3,892.0	57.56	68.612		
8,000.0	7,752.4	8,126.6	7,783.9	29.9	29.6	89.48	3,210.2	-86.8	3,947.7	3,889.5	58.16	67.871		
8,050.0	7,765.2	8,152.4	7,784.0	29.9	29.8	89.55	3,209.1	-112.4	3,945.9	3,887.3	58.64	67.285		
8,100.0	7,773.8	8,173.1	7,784.0	29.9	30.0	89.64	3,208.4	-133.1	3,944.5	3,885.4	59.13	66.713		
8,150.0	7,778.0	8,200.0	7,784.0	29.9	30.3	89.72	3,207.7	-160.1	3,943.4	3,883.7	59.70	66.058		
8,173.4	7,778.5	8,200.0	7,784.0	29.9	30.3	89.76	3,207.7	-160.1	3,943.0	3,883.2	59.86	65.866		
8,200.0	7,778.3	8,215.0	7,784.0	30.0	30.4	89.77	3,207.4	-175.1	3,942.7	3,882.5	60.21	65.481		
8,244.5	7,777.6	8,233.8	7,784.0	30.2	30.6	89.78	3,207.2	-193.9	3,942.4	3,881.6	60.76	64.887		
8,275.0	7,776.8	8,250.3	7,784.0	30.4	30.8	89.78	3,207.1	-210.3	3,942.4	3,881.2	61.19	64.424		
8,300.0	7,776.2	8,266.6	7,784.0	30.7	31.0	89.79	3,207.0	-226.6	3,942.4	3,880.8	61.59	64.009		
8,400.0	7,773.7	8,366.6	7,784.0	31.7	32.1	89.83	3,206.6	-326.6	3,942.6	3,878.9	63.76	61.836		
8,500.0	7,771.2	8,466.5	7,784.0	32.9	33.4	89.86	3,206.3	-426.6	3,942.9	3,876.6	66.21	59.551		
8,600.0	7,768.8	8,566.5	7,784.0	34.2	34.8	89.90	3,205.9	-526.6	3,943.1	3,874.2	68.92	57.211		
8,700.0	7,766.3	8,666.5	7,784.0	35.7	36.3	89.93	3,205.5	-626.5	3,943.3	3,871.4	71.87	54.869		
8,800.0	7,763.8	8,766.4	7,784.0	37.2	37.9	89.97	3,205.2	-726.5	3,943.5	3,868.5	75.02	52.567		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #121H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	8,866.4	7,784.0	38.9	39.6	90.01	3,204.8	-826.5	3,943.8	3,865.4	78.35	50.335		
9,000.0	7,758.8	8,966.4	7,784.0	40.6	41.4	90.04	3,204.4	-926.4	3,944.0	3,862.2	81.84	48.191		
9,100.0	7,756.4	9,066.3	7,784.0	42.4	43.3	90.08	3,204.0	-1,026.4	3,944.2	3,858.8	85.47	46.146		
9,200.0	7,753.9	9,166.3	7,784.0	44.3	45.2	90.11	3,203.7	-1,126.4	3,944.5	3,855.3	89.23	44.208		
9,300.0	7,751.4	9,266.3	7,784.0	46.2	47.1	90.15	3,203.3	-1,226.3	3,944.7	3,851.6	93.09	42.377		
9,400.0	7,748.9	9,366.2	7,784.0	48.1	49.1	90.19	3,202.9	-1,326.3	3,945.0	3,847.9	97.04	40.653		
9,500.0	7,746.4	9,466.2	7,784.0	50.1	51.1	90.22	3,202.6	-1,426.3	3,945.2	3,844.1	101.08	39.031		
9,600.0	7,743.9	9,566.2	7,784.0	52.2	53.2	90.26	3,202.2	-1,526.2	3,945.5	3,840.3	105.19	37.507		
9,700.0	7,741.5	9,666.1	7,784.0	54.3	55.3	90.29	3,201.8	-1,626.2	3,945.7	3,836.3	109.37	36.077		
9,800.0	7,739.0	9,766.1	7,784.0	56.4	57.4	90.33	3,201.5	-1,726.2	3,945.9	3,832.3	113.61	34.734		
9,900.0	7,736.5	9,866.1	7,784.0	58.5	59.6	90.37	3,201.1	-1,826.1	3,946.2	3,828.3	117.89	33.472		
10,000.0	7,734.0	9,966.1	7,784.0	60.7	61.8	90.40	3,200.7	-1,926.1	3,946.4	3,824.2	122.23	32.287		
10,100.0	7,731.5	10,066.0	7,784.0	62.8	64.0	90.44	3,200.3	-2,026.1	3,946.7	3,820.1	126.61	31.173		
10,200.0	7,729.1	10,166.0	7,784.0	65.0	66.2	90.47	3,200.0	-2,126.0	3,946.9	3,815.9	131.02	30.125		
10,300.0	7,726.6	10,266.0	7,784.0	67.3	68.4	90.51	3,199.6	-2,226.0	3,947.2	3,811.7	135.47	29.138		
10,400.0	7,724.1	10,365.9	7,784.0	69.5	70.6	90.55	3,199.2	-2,326.0	3,947.5	3,807.5	139.95	28.207		
10,500.0	7,721.6	10,465.9	7,784.0	71.7	72.9	90.58	3,198.9	-2,426.0	3,947.7	3,803.3	144.45	27.329		
10,600.0	7,719.1	10,565.9	7,784.0	74.0	75.2	90.62	3,198.5	-2,525.9	3,948.0	3,799.0	148.98	26.499		
10,700.0	7,716.7	10,665.8	7,784.0	76.3	77.4	90.65	3,198.1	-2,625.9	3,948.2	3,794.7	153.54	25.715		
10,800.0	7,714.2	10,765.8	7,784.0	78.6	79.7	90.69	3,197.8	-2,725.9	3,948.5	3,790.4	158.11	24.973		
10,900.0	7,711.7	10,865.8	7,784.0	80.9	82.0	90.73	3,197.4	-2,825.8	3,948.8	3,786.1	162.71	24.269		
11,000.0	7,709.2	10,965.7	7,784.0	83.2	84.3	90.76	3,197.0	-2,925.8	3,949.0	3,781.7	167.32	23.602		
11,100.0	7,706.7	11,065.7	7,784.0	85.5	86.6	90.80	3,196.6	-3,025.8	3,949.3	3,777.3	171.95	22.968		
11,200.0	7,704.3	11,165.7	7,784.0	87.8	89.0	90.83	3,196.3	-3,125.7	3,949.6	3,773.0	176.59	22.366		
11,300.0	7,701.8	11,265.6	7,784.0	90.1	91.3	90.87	3,195.9	-3,225.7	3,949.8	3,768.6	181.25	21.792		
11,400.0	7,699.3	11,365.6	7,784.0	92.5	93.6	90.91	3,195.5	-3,325.7	3,950.1	3,764.2	185.92	21.247		
11,500.0	7,696.8	11,465.6	7,784.0	94.8	96.0	90.94	3,195.2	-3,425.6	3,950.4	3,759.8	190.60	20.726		
11,600.0	7,694.3	11,565.6	7,784.0	97.1	98.3	90.98	3,194.8	-3,525.6	3,950.7	3,755.4	195.29	20.230		
11,700.0	7,691.9	11,665.5	7,784.0	99.5	100.7	91.01	3,194.4	-3,625.6	3,950.9	3,750.9	199.99	19.755		
11,800.0	7,689.4	11,765.5	7,784.0	101.8	103.0	91.05	3,194.1	-3,725.5	3,951.2	3,746.5	204.70	19.302		
11,900.0	7,686.9	11,865.5	7,784.0	104.2	105.4	91.09	3,193.7	-3,825.5	3,951.5	3,742.1	209.42	18.868		
12,000.0	7,684.4	11,965.4	7,784.0	106.6	107.7	91.12	3,193.3	-3,925.5	3,951.8	3,737.6	214.15	18.453		
12,100.0	7,681.9	12,065.4	7,784.0	108.9	110.1	91.16	3,192.9	-4,025.4	3,952.0	3,733.2	218.89	18.055		
12,200.0	7,679.4	12,165.4	7,784.0	111.3	112.5	91.19	3,192.6	-4,125.4	3,952.3	3,728.7	223.63	17.674		
12,300.0	7,677.0	12,265.3	7,784.0	113.7	114.8	91.23	3,192.2	-4,225.4	3,952.6	3,724.2	228.38	17.307		
12,400.0	7,674.5	12,365.3	7,784.0	116.1	117.2	91.26	3,191.8	-4,325.3	3,952.9	3,719.8	233.13	16.955		
12,500.0	7,672.0	12,465.3	7,784.0	118.5	119.6	91.30	3,191.5	-4,425.3	3,953.2	3,715.3	237.90	16.617		
12,600.0	7,669.5	12,565.2	7,784.0	120.9	122.0	91.34	3,191.1	-4,525.3	3,953.5	3,710.8	242.66	16.292		
12,700.0	7,667.0	12,665.2	7,784.0	123.2	124.4	91.37	3,190.7	-4,625.3	3,953.8	3,706.3	247.43	15.979		
12,800.0	7,664.6	12,765.2	7,784.0	125.6	126.8	91.41	3,190.4	-4,725.2	3,954.1	3,701.9	252.21	15.678		
12,900.0	7,662.1	12,865.2	7,784.0	128.0	129.1	91.44	3,190.0	-4,825.2	3,954.4	3,697.4	256.99	15.387		
13,000.0	7,659.6	12,965.1	7,784.0	130.4	131.5	91.48	3,189.6	-4,925.2	3,954.7	3,692.9	261.78	15.107		
13,100.0	7,657.1	13,065.1	7,784.0	132.8	133.9	91.52	3,189.2	-5,025.1	3,955.0	3,688.4	266.57	14.837		
13,200.0	7,654.6	13,165.1	7,784.0	135.2	136.3	91.55	3,188.9	-5,125.1	3,955.3	3,683.9	271.36	14.576		
13,300.0	7,652.2	13,265.0	7,784.0	137.6	138.7	91.59	3,188.5	-5,225.1	3,955.6	3,679.4	276.16	14.324		
13,400.0	7,649.7	13,365.0	7,784.0	140.0	141.1	91.62	3,188.1	-5,325.0	3,955.9	3,674.9	280.96	14.080		
13,500.0	7,647.2	13,465.0	7,784.0	142.4	143.5	91.66	3,187.8	-5,425.0	3,956.2	3,670.4	285.76	13.844		
13,600.0	7,644.7	13,564.9	7,784.0	144.9	145.9	91.69	3,187.4	-5,525.0	3,956.5	3,665.9	290.57	13.616		
13,700.0	7,642.2	13,664.9	7,784.0	147.3	148.3	91.73	3,187.0	-5,624.9	3,956.8	3,661.4	295.38	13.396		
13,800.0	7,639.8	13,764.9	7,784.0	149.7	150.7	91.77	3,186.6	-5,724.9	3,957.1	3,656.9	300.19	13.182		
13,900.0	7,637.3	13,864.8	7,784.0	152.1	153.1	91.80	3,186.3	-5,824.9	3,957.4	3,652.4	305.00	12.975		
14,000.0	7,634.8	13,964.8	7,784.0	154.5	155.5	91.84	3,185.9	-5,924.8	3,957.7	3,647.9	309.82	12.774		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #121H - Wellbore #1 - BLM Plan #1												Offset Site Error:	0.0 usft
Survey Program: 0-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,100.0	7,632.3	14,064.8	7,784.0	156.9	158.0	91.87	3,185.5	-6,024.8	3,958.0	3,643.4	314.64	12.580	
14,200.0	7,629.8	14,164.7	7,784.0	159.3	160.4	91.91	3,185.2	-6,124.8	3,958.3	3,638.9	319.46	12.391	
14,300.0	7,627.4	14,264.7	7,784.0	161.8	162.8	91.95	3,184.8	-6,224.7	3,958.7	3,634.4	324.28	12.207	
14,400.0	7,624.9	14,364.7	7,784.0	164.2	165.2	91.98	3,184.4	-6,324.7	3,959.0	3,629.9	329.11	12.029	
14,500.0	7,622.4	14,464.7	7,784.0	166.6	167.6	92.02	3,184.1	-6,424.7	3,959.3	3,625.4	333.93	11.857	
14,600.0	7,619.9	14,564.6	7,784.0	169.0	170.0	92.05	3,183.7	-6,524.6	3,959.6	3,620.9	338.76	11.689	
14,700.0	7,617.4	14,664.6	7,784.0	171.5	172.4	92.09	3,183.3	-6,624.6	3,959.9	3,616.3	343.59	11.525	
14,800.0	7,614.9	14,764.6	7,784.0	173.9	174.8	92.12	3,182.9	-6,724.6	3,960.3	3,611.8	348.42	11.366	
14,900.0	7,612.5	14,864.5	7,784.0	176.3	177.3	92.16	3,182.6	-6,824.6	3,960.6	3,607.3	353.26	11.212	
15,000.0	7,610.0	14,964.5	7,784.0	178.7	179.7	92.20	3,182.2	-6,924.5	3,960.9	3,602.8	358.09	11.061	
15,100.0	7,607.5	15,064.5	7,784.0	181.2	182.1	92.23	3,181.8	-7,024.5	3,961.2	3,598.3	362.93	10.915	
15,200.0	7,605.0	15,164.4	7,784.0	183.6	184.5	92.27	3,181.5	-7,124.5	3,961.6	3,593.8	367.76	10.772	
15,300.0	7,602.5	15,264.4	7,784.0	186.0	186.9	92.30	3,181.1	-7,224.4	3,961.9	3,589.3	372.60	10.633	
15,400.0	7,600.1	15,364.4	7,784.0	188.4	189.4	92.34	3,180.7	-7,324.4	3,962.2	3,584.8	377.44	10.498	
15,463.1	7,598.5	15,427.5	7,784.0	190.0	190.9	92.36	3,180.5	-7,387.5	3,962.5	3,582.0	380.50	10.414 SF	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #122H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	22.0	22.0	0.0	0.0	5.46	2,922.9	279.2	2,936.2					
100.0	100.0	122.0	122.0	0.1	0.2	5.46	2,922.9	279.2	2,936.2	2,935.8	0.34	8,760.194		
200.0	200.0	222.0	222.0	0.5	0.6	5.46	2,922.9	279.2	2,936.2	2,935.1	1.05	2,790.728		
300.0	300.0	322.0	322.0	0.8	0.9	5.46	2,922.9	279.2	2,936.2	2,934.4	1.77	1,659.734		
400.0	400.0	422.0	422.0	1.2	1.3	5.46	2,922.9	279.2	2,936.2	2,933.7	2.49	1,181.080		
500.0	500.0	522.0	522.0	1.6	1.6	5.46	2,922.9	279.2	2,936.2	2,933.0	3.20	916.708		
600.0	600.0	622.0	622.0	1.9	2.0	5.46	2,922.9	279.2	2,936.2	2,932.2	3.92	749.043		
700.0	700.0	722.0	722.0	2.3	2.4	5.46	2,922.9	279.2	2,936.2	2,931.5	4.64	633.227		
800.0	800.0	822.0	822.0	2.6	2.7	5.46	2,922.9	279.2	2,936.2	2,930.8	5.35	548.429		
900.0	900.0	922.0	922.0	3.0	3.1	5.46	2,922.9	279.2	2,936.2	2,930.1	6.07	483.660		
1,000.0	1,000.0	1,022.0	1,022.0	3.4	3.4	5.46	2,922.9	279.2	2,936.2	2,929.4	6.79	432.574		
1,100.0	1,100.0	1,122.0	1,122.0	3.7	3.8	5.46	2,922.9	279.2	2,936.2	2,928.7	7.50	391.249		
1,200.0	1,200.0	1,222.0	1,222.0	4.1	4.2	5.46	2,922.9	279.2	2,936.2	2,927.9	8.22	357.131		
1,300.0	1,300.0	1,322.0	1,322.0	4.4	4.5	-140.87	2,922.9	279.2	2,937.5	2,928.6	8.92	329.231		
1,400.0	1,399.8	1,421.8	1,421.8	4.7	4.9	-140.89	2,922.9	279.2	2,941.6	2,932.0	9.61	306.054		
1,500.0	1,499.5	1,542.5	1,542.5	5.1	5.3	-140.93	2,922.7	279.3	2,948.3	2,937.9	10.37	284.240		
1,600.0	1,598.7	1,739.9	1,739.8	5.4	5.9	-141.11	2,917.9	280.1	2,955.4	2,944.0	11.36	260.126		
1,656.4	1,654.4	1,851.4	1,851.1	5.6	6.3	-141.24	2,912.3	281.2	2,959.2	2,947.3	11.92	248.276		
1,700.0	1,697.5	1,937.8	1,937.4	5.8	6.6	-141.37	2,906.4	282.3	2,961.7	2,949.4	12.35	239.782		
1,800.0	1,796.3	2,136.6	2,135.3	6.2	7.3	-141.66	2,888.1	285.7	2,965.1	2,951.8	13.35	222.111		
1,900.0	1,895.0	2,335.9	2,332.9	6.5	8.0	-141.91	2,863.0	290.3	2,965.2	2,950.9	14.35	206.606		
2,000.0	1,993.7	2,535.2	2,529.5	6.9	8.7	-142.12	2,831.2	296.3	2,962.0	2,946.7	15.35	192.906		
2,100.0	2,092.5	2,734.0	2,724.4	7.3	9.5	-142.31	2,792.7	303.4	2,955.4	2,939.1	16.35	180.714		
2,200.0	2,191.2	2,892.8	2,879.1	7.7	10.2	-142.43	2,757.4	310.0	2,945.8	2,928.6	17.24	170.825		
2,300.0	2,289.9	3,007.8	2,975.8	8.1	10.7	-142.50	2,734.5	314.2	2,935.6	2,917.5	18.04	162.740		
2,400.0	2,388.7	3,108.4	3,072.4	8.5	11.2	-142.57	2,711.6	318.5	2,925.4	2,906.6	18.78	155.734		
2,500.0	2,487.4	3,209.0	3,169.1	8.9	11.6	-142.65	2,688.8	322.7	2,915.1	2,895.6	19.53	149.230		
2,600.0	2,586.1	3,309.6	3,265.7	9.4	12.1	-142.72	2,665.9	327.0	2,904.9	2,884.6	20.29	143.181		
2,700.0	2,684.9	3,389.8	3,362.4	9.8	12.4	-142.80	2,643.0	331.2	2,894.7	2,873.8	20.97	138.048		
2,800.0	2,783.6	3,489.2	3,459.0	10.2	12.9	-142.87	2,620.2	335.5	2,884.5	2,862.8	21.72	132.777		
2,900.0	2,882.3	3,588.6	3,555.6	10.6	13.4	-142.95	2,597.3	339.7	2,874.3	2,851.8	22.48	127.845		
3,000.0	2,981.1	3,688.0	3,652.3	11.0	13.8	-143.03	2,574.4	344.0	2,864.1	2,840.9	23.24	123.223		
3,100.0	3,079.8	3,787.4	3,748.9	11.5	14.3	-143.10	2,551.6	348.2	2,853.9	2,829.9	24.01	118.884		
3,200.0	3,178.5	3,886.8	3,845.6	11.9	14.8	-143.18	2,528.7	352.4	2,843.8	2,819.0	24.77	114.804		
3,300.0	3,277.3	3,986.2	3,942.2	12.3	15.3	-143.26	2,505.8	356.7	2,833.6	2,808.0	25.54	110.961		
3,400.0	3,376.0	4,085.6	4,038.9	12.7	15.8	-143.34	2,483.0	360.9	2,823.4	2,797.1	26.30	107.336		
3,500.0	3,474.7	4,185.0	4,135.5	13.2	16.2	-143.42	2,460.1	365.2	2,813.2	2,786.2	27.07	103.912		
3,600.0	3,573.5	4,284.4	4,232.2	13.6	16.7	-143.50	2,437.2	369.4	2,803.1	2,775.2	27.84	100.673		
3,700.0	3,672.2	4,383.8	4,328.8	14.0	17.2	-143.58	2,414.3	373.7	2,792.9	2,764.3	28.61	97.605		
3,800.0	3,770.9	4,483.3	4,425.5	14.5	17.7	-143.66	2,391.5	377.9	2,782.8	2,753.4	29.39	94.694		
3,900.0	3,869.7	4,582.7	4,522.1	14.9	18.2	-143.74	2,368.6	382.2	2,772.6	2,742.5	30.16	91.931		
4,000.0	3,968.4	4,682.1	4,618.8	15.3	18.7	-143.82	2,345.7	386.4	2,762.5	2,731.6	30.93	89.304		
4,100.0	4,067.1	4,781.5	4,715.4	15.8	19.2	-143.91	2,322.9	390.7	2,752.4	2,720.7	31.71	86.803		
4,200.0	4,165.9	4,880.9	4,812.0	16.2	19.7	-143.99	2,300.0	394.9	2,742.2	2,709.8	32.48	84.420		
4,300.0	4,264.6	4,980.3	4,908.7	16.6	20.2	-144.07	2,277.1	399.2	2,732.1	2,698.9	33.26	82.148		
4,400.0	4,363.3	5,079.7	5,005.3	17.1	20.7	-144.16	2,254.3	403.4	2,722.0	2,688.0	34.03	79.978		
4,500.0	4,462.1	5,179.1	5,102.0	17.5	21.2	-144.24	2,231.4	407.7	2,711.9	2,677.1	34.81	77.903		
4,600.0	4,560.8	5,278.5	5,198.6	17.9	21.7	-144.33	2,208.5	411.9	2,701.8	2,666.2	35.59	75.919		
4,700.0	4,659.5	5,377.9	5,295.3	18.4	22.2	-144.42	2,185.7	416.2	2,691.7	2,655.3	36.36	74.019		
4,800.0	4,758.3	5,477.3	5,391.9	18.8	22.7	-144.50	2,162.8	420.4	2,681.6	2,644.5	37.14	72.199		
4,900.0	4,857.0	5,576.7	5,488.6	19.2	23.2	-144.59	2,139.9	424.7	2,671.5	2,633.6	37.92	70.452		
5,000.0	4,955.7	5,676.1	5,585.2	19.7	23.7	-144.68	2,117.1	428.9	2,661.4	2,622.7	38.70	68.776		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #122H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.0	5,054.5	5,775.5	5,681.9	20.1	24.2	-144.77	2,094.2	433.2	2,651.4	2,611.9	39.47	67.166		
5,200.0	5,153.2	5,874.9	5,778.5	20.5	24.7	-144.86	2,071.3	437.4	2,641.3	2,601.0	40.25	65.618		
5,300.0	5,251.9	5,974.3	5,875.2	21.0	25.2	-144.95	2,048.5	441.7	2,631.2	2,590.2	41.03	64.129		
5,400.0	5,350.7	6,073.7	5,971.8	21.4	25.7	-145.04	2,025.6	445.9	2,621.2	2,579.4	41.81	62.695		
5,500.0	5,449.4	6,173.2	6,068.4	21.9	26.2	-145.14	2,002.7	450.1	2,611.1	2,568.6	42.59	61.314		
5,600.0	5,548.1	6,272.6	6,165.1	22.3	26.7	-145.23	1,979.9	454.4	2,601.1	2,557.7	43.36	59.982		
5,700.0	5,646.9	6,372.0	6,261.7	22.7	27.2	-145.32	1,957.0	458.6	2,591.1	2,546.9	44.14	58.698		
5,800.0	5,745.6	6,454.5	6,342.0	23.2	27.6	-145.40	1,938.1	462.2	2,581.2	2,536.3	44.88	57.511		
5,900.0	5,844.3	6,514.5	6,400.5	23.6	27.9	-145.46	1,925.1	464.6	2,572.6	2,527.0	45.56	56.465		
6,000.0	5,943.1	6,574.6	6,459.3	24.1	28.2	-145.53	1,913.0	466.8	2,565.5	2,519.3	46.23	55.497		
6,100.0	6,041.8	6,634.7	6,518.4	24.5	28.5	-145.60	1,901.8	468.9	2,560.0	2,513.1	46.88	54.604		
6,200.0	6,140.5	6,700.0	6,582.7	24.9	28.8	-145.68	1,890.8	470.9	2,556.0	2,508.5	47.54	53.763		
6,300.0	6,239.3	6,755.3	6,637.3	25.4	29.1	-145.75	1,882.2	472.5	2,553.6	2,505.5	48.16	53.028		
6,400.0	6,338.0	6,815.6	6,696.9	25.8	29.3	-145.84	1,873.8	474.1	2,552.8	2,504.0	48.77	52.341		
6,404.8	6,342.7	6,818.4	6,699.8	25.8	29.3	-145.84	1,873.4	474.2	2,552.8	2,504.0	48.80	52,309 CC		
6,500.0	6,436.7	6,875.8	6,756.7	26.2	29.6	-145.92	1,866.3	475.5	2,553.5	2,504.1	49.37	51.717		
6,600.0	6,535.5	6,936.0	6,816.6	26.7	29.8	-146.02	1,859.7	476.7	2,555.7	2,505.8	49.96	51.154		
6,664.9	6,599.6	6,975.1	6,855.4	27.0	30.0	-146.08	1,855.9	477.4	2,558.0	2,507.7	50.34	50.820		
6,700.0	6,634.2	7,000.0	6,880.2	27.1	30.0	-146.13	1,853.7	477.8	2,559.4	2,508.9	50.55	50.631		
6,800.0	6,733.3	7,056.3	6,936.4	27.5	30.2	-146.23	1,849.3	478.6	2,563.0	2,511.9	51.09	50.170		
6,900.0	6,832.7	7,116.5	6,996.4	27.9	30.5	-146.33	1,845.5	479.3	2,565.9	2,514.3	51.62	49.711		
7,000.0	6,932.3	7,176.6	7,056.5	28.3	30.7	-146.40	1,842.7	479.9	2,568.2	2,516.1	52.12	49.271		
7,100.0	7,032.1	7,236.8	7,116.6	28.7	30.9	-146.45	1,840.7	480.2	2,569.8	2,517.2	52.61	48.848		
7,200.0	7,132.1	7,300.0	7,179.8	29.0	31.1	-146.47	1,839.7	480.4	2,570.9	2,517.8	53.09	48.425		
7,273.4	7,205.5	7,343.6	7,223.4	29.2	31.2	-0.16	1,839.6	480.3	2,571.2	2,517.8	53.40	48.150		
7,300.0	7,232.1	7,363.7	7,243.5	29.3	31.2	90.13	1,839.7	479.5	2,571.3	2,517.8	53.53	48.038		
7,350.0	7,281.9	7,400.0	7,279.7	29.4	31.3	90.09	1,839.9	476.3	2,571.6	2,517.9	53.74	47.850		
7,400.0	7,331.1	7,439.1	7,318.3	29.6	31.4	90.05	1,840.3	470.3	2,572.2	2,518.3	53.96	47.673		
7,450.0	7,379.3	7,476.8	7,355.1	29.7	31.5	90.01	1,840.9	462.1	2,573.1	2,518.9	54.14	47.522		
7,500.0	7,426.2	7,514.7	7,391.4	29.7	31.6	89.96	1,841.6	451.4	2,574.1	2,519.8	54.32	47.389		
7,550.0	7,471.5	7,552.6	7,427.0	29.8	31.7	89.90	1,842.5	438.3	2,575.4	2,520.9	54.48	47.271		
7,600.0	7,514.7	7,590.8	7,461.8	29.9	31.7	89.84	1,843.6	422.8	2,576.9	2,522.3	54.64	47.164		
7,650.0	7,555.6	7,629.1	7,495.7	29.9	31.8	89.77	1,844.9	404.9	2,578.7	2,523.9	54.79	47.062		
7,700.0	7,593.8	7,667.6	7,528.5	29.9	31.9	89.70	1,846.3	384.7	2,580.6	2,525.7	54.95	46.960		
7,750.0	7,629.0	7,706.5	7,560.0	30.0	31.9	89.63	1,847.9	362.2	2,582.8	2,527.7	55.13	46.851		
7,800.0	7,661.0	7,745.6	7,590.3	30.0	31.9	89.56	1,849.6	337.3	2,585.2	2,529.8	55.32	46.728		
7,850.0	7,689.6	7,785.2	7,619.0	30.0	32.0	89.48	1,851.5	310.2	2,587.7	2,532.2	55.55	46.584		
7,900.0	7,714.5	7,825.2	7,646.0	30.0	32.0	89.41	1,853.6	280.8	2,590.4	2,534.6	55.82	46.411		
7,950.0	7,735.4	7,865.6	7,671.3	29.9	32.0	89.33	1,855.8	249.3	2,593.3	2,537.2	56.13	46.204		
8,000.0	7,752.4	7,906.7	7,694.5	29.9	32.1	89.26	1,858.1	215.6	2,596.3	2,539.9	56.49	45.959		
8,050.0	7,765.2	7,948.3	7,715.5	29.9	32.1	89.19	1,860.6	179.7	2,599.5	2,542.6	56.92	45.671		
8,100.0	7,773.8	7,990.7	7,734.2	29.9	32.1	89.13	1,863.3	141.8	2,602.8	2,545.4	57.41	45.334		
8,150.0	7,778.0	8,033.8	7,750.3	29.9	32.1	89.07	1,866.1	101.9	2,606.2	2,548.2	57.97	44.959		
8,173.4	7,778.5	8,054.3	7,756.9	29.9	32.1	89.04	1,867.4	82.5	2,607.8	2,549.6	58.25	44.771		
8,200.0	7,778.3	8,078.0	7,763.6	30.0	32.1	89.15	1,869.0	59.9	2,609.7	2,551.1	58.59	44.541		
8,244.5	7,777.6	8,118.7	7,773.0	30.2	32.2	89.31	1,871.8	20.4	2,612.9	2,553.7	59.21	44.129		
8,300.0	7,776.2	8,171.1	7,780.8	30.7	32.2	89.51	1,875.4	-31.3	2,617.0	2,557.0	60.07	43.567		
8,400.0	7,773.7	8,461.9	7,784.0	31.7	33.6	89.74	1,886.5	-321.7	2,622.4	2,558.4	64.07	40.931		
8,500.0	7,771.2	8,561.9	7,784.0	32.9	34.7	89.79	1,886.1	-421.6	2,622.7	2,556.1	66.54	39.417		
8,600.0	7,768.8	8,661.8	7,784.0	34.2	36.0	89.85	1,885.7	-521.6	2,622.9	2,553.6	69.25	37.873		
8,700.0	7,766.3	8,761.8	7,784.0	35.7	37.4	89.90	1,885.3	-621.6	2,623.1	2,550.9	72.20	36.329		
8,800.0	7,763.8	8,861.8	7,784.0	37.2	39.0	89.96	1,885.0	-721.5	2,623.4	2,548.0	75.36	34.811		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #122H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	8,961.7	7,784.0	38.9	40.6	90.01	1,884.6	-821.5	2,623.6	2,544.9	78.69	33.339		
9,000.0	7,758.8	9,061.7	7,784.0	40.6	42.4	90.06	1,884.2	-921.5	2,623.8	2,541.6	82.19	31.925		
9,100.0	7,756.4	9,161.7	7,784.0	42.4	44.2	90.12	1,883.9	-1,021.4	2,624.1	2,538.3	85.82	30.576		
9,200.0	7,753.9	9,261.6	7,784.0	44.3	46.1	90.17	1,883.5	-1,121.4	2,624.3	2,534.7	89.58	29.297		
9,300.0	7,751.4	9,361.6	7,784.0	46.2	48.0	90.23	1,883.1	-1,221.4	2,624.6	2,531.1	93.44	28.089		
9,400.0	7,748.9	9,461.6	7,784.0	48.1	49.9	90.28	1,882.8	-1,321.4	2,624.8	2,527.4	97.39	26.951		
9,500.0	7,746.4	9,561.5	7,784.0	50.1	52.0	90.34	1,882.4	-1,421.3	2,625.1	2,523.6	101.43	25.880		
9,600.0	7,743.9	9,661.5	7,784.0	52.2	54.0	90.39	1,882.0	-1,521.3	2,625.3	2,519.8	105.55	24.873		
9,700.0	7,741.5	9,761.5	7,784.0	54.3	56.1	90.44	1,881.7	-1,621.3	2,625.6	2,515.8	109.73	23.928		
9,800.0	7,739.0	9,861.5	7,784.0	56.4	58.2	90.50	1,881.3	-1,721.2	2,625.8	2,511.9	113.96	23.041		
9,900.0	7,736.5	9,961.4	7,784.0	58.5	60.3	90.55	1,880.9	-1,821.2	2,626.1	2,507.8	118.25	22.207		
10,000.0	7,734.0	10,061.4	7,784.0	60.7	62.5	90.61	1,880.6	-1,921.2	2,626.3	2,503.7	122.59	21.424		
10,100.0	7,731.5	10,161.4	7,784.0	62.8	64.7	90.66	1,880.2	-2,021.1	2,626.6	2,499.6	126.97	20.687		
10,200.0	7,729.1	10,261.3	7,784.0	65.0	66.9	90.71	1,879.8	-2,121.1	2,626.9	2,495.5	131.38	19.994		
10,300.0	7,726.6	10,361.3	7,784.0	67.3	69.1	90.77	1,879.5	-2,221.1	2,627.1	2,491.3	135.83	19.341		
10,400.0	7,724.1	10,461.3	7,784.0	69.5	71.3	90.82	1,879.1	-2,321.0	2,627.4	2,487.1	140.31	18.726		
10,500.0	7,721.6	10,561.2	7,784.0	71.7	73.5	90.88	1,878.7	-2,421.0	2,627.7	2,482.9	144.82	18.145		
10,600.0	7,719.1	10,661.2	7,784.0	74.0	75.8	90.93	1,878.4	-2,521.0	2,628.0	2,478.6	149.35	17.596		
10,700.0	7,716.7	10,761.2	7,784.0	76.3	78.1	90.98	1,878.0	-2,620.9	2,628.2	2,474.3	153.90	17.077		
10,800.0	7,714.2	10,861.1	7,784.0	78.6	80.3	91.04	1,877.6	-2,720.9	2,628.5	2,470.0	158.48	16.586		
10,900.0	7,711.7	10,961.1	7,784.0	80.9	82.6	91.09	1,877.3	-2,820.9	2,628.8	2,465.7	163.07	16.120		
11,000.0	7,709.2	11,061.1	7,784.0	83.2	84.9	91.15	1,876.9	-2,920.8	2,629.1	2,461.4	167.68	15.679		
11,100.0	7,706.7	11,161.0	7,784.0	85.5	87.2	91.20	1,876.5	-3,020.8	2,629.4	2,457.0	172.31	15.259		
11,200.0	7,704.3	11,261.0	7,784.0	87.8	89.5	91.25	1,876.2	-3,120.8	2,629.6	2,452.7	176.95	14.861		
11,300.0	7,701.8	11,361.0	7,784.0	90.1	91.9	91.31	1,875.8	-3,220.7	2,629.9	2,448.3	181.61	14.481		
11,400.0	7,699.3	11,461.0	7,784.0	92.5	94.2	91.36	1,875.4	-3,320.7	2,630.2	2,444.0	186.28	14.120		
11,500.0	7,696.8	11,560.9	7,784.0	94.8	96.5	91.42	1,875.1	-3,420.7	2,630.5	2,439.6	190.96	13.775		
11,600.0	7,694.3	11,660.9	7,784.0	97.1	98.9	91.47	1,874.7	-3,520.7	2,630.8	2,435.2	195.65	13.446		
11,700.0	7,691.9	11,760.9	7,784.0	99.5	101.2	91.52	1,874.3	-3,620.6	2,631.1	2,430.8	200.35	13.132		
11,800.0	7,689.4	11,860.8	7,784.0	101.8	103.5	91.58	1,874.0	-3,720.6	2,631.4	2,426.4	205.06	12.832		
11,900.0	7,686.9	11,960.8	7,784.0	104.2	105.9	91.63	1,873.6	-3,820.6	2,631.7	2,422.0	209.78	12.545		
12,000.0	7,684.4	12,060.8	7,784.0	106.6	108.2	91.68	1,873.2	-3,920.5	2,632.0	2,417.5	214.51	12.270		
12,100.0	7,681.9	12,160.7	7,784.0	108.9	110.6	91.74	1,872.8	-4,020.5	2,632.4	2,413.1	219.24	12.007		
12,200.0	7,679.4	12,260.7	7,784.0	111.3	113.0	91.79	1,872.5	-4,120.5	2,632.7	2,408.7	223.98	11.754		
12,300.0	7,677.0	12,360.7	7,784.0	113.7	115.3	91.85	1,872.1	-4,220.4	2,633.0	2,404.2	228.73	11.511		
12,400.0	7,674.5	12,460.6	7,784.0	116.1	117.7	91.90	1,871.7	-4,320.4	2,633.3	2,399.8	233.48	11.278		
12,500.0	7,672.0	12,560.6	7,784.0	118.5	120.1	91.95	1,871.4	-4,420.4	2,633.6	2,395.4	238.24	11.054		
12,600.0	7,669.5	12,660.6	7,784.0	120.9	122.5	92.01	1,871.0	-4,520.3	2,633.9	2,390.9	243.01	10.839		
12,700.0	7,667.0	12,760.6	7,784.0	123.2	124.8	92.06	1,870.6	-4,620.3	2,634.3	2,386.5	247.77	10.632		
12,800.0	7,664.6	12,860.5	7,784.0	125.6	127.2	92.12	1,870.3	-4,720.3	2,634.6	2,382.0	252.55	10.432		
12,900.0	7,662.1	12,960.5	7,784.0	128.0	129.6	92.17	1,869.9	-4,820.2	2,634.9	2,377.6	257.32	10.240		
13,000.0	7,659.6	13,060.5	7,784.0	130.4	132.0	92.22	1,869.5	-4,920.2	2,635.2	2,373.1	262.11	10.054		
13,100.0	7,657.1	13,160.4	7,784.0	132.8	134.4	92.28	1,869.2	-5,020.2	2,635.6	2,368.7	266.89	9.875		
13,200.0	7,654.6	13,260.4	7,784.0	135.2	136.8	92.33	1,868.8	-5,120.1	2,635.9	2,364.2	271.68	9.702		
13,300.0	7,652.2	13,360.4	7,784.0	137.6	139.2	92.38	1,868.4	-5,220.1	2,636.2	2,359.8	276.47	9.535		
13,400.0	7,649.7	13,460.3	7,784.0	140.0	141.6	92.44	1,868.1	-5,320.1	2,636.6	2,355.3	281.27	9.374		
13,500.0	7,647.2	13,560.3	7,784.0	142.4	144.0	92.49	1,867.7	-5,420.0	2,636.9	2,350.9	286.07	9.218		
13,600.0	7,644.7	13,660.3	7,784.0	144.9	146.4	92.54	1,867.3	-5,520.0	2,637.3	2,346.4	290.87	9.067		
13,700.0	7,642.2	13,760.2	7,784.0	147.3	148.8	92.60	1,867.0	-5,620.0	2,637.6	2,342.0	295.67	8.921		
13,800.0	7,639.8	13,860.2	7,784.0	149.7	151.2	92.65	1,866.6	-5,720.0	2,638.0	2,337.5	300.47	8.779		
13,900.0	7,637.3	13,960.2	7,784.0	152.1	153.6	92.71	1,866.2	-5,819.9	2,638.3	2,333.0	305.28	8.642		
14,000.0	7,634.8	14,060.1	7,784.0	154.5	156.0	92.76	1,865.9	-5,919.9	2,638.7	2,328.6	310.09	8.509		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #122H - Wellbore #1 - BLM Plan #1												Offset Site Error:	0.0 usft
Survey Program: 0-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,100.0	7,632.3	14,160.1	7,784.0	156.9	158.4	92.81	1,865.5	-6,019.9	2,639.0	2,324.1	314.90	8,380	
14,200.0	7,629.8	14,260.1	7,784.0	159.3	160.8	92.87	1,865.1	-6,119.8	2,639.4	2,319.7	319.72	8,255	
14,300.0	7,627.4	14,360.1	7,784.0	161.8	163.2	92.92	1,864.8	-6,219.8	2,639.7	2,315.2	324.53	8,134	
14,400.0	7,624.9	14,460.0	7,784.0	164.2	165.6	92.97	1,864.4	-6,319.8	2,640.1	2,310.8	329.35	8,016	
14,500.0	7,622.4	14,560.0	7,784.0	166.6	168.0	93.03	1,864.0	-6,419.7	2,640.5	2,306.3	334.17	7,902	
14,600.0	7,619.9	14,660.0	7,784.0	169.0	170.4	93.08	1,863.7	-6,519.7	2,640.8	2,301.9	338.99	7,790	
14,700.0	7,617.4	14,759.9	7,784.0	171.5	172.8	93.13	1,863.3	-6,619.7	2,641.2	2,297.4	343.81	7,682	
14,800.0	7,614.9	14,859.9	7,784.0	173.9	175.2	93.19	1,862.9	-6,719.6	2,641.6	2,293.0	348.63	7,577	
14,900.0	7,612.5	14,959.9	7,784.0	176.3	177.7	93.24	1,862.6	-6,819.6	2,642.0	2,288.5	353.45	7,475	
15,000.0	7,610.0	15,059.8	7,784.0	178.7	180.1	93.29	1,862.2	-6,919.6	2,642.3	2,284.1	358.28	7,375	
15,100.0	7,607.5	15,159.8	7,784.0	181.2	182.5	93.35	1,861.8	-7,019.5	2,642.7	2,279.6	363.10	7,278	
15,200.0	7,605.0	15,259.8	7,784.0	183.6	184.9	93.40	1,861.4	-7,119.5	2,643.1	2,275.2	367.93	7,184	
15,300.0	7,602.5	15,359.7	7,784.0	186.0	187.3	93.45	1,861.1	-7,219.5	2,643.5	2,270.7	372.75	7,092	
15,400.0	7,600.1	15,459.7	7,784.0	188.4	189.7	93.51	1,860.7	-7,319.4	2,643.9	2,266.3	377.58	7,002	
15,463.1	7,598.5	15,522.8	7,784.0	190.0	191.3	93.54	1,860.5	-7,382.5	2,644.1	2,263.5	380.63	6,947 ES, SF	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #124Y - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 397-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	179.23	-29.5	0.4	29.6					
100.0	100.0	98.8	98.8	0.1	0.2	179.24	-29.9	0.4	29.9	29.6	0.30	100.279		
200.0	200.0	198.5	198.5	0.5	0.3	179.27	-31.1	0.4	31.1	30.3	0.82	37.784		
300.0	300.0	298.2	298.2	0.8	0.5	179.31	-33.1	0.4	33.1	31.7	1.35	24.532		
400.0	400.0	397.9	397.9	1.2	0.7	179.36	-35.8	0.4	35.8	33.9	1.87	19.128		
500.0	500.0	397.0	396.9	1.6	0.7	179.36	-35.8	0.4	108.2	100.9	7.26	14.891 SF		
600.0	600.0	397.0	396.9	1.9	0.7	179.36	-35.8	0.4	205.2	197.7	7.48	27.417		
700.0	700.0	397.0	396.9	2.3	0.7	179.36	-35.8	0.4	304.2	296.7	7.46	40.751		
800.0	800.0	397.0	396.9	2.6	0.7	179.36	-35.8	0.4	403.7	396.2	7.40	54.516		
900.0	900.0	397.0	396.9	3.0	0.7	179.36	-35.8	0.4	503.3	496.0	7.33	68.634		
1,000.0	1,000.0	397.0	396.9	3.4	0.7	179.36	-35.8	0.4	603.1	595.9	7.26	83.081		
1,100.0	1,100.0	397.0	396.9	3.7	0.7	179.36	-35.8	0.4	703.0	695.8	7.18	97.845		
1,200.0	1,200.0	397.0	396.9	4.1	0.7	179.36	-35.8	0.4	802.9	795.8	7.11	112.920		
1,300.0	1,300.0	397.0	396.9	4.4	0.7	18.09	-35.8	0.4	902.7	895.7	7.04	128.304		
1,400.0	1,399.8	397.0	396.9	4.7	0.7	11.86	-35.8	0.4	1,002.4	995.4	6.96	143.987		
1,500.0	1,499.5	397.0	396.9	5.1	0.7	8.57	-35.8	0.4	1,101.8	1,094.9	6.89	159.956		
1,600.0	1,598.7	397.0	396.9	5.4	0.7	6.57	-35.8	0.4	1,200.9	1,194.1	6.82	176.205		
1,656.4	1,654.4	397.0	396.9	5.6	0.7	5.77	-35.8	0.4	1,256.7	1,249.9	6.77	185.532		
1,700.0	1,697.5	397.0	396.9	5.8	0.7	5.77	-35.8	0.4	1,299.8	1,293.1	6.74	192.747		
1,800.0	1,796.3	397.0	396.9	6.2	0.7	5.77	-35.8	0.4	1,398.8	1,392.1	6.68	209.330		
1,900.0	1,895.0	397.0	396.9	6.5	0.7	5.77	-35.8	0.4	1,497.9	1,491.2	6.62	226.180		
2,000.0	1,993.7	397.0	396.9	6.9	0.7	5.77	-35.8	0.4	1,597.1	1,590.5	6.56	243.270		
2,100.0	2,092.5	397.0	396.9	7.3	0.7	5.77	-35.8	0.4	1,696.4	1,689.9	6.51	260.569		
2,200.0	2,191.2	397.0	396.9	7.7	0.7	5.77	-35.8	0.4	1,795.7	1,789.3	6.46	278.042		
2,300.0	2,289.9	397.0	396.9	8.1	0.7	5.77	-35.8	0.4	1,895.2	1,888.8	6.41	295.650		
2,400.0	2,388.7	397.0	396.9	8.5	0.7	5.77	-35.8	0.4	1,994.7	1,988.3	6.37	313.349		
2,500.0	2,487.4	397.0	396.9	8.9	0.7	5.77	-35.8	0.4	2,094.2	2,087.9	6.33	331.089		
2,600.0	2,586.1	397.0	396.9	9.4	0.7	5.77	-35.8	0.4	2,193.8	2,187.5	6.29	348.818		
2,700.0	2,684.9	397.0	396.9	9.8	0.7	5.77	-35.8	0.4	2,293.5	2,287.2	6.26	366.476		
2,800.0	2,783.6	397.0	396.9	10.2	0.7	5.77	-35.8	0.4	2,393.1	2,386.9	6.23	384.001		
2,900.0	2,882.3	397.0	396.9	10.6	0.7	5.77	-35.8	0.4	2,492.8	2,486.6	6.21	401.326		
3,000.0	2,981.1	397.0	396.9	11.0	0.7	5.77	-35.8	0.4	2,592.5	2,586.3	6.20	418.383		
3,100.0	3,079.8	397.0	396.9	11.5	0.7	5.77	-35.8	0.4	2,692.2	2,686.0	6.19	435.102		
3,200.0	3,178.5	397.0	396.9	11.9	0.7	5.77	-35.8	0.4	2,792.0	2,785.8	6.18	451.417		
3,300.0	3,277.3	397.0	396.9	12.3	0.7	5.77	-35.8	0.4	2,891.7	2,885.6	6.19	467.260		
3,400.0	3,376.0	397.0	396.9	12.7	0.7	5.77	-35.8	0.4	2,991.5	2,985.3	6.20	482.571		
3,500.0	3,474.7	397.0	396.9	13.2	0.7	5.77	-35.8	0.4	3,091.3	3,085.1	6.22	497.294		
3,600.0	3,573.5	397.0	396.9	13.6	0.7	5.77	-35.8	0.4	3,191.1	3,184.9	6.24	511.381		
3,700.0	3,672.2	397.0	396.9	14.0	0.7	5.77	-35.8	0.4	3,291.0	3,284.7	6.27	524.792		
3,800.0	3,770.9	397.0	396.9	14.5	0.7	5.77	-35.8	0.4	3,390.8	3,384.5	6.31	537.496		
3,900.0	3,869.7	397.0	396.9	14.9	0.7	5.77	-35.8	0.4	3,490.6	3,484.3	6.35	549.471		
4,000.0	3,968.4	397.0	396.9	15.3	0.7	5.77	-35.8	0.4	3,590.5	3,584.1	6.40	560.704		
4,100.0	4,067.1	397.0	396.9	15.8	0.7	5.77	-35.8	0.4	3,690.3	3,683.9	6.46	571.192		
4,200.0	4,165.9	397.0	396.9	16.2	0.7	5.77	-35.8	0.4	3,790.2	3,783.7	6.52	580.938		
4,300.0	4,264.6	397.0	396.9	16.6	0.7	5.77	-35.8	0.4	3,890.1	3,883.5	6.59	589.952		
4,400.0	4,363.3	397.0	396.9	17.1	0.7	5.77	-35.8	0.4	3,989.9	3,983.3	6.67	598.250		
4,500.0	4,462.1	397.0	396.9	17.5	0.7	5.77	-35.8	0.4	4,089.8	4,083.1	6.75	605.853		
4,600.0	4,560.8	397.0	396.9	17.9	0.7	5.77	-35.8	0.4	4,189.7	4,182.9	6.84	612.786		
4,700.0	4,659.5	397.0	396.9	18.4	0.7	5.77	-35.8	0.4	4,289.6	4,282.7	6.93	619.075		
4,800.0	4,758.3	397.0	396.9	18.8	0.7	5.77	-35.8	0.4	4,389.5	4,382.5	7.03	624.749		
4,900.0	4,857.0	397.0	396.9	19.2	0.7	5.77	-35.8	0.4	4,489.4	4,482.3	7.13	629.837		
5,000.0	4,955.7	397.0	396.9	19.7	0.7	5.77	-35.8	0.4	4,589.3	4,582.1	7.23	634.372		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #124Y - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 397-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.0	5,054.5	397.0	396.9	20.1	0.7	5.77	-35.8	0.4	4,689.2	4,681.9	7.35	638.381		
5,200.0	5,153.2	397.0	396.9	20.5	0.7	5.77	-35.8	0.4	4,789.2	4,781.7	7.46	641.897		
5,300.0	5,251.9	397.0	396.9	21.0	0.7	5.77	-35.8	0.4	4,889.1	4,881.5	7.58	644.946		
5,400.0	5,350.7	397.0	396.9	21.4	0.7	5.77	-35.8	0.4	4,989.0	4,981.3	7.70	647.559		
5,500.0	5,449.4	397.0	396.9	21.9	0.7	5.77	-35.8	0.4	5,088.9	5,081.1	7.83	649.761		
5,600.0	5,548.1	397.0	396.9	22.3	0.7	5.77	-35.8	0.4	5,188.9	5,180.9	7.96	651.579		
5,700.0	5,646.9	397.0	396.9	22.7	0.7	5.77	-35.8	0.4	5,288.8	5,280.7	8.10	653.037		
5,800.0	5,745.6	397.0	396.9	23.2	0.7	5.77	-35.8	0.4	5,388.7	5,380.5	8.24	654.158		
5,900.0	5,844.3	397.0	396.9	23.6	0.7	5.77	-35.8	0.4	5,488.7	5,480.3	8.38	654.965		
6,000.0	5,943.1	397.0	396.9	24.1	0.7	5.77	-35.8	0.4	5,588.6	5,580.1	8.53	655.478		
6,100.0	6,041.8	397.0	396.9	24.5	0.7	5.77	-35.8	0.4	5,688.5	5,679.9	8.68	655.717		
6,200.0	6,140.5	397.0	396.9	24.9	0.7	5.77	-35.8	0.4	5,788.5	5,779.7	8.83	655.701		
6,300.0	6,239.3	397.0	396.9	25.4	0.7	5.77	-35.8	0.4	5,888.4	5,879.4	8.98	655.445		
6,400.0	6,338.0	397.0	396.9	25.8	0.7	5.77	-35.8	0.4	5,988.4	5,979.2	9.14	654.968		
6,500.0	6,436.7	397.0	396.9	26.2	0.7	5.77	-35.8	0.4	6,088.3	6,079.0	9.31	654.283		
6,600.0	6,535.5	397.0	396.9	26.7	0.7	5.77	-35.8	0.4	6,188.3	6,178.8	9.47	653.404		
6,664.9	6,599.6	397.0	396.9	27.0	0.7	5.77	-35.8	0.4	6,253.2	6,243.6	9.58	652.737		
6,700.0	6,634.2	397.0	396.9	27.1	0.7	8.19	-35.8	0.4	6,288.2	6,278.6	9.64	652.339		
6,800.0	6,733.3	397.0	396.9	27.5	0.7	147.29	-35.8	0.4	6,388.2	6,378.4	9.81	651.097		
6,900.0	6,832.7	397.0	396.9	27.9	0.7	174.40	-35.8	0.4	6,488.2	6,478.2	9.99	649.715		
7,000.0	6,932.3	397.0	396.9	28.3	0.7	176.98	-35.8	0.4	6,588.1	6,577.9	10.16	648.215		
7,100.0	7,032.1	397.0	396.9	28.7	0.7	177.94	-35.8	0.4	6,687.9	6,677.5	10.34	646.603		
7,200.0	7,132.1	397.0	396.9	29.0	0.7	178.45	-35.8	0.4	6,787.4	6,776.9	10.53	644.884		
7,273.4	7,205.5	397.0	396.9	29.2	0.7	-34.99	-35.8	0.4	6,860.3	6,849.7	10.66	643.559		
7,300.0	7,232.1	397.0	396.9	29.3	0.7	41.15	-35.8	0.4	6,886.7	6,876.0	10.71	643.168		
7,350.0	7,281.9	397.0	396.9	29.4	0.7	26.65	-35.8	0.4	6,935.8	6,925.0	10.79	642.519		
7,400.0	7,331.1	397.0	396.9	29.6	0.7	19.45	-35.8	0.4	6,984.0	6,973.1	10.88	642.157		
7,450.0	7,379.3	397.0	396.9	29.7	0.7	15.30	-35.8	0.4	7,031.0	7,020.1	10.95	641.984		
7,500.0	7,426.2	397.0	396.9	29.7	0.7	12.65	-35.8	0.4	7,076.5	7,065.5	11.02	641.936		
7,550.0	7,471.5	397.0	396.9	29.8	0.7	10.82	-35.8	0.4	7,120.2	7,109.1	11.09	641.927		
7,600.0	7,514.7	397.0	396.9	29.9	0.7	9.51	-35.8	0.4	7,161.7	7,150.6	11.16	641.847		
7,650.0	7,555.6	397.0	396.9	29.9	0.7	8.52	-35.8	0.4	7,200.8	7,189.6	11.22	641.561		
7,700.0	7,593.8	397.0	396.9	29.9	0.7	7.77	-35.8	0.4	7,237.2	7,225.9	11.29	640.911		
7,750.0	7,629.0	397.0	396.9	30.0	0.7	7.18	-35.8	0.4	7,270.8	7,259.4	11.37	639.722		
7,800.0	7,661.0	397.0	396.9	30.0	0.7	6.72	-35.8	0.4	7,301.1	7,289.7	11.45	637.809		
7,850.0	7,689.6	397.0	396.9	30.0	0.7	6.35	-35.8	0.4	7,328.2	7,316.7	11.54	634.996		
7,900.0	7,714.5	397.0	396.9	30.0	0.7	6.06	-35.8	0.4	7,351.8	7,340.2	11.65	631.128		
7,950.0	7,735.4	397.0	396.9	29.9	0.7	5.83	-35.8	0.4	7,371.8	7,360.0	11.77	626.092		
8,000.0	7,752.4	397.0	396.9	29.9	0.7	5.66	-35.8	0.4	7,388.0	7,376.1	11.92	619.830		
8,050.0	7,765.2	397.0	396.9	29.9	0.7	5.54	-35.8	0.4	7,400.4	7,388.3	12.09	612.346		
8,100.0	7,773.8	397.0	396.9	29.9	0.7	5.45	-35.8	0.4	7,408.8	7,396.6	12.27	603.715		
8,150.0	7,778.0	397.0	396.9	29.9	0.7	5.41	-35.8	0.4	7,413.3	7,400.8	12.48	594.070		
8,173.4	7,778.5	397.0	396.9	29.9	0.7	5.41	-35.8	0.4	7,414.0	7,401.5	12.58	589.272		
8,200.0	7,778.3	397.0	396.9	30.0	0.7	5.40	-35.8	0.4	7,414.3	7,401.6	12.70	583.639		
8,244.5	7,777.6	397.0	396.9	30.2	0.7	5.40	-35.8	0.4	7,414.4	7,401.4	12.92	573.977		
8,266.4	7,777.0	397.0	396.9	30.4	0.7	5.40	-35.8	0.4	7,414.3	7,401.3	13.03	569.069		
8,300.0	7,776.2	397.0	396.9	30.7	0.7	5.40	-35.8	0.4	7,414.4	7,401.2	13.20	561.661		
8,400.0	7,773.7	397.0	396.9	31.7	0.7	5.40	-35.8	0.4	7,415.5	7,401.8	13.76	539.089		
8,500.0	7,771.2	397.0	396.9	32.9	0.7	5.40	-35.8	0.4	7,418.0	7,403.6	14.36	516.622		
8,600.0	7,768.8	397.0	396.9	34.2	0.7	5.40	-35.8	0.4	7,421.8	7,406.8	15.00	494.749		
8,700.0	7,766.3	397.0	396.9	35.7	0.7	5.40	-35.8	0.4	7,427.0	7,411.3	15.68	473.789		
8,800.0	7,763.8	397.0	396.9	37.2	0.7	5.40	-35.8	0.4	7,433.5	7,417.1	16.38	453.923		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #124Y - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 397-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis		Distance								Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	397.0	396.9	38.9	0.7	5.40	-35.8	0.4	7,441.3	7,424.2	17.10	435.240		
9,000.0	7,758.8	397.0	396.9	40.6	0.7	5.40	-35.8	0.4	7,450.5	7,432.7	17.83	417.762		
9,100.0	7,756.4	397.0	396.9	42.4	0.7	5.40	-35.8	0.4	7,461.0	7,442.5	18.58	401.472		
9,200.0	7,753.9	397.0	396.9	44.3	0.7	5.40	-35.8	0.4	7,472.9	7,453.5	19.34	386.322		
9,300.0	7,751.4	397.0	396.9	46.2	0.7	5.40	-35.8	0.4	7,486.0	7,465.9	20.11	372.254		
9,400.0	7,748.9	397.0	396.9	48.1	0.7	5.40	-35.8	0.4	7,500.5	7,479.6	20.88	359.199		
9,500.0	7,746.4	397.0	396.9	50.1	0.7	5.40	-35.8	0.4	7,516.2	7,494.6	21.66	347.088		
9,600.0	7,743.9	397.0	396.9	52.2	0.7	5.40	-35.8	0.4	7,533.3	7,510.9	22.43	335.851		
9,700.0	7,741.5	397.0	396.9	54.3	0.7	5.40	-35.8	0.4	7,551.6	7,528.4	23.21	325.422		
9,800.0	7,739.0	397.0	396.9	56.4	0.7	5.40	-35.8	0.4	7,571.3	7,547.3	23.98	315.739		
9,900.0	7,736.5	397.0	396.9	58.5	0.7	5.40	-35.8	0.4	7,592.2	7,567.4	24.75	306.742		
10,000.0	7,734.0	397.0	396.9	60.7	0.7	5.40	-35.8	0.4	7,614.3	7,588.8	25.52	298.377		
10,100.0	7,731.5	397.0	396.9	62.8	0.7	5.40	-35.8	0.4	7,637.7	7,611.4	26.28	290.595		
10,200.0	7,729.1	397.0	396.9	65.0	0.7	5.40	-35.8	0.4	7,662.3	7,635.3	27.04	283.350		
10,300.0	7,726.6	397.0	396.9	67.3	0.7	5.40	-35.8	0.4	7,688.1	7,660.4	27.80	276.600		
10,400.0	7,724.1	397.0	396.9	69.5	0.7	5.40	-35.8	0.4	7,715.2	7,686.7	28.54	270.308		
10,500.0	7,721.6	397.0	396.9	71.7	0.7	5.40	-35.8	0.4	7,743.5	7,714.2	29.28	264.437		
10,600.0	7,719.1	397.0	396.9	74.0	0.7	5.40	-35.8	0.4	7,772.9	7,742.9	30.02	258.958		
10,700.0	7,716.7	397.0	396.9	76.3	0.7	5.40	-35.8	0.4	7,803.5	7,772.7	30.74	253.840		
10,800.0	7,714.2	397.0	396.9	78.6	0.7	5.40	-35.8	0.4	7,835.3	7,803.8	31.46	249.058		
10,900.0	7,711.7	397.0	396.9	80.9	0.7	5.40	-35.8	0.4	7,868.2	7,836.0	32.17	244.588		
11,000.0	7,709.2	397.0	396.9	83.2	0.7	5.40	-35.8	0.4	7,902.2	7,869.3	32.87	240.407		
11,100.0	7,706.7	397.0	396.9	85.5	0.7	5.40	-35.8	0.4	7,937.3	7,903.8	33.56	236.496		
11,200.0	7,704.3	397.0	396.9	87.8	0.7	5.40	-35.8	0.4	7,973.6	7,939.3	34.25	232.837		
11,300.0	7,701.8	397.0	396.9	90.1	0.7	5.40	-35.8	0.4	8,010.9	7,976.0	34.92	229.413		
11,400.0	7,699.3	397.0	396.9	92.5	0.7	5.40	-35.8	0.4	8,049.3	8,013.7	35.58	226.208		
11,500.0	7,696.8	397.0	396.9	94.8	0.7	5.40	-35.8	0.4	8,088.8	8,052.5	36.24	223.208		
11,600.0	7,694.3	397.0	396.9	97.1	0.7	5.40	-35.8	0.4	8,129.3	8,092.4	36.88	220.400		
11,700.0	7,691.9	397.0	396.9	99.5	0.7	5.40	-35.8	0.4	8,170.8	8,133.3	37.52	217.772		
11,800.0	7,689.4	397.0	396.9	101.8	0.7	5.40	-35.8	0.4	8,213.3	8,175.2	38.15	215.314		
11,900.0	7,686.9	397.0	396.9	104.2	0.7	5.40	-35.8	0.4	8,256.8	8,218.1	38.76	213.014		
12,000.0	7,684.4	397.0	396.9	106.6	0.7	5.40	-35.8	0.4	8,301.3	8,261.9	39.37	210.865		
12,100.0	7,681.9	397.0	396.9	108.9	0.7	5.40	-35.8	0.4	8,346.8	8,306.8	39.96	208.856		
12,200.0	7,679.4	397.0	396.9	111.3	0.7	5.40	-35.8	0.4	8,393.2	8,352.6	40.55	206.979		
12,300.0	7,677.0	397.0	396.9	113.7	0.7	5.40	-35.8	0.4	8,440.5	8,399.4	41.13	205.229		
12,400.0	7,674.5	397.0	396.9	116.1	0.7	5.40	-35.8	0.4	8,488.7	8,447.0	41.69	203.596		
12,500.0	7,672.0	397.0	396.9	118.5	0.7	5.40	-35.8	0.4	8,537.9	8,495.6	42.25	202.076		
12,600.0	7,669.5	397.0	396.9	120.9	0.7	5.40	-35.8	0.4	8,587.9	8,545.1	42.80	200.661		
12,700.0	7,667.0	397.0	396.9	123.2	0.7	5.40	-35.8	0.4	8,638.8	8,595.5	43.34	199.346		
12,800.0	7,664.6	397.0	396.9	125.6	0.7	5.40	-35.8	0.4	8,690.5	8,646.7	43.86	198.127		
12,900.0	7,662.1	397.0	396.9	128.0	0.7	5.40	-35.8	0.4	8,743.1	8,698.7	44.38	196.998		
13,000.0	7,659.6	397.0	396.9	130.4	0.7	5.40	-35.8	0.4	8,796.5	8,751.6	44.89	195.954		
13,100.0	7,657.1	397.0	396.9	132.8	0.7	5.40	-35.8	0.4	8,850.7	8,805.3	45.39	194.992		
13,200.0	7,654.6	397.0	396.9	135.2	0.7	5.40	-35.8	0.4	8,905.7	8,859.9	45.88	194.107		
13,300.0	7,652.2	397.0	396.9	137.6	0.7	5.40	-35.8	0.4	8,961.5	8,915.2	46.36	193.295		
13,400.0	7,649.7	397.0	396.9	140.0	0.7	5.40	-35.8	0.4	9,018.1	8,971.2	46.83	192.554		
13,500.0	7,647.2	397.0	396.9	142.4	0.7	5.40	-35.8	0.4	9,075.4	9,028.1	47.30	191.879		
13,600.0	7,644.7	397.0	396.9	144.9	0.7	5.40	-35.8	0.4	9,133.4	9,085.7	47.75	191.268		
13,700.0	7,642.2	397.0	396.9	147.3	0.7	5.40	-35.8	0.4	9,192.2	9,144.0	48.20	190.717		
13,800.0	7,639.8	397.0	396.9	149.7	0.7	5.40	-35.8	0.4	9,251.6	9,203.0	48.64	190.224		
13,900.0	7,637.3	397.0	396.9	152.1	0.7	5.40	-35.8	0.4	9,311.8	9,262.7	49.06	189.787		
14,000.0	7,634.8	397.0	396.9	154.5	0.7	5.40	-35.8	0.4	9,372.6	9,323.1	49.49	189.403		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design													Bo Howard 1211 - Bo Howard 1211 Fed Com #124Y - Wellbore #1 - Actual		Offset Site Error:		0.0 usft
Survey Program: 397-MWD															Offset Well Error:		0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning				
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor					
14,100.0	7,632.3	397.0	396.9	156.9	0.7	5.40	-35.8	0.4	9,434.1	9,384.2	49.90	189.069					
14,200.0	7,629.8	397.0	396.9	159.3	0.7	5.40	-35.8	0.4	9,496.3	9,446.0	50.30	188.783					
14,300.0	7,627.4	397.0	396.9	161.8	0.7	5.40	-35.8	0.4	9,559.1	9,508.4	50.70	188.544					
14,400.0	7,624.9	397.0	396.9	164.2	0.7	5.40	-35.8	0.4	9,622.5	9,571.4	51.09	188.348					
14,500.0	7,622.4	397.0	396.9	166.6	0.7	5.40	-35.8	0.4	9,686.6	9,635.1	51.47	188.196					
14,600.0	7,619.9	397.0	396.9	169.0	0.7	5.40	-35.8	0.4	9,751.2	9,699.4	51.85	188.084					
14,700.0	7,617.4	397.0	396.9	171.5	0.7	5.40	-35.8	0.4	9,816.5	9,764.3	52.21	188.011					
14,800.0	7,614.9	397.0	396.9	173.9	0.7	5.40	-35.8	0.4	9,882.3	9,829.7	52.57	187.975					
14,900.0	7,612.5	397.0	396.9	176.3	0.7	5.40	-35.8	0.4	9,948.7	9,895.8	52.93	187.976					

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	22.0	22.0	0.0	0.0	4.64	2,953.1	239.7	2,962.8					
100.0	100.0	122.0	122.0	0.1	0.2	4.64	2,953.1	239.7	2,962.8	2,962.5	0.34	8,839.662		
200.0	200.0	222.0	222.0	0.5	0.6	4.64	2,953.1	239.7	2,962.8	2,961.7	1.05	2,816.044		
300.0	300.0	322.0	322.0	0.8	0.9	4.64	2,953.1	239.7	2,962.8	2,961.0	1.77	1,674.790		
400.0	400.0	422.0	422.0	1.2	1.3	4.64	2,953.1	239.7	2,962.8	2,960.3	2.49	1,191.794		
500.0	500.0	522.0	522.0	1.6	1.6	4.64	2,953.1	239.7	2,962.8	2,959.6	3.20	925.024		
600.0	600.0	622.0	622.0	1.9	2.0	4.64	2,953.1	239.7	2,962.8	2,958.9	3.92	755.838		
700.0	700.0	722.0	722.0	2.3	2.4	4.64	2,953.1	239.7	2,962.8	2,958.2	4.64	638.971		
800.0	800.0	822.0	822.0	2.6	2.7	4.64	2,953.1	239.7	2,962.8	2,957.4	5.35	553.404		
900.0	900.0	922.0	922.0	3.0	3.1	4.64	2,953.1	239.7	2,962.8	2,956.7	6.07	488.048		
1,000.0	1,000.0	1,022.0	1,022.0	3.4	3.4	4.64	2,953.1	239.7	2,962.8	2,956.0	6.79	436.498		
1,100.0	1,100.0	1,122.0	1,122.0	3.7	3.8	4.64	2,953.1	239.7	2,962.8	2,955.3	7.50	394.798		
1,200.0	1,200.0	1,222.0	1,222.0	4.1	4.2	4.64	2,953.1	239.7	2,962.8	2,954.6	8.22	360.370	CC, ES	
1,300.0	1,300.0	1,322.0	1,322.0	4.4	4.5	-141.69	2,953.1	239.7	2,964.2	2,955.2	8.92	332.217		
1,400.0	1,399.8	1,421.8	1,421.8	4.7	4.9	-141.70	2,953.1	239.7	2,968.3	2,958.7	9.61	308.832		
1,500.0	1,499.5	1,514.7	1,514.7	5.1	5.2	-141.71	2,953.1	239.7	2,975.2	2,964.9	10.28	289.397		
1,600.0	1,598.7	1,582.6	1,582.5	5.4	5.4	-141.68	2,953.6	240.0	2,985.5	2,974.6	10.86	274.783		
1,656.4	1,654.4	1,620.6	1,620.6	5.6	5.6	-141.64	2,954.2	240.3	2,993.0	2,981.8	11.20	267.318		
1,700.0	1,697.5	1,650.0	1,650.0	5.8	5.7	-141.69	2,954.8	240.7	2,999.4	2,987.9	11.45	261.895		
1,800.0	1,796.3	1,717.2	1,717.2	6.2	5.9	-141.80	2,956.6	241.8	3,014.7	3,002.7	12.04	250.400		
1,900.0	1,895.0	1,784.3	1,784.2	6.5	6.2	-141.90	2,959.1	243.4	3,031.1	3,018.4	12.63	240.013		
2,000.0	1,993.7	1,851.2	1,851.0	6.9	6.4	-141.99	2,962.2	245.4	3,048.5	3,035.3	13.22	230.606		
2,100.0	2,092.5	1,917.9	1,917.5	7.3	6.6	-142.08	2,966.0	247.7	3,066.9	3,053.1	13.81	222.073		
2,200.0	2,191.2	1,984.4	1,983.8	7.7	6.9	-142.15	2,970.5	250.5	3,086.4	3,072.0	14.40	214.313		
2,300.0	2,289.9	2,050.6	2,049.8	8.1	7.1	-142.22	2,975.6	253.6	3,106.8	3,091.9	14.99	207.239		
2,400.0	2,388.7	2,116.6	2,115.4	8.5	7.4	-142.28	2,981.3	257.2	3,128.3	3,112.7	15.58	200.781		
2,500.0	2,487.4	2,182.3	2,180.7	8.9	7.6	-142.34	2,987.6	261.1	3,150.8	3,134.6	16.17	194.872		
2,600.0	2,586.1	2,247.8	2,245.6	9.4	7.8	-142.38	2,994.5	265.4	3,174.2	3,157.4	16.75	189.454		
2,700.0	2,684.9	2,319.2	2,316.4	9.8	8.1	-142.43	3,002.7	270.5	3,198.6	3,181.2	17.37	184.187		
2,800.0	2,783.6	2,416.1	2,412.4	10.2	8.5	-142.48	3,014.2	277.6	3,223.3	3,205.2	18.09	178.173		
2,900.0	2,882.3	2,512.9	2,508.3	10.6	8.8	-142.53	3,025.7	284.7	3,248.0	3,229.2	18.82	172.598		
3,000.0	2,981.1	2,609.8	2,604.2	11.0	9.2	-142.58	3,037.1	291.8	3,272.7	3,253.2	19.55	167.417		
3,100.0	3,079.8	2,706.7	2,700.1	11.5	9.6	-142.64	3,048.6	298.9	3,297.4	3,277.1	20.28	162.592		
3,200.0	3,178.5	2,803.5	2,796.0	11.9	10.0	-142.69	3,060.0	306.0	3,322.1	3,301.1	21.01	158.088		
3,300.0	3,277.3	2,900.4	2,891.9	12.3	10.3	-142.74	3,071.5	313.1	3,346.8	3,325.1	21.75	153.876		
3,400.0	3,376.0	3,002.8	2,987.8	12.7	10.7	-142.78	3,082.9	320.2	3,371.6	3,349.0	22.51	149.791		
3,500.0	3,474.7	3,094.1	3,083.8	13.2	11.1	-142.83	3,094.4	327.3	3,396.3	3,373.0	23.23	146.224		
3,600.0	3,573.5	3,209.1	3,179.7	13.6	11.6	-142.88	3,105.8	334.4	3,421.0	3,397.0	24.03	142.337		
3,700.0	3,672.2	3,287.8	3,275.6	14.0	11.9	-142.93	3,117.3	341.5	3,445.7	3,421.0	24.71	139.458		
3,800.0	3,770.9	3,384.6	3,371.5	14.5	12.3	-142.97	3,128.8	348.6	3,470.4	3,445.0	25.45	136.361		
3,900.0	3,869.7	3,481.5	3,467.4	14.9	12.6	-143.02	3,140.2	355.8	3,495.2	3,469.0	26.19	133.435		
4,000.0	3,968.4	3,578.4	3,563.3	15.3	13.0	-143.06	3,151.7	362.9	3,519.9	3,493.0	26.94	130.667		
4,100.0	4,067.1	3,675.2	3,659.2	15.8	13.4	-143.11	3,163.1	370.0	3,544.6	3,517.0	27.68	128.043		
4,200.0	4,165.9	3,772.1	3,755.2	16.2	13.8	-143.15	3,174.6	377.1	3,569.4	3,540.9	28.43	125.554		
4,300.0	4,264.6	3,868.9	3,851.1	16.6	14.2	-143.20	3,186.0	384.2	3,594.1	3,564.9	29.18	123.188		
4,400.0	4,363.3	3,965.8	3,947.0	17.1	14.6	-143.24	3,197.5	391.3	3,618.8	3,588.9	29.92	120.939		
4,500.0	4,462.1	4,062.6	4,042.9	17.5	15.0	-143.28	3,208.9	398.4	3,643.6	3,612.9	30.67	118.797		
4,600.0	4,560.8	4,159.5	4,138.8	17.9	15.4	-143.32	3,220.4	405.5	3,668.3	3,636.9	31.42	116.754		
4,700.0	4,659.5	4,256.4	4,234.7	18.4	15.8	-143.36	3,231.8	412.6	3,693.1	3,660.9	32.17	114.805		
4,800.0	4,758.3	4,353.2	4,330.6	18.8	16.2	-143.40	3,243.3	419.7	3,717.8	3,684.9	32.92	112.943		
4,900.0	4,857.0	4,450.1	4,426.6	19.2	16.6	-143.44	3,254.8	426.8	3,742.6	3,708.9	33.67	111.162		
5,000.0	4,955.7	4,546.9	4,522.5	19.7	17.0	-143.48	3,266.2	433.9	3,767.3	3,732.9	34.42	109.458		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #131H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.0	5,054.5	4,643.8	4,618.4	20.1	17.4	-143.52	3,277.7	441.0	3,792.1	3,756.9	35.17	107.825		
5,200.0	5,153.2	4,740.6	4,714.3	20.5	17.7	-143.56	3,289.1	448.1	3,816.8	3,780.9	35.92	106.259		
5,300.0	5,251.9	4,837.5	4,810.2	21.0	18.1	-143.60	3,300.6	455.2	3,841.6	3,804.9	36.67	104.756		
5,400.0	5,350.7	5,401.9	5,372.7	21.4	20.2	-144.09	3,334.8	476.4	3,861.2	3,821.8	39.43	97.922		
5,500.0	5,449.4	5,500.6	5,471.4	21.9	20.6	-144.23	3,334.8	476.4	3,874.2	3,834.0	40.16	96.461		
5,600.0	5,548.1	5,600.6	5,570.1	22.3	20.9	-144.37	3,334.8	476.4	3,887.1	3,846.2	40.90	95.042		
5,700.0	5,646.9	5,701.9	5,668.9	22.7	21.3	-144.50	3,334.8	476.4	3,900.0	3,858.4	41.64	93.663		
5,800.0	5,745.6	5,803.2	5,767.6	23.2	21.6	-144.64	3,334.8	476.4	3,913.0	3,870.7	42.38	92.333		
5,900.0	5,844.3	5,904.4	5,866.3	23.6	21.9	-144.77	3,334.8	476.4	3,926.0	3,882.9	43.12	91.048		
6,000.0	5,943.1	6,005.7	5,965.1	24.1	22.3	-144.90	3,334.8	476.4	3,939.1	3,895.2	43.86	89.807		
6,100.0	6,041.8	6,107.0	6,063.8	24.5	22.6	-145.03	3,334.8	476.4	3,952.1	3,907.5	44.60	88.607		
6,200.0	6,140.5	6,208.2	6,162.5	24.9	23.0	-145.16	3,334.8	476.4	3,965.2	3,919.8	45.34	87.447		
6,300.0	6,239.3	6,309.5	6,261.3	25.4	23.3	-145.29	3,334.8	476.4	3,978.2	3,932.2	46.08	86.324		
6,400.0	6,338.0	6,389.2	6,360.0	25.8	23.6	-145.42	3,334.8	476.4	3,991.3	3,944.6	46.75	85.375		
6,500.0	6,436.7	6,488.0	6,458.7	26.2	23.9	-145.55	3,334.8	476.4	4,004.5	3,957.0	47.48	84.334		
6,600.0	6,535.5	6,586.7	6,557.5	26.7	24.3	-145.68	3,334.8	476.4	4,017.6	3,969.4	48.22	83.325		
6,664.9	6,599.6	6,650.8	6,621.6	27.0	24.5	-145.76	3,334.8	476.4	4,026.2	3,977.5	48.69	82.687		
6,700.0	6,634.2	6,685.5	6,656.2	27.1	24.6	-145.84	3,334.8	476.4	4,030.6	3,981.7	48.95	82.345		
6,800.0	6,733.3	6,784.5	6,755.3	27.5	24.9	-146.05	3,334.8	476.4	4,042.0	3,992.3	49.67	81.370		
6,900.0	6,832.7	6,883.9	6,854.7	27.9	25.3	-146.21	3,334.8	476.4	4,051.2	4,000.8	50.39	80.391		
7,000.0	6,932.3	6,983.6	6,954.3	28.3	25.6	-146.34	3,334.8	476.4	4,058.2	4,007.1	51.10	79.410		
7,100.0	7,032.1	7,083.4	7,054.1	28.7	26.0	-146.42	3,334.8	476.4	4,063.1	4,011.3	51.81	78.426		
7,200.0	7,132.1	7,183.3	7,154.1	29.0	26.3	-146.47	3,334.8	476.4	4,065.8	4,013.3	52.50	77.440		
7,273.4	7,205.5	7,256.7	7,227.5	29.2	26.5	-0.16	3,334.8	476.4	4,066.4	4,013.4	53.00	76.724		
7,300.0	7,232.1	7,283.3	7,254.1	29.3	26.6	90.15	3,334.8	476.4	4,066.4	4,013.2	53.17	76.473		
7,350.0	7,281.9	7,333.1	7,303.9	29.4	26.8	90.21	3,334.8	476.4	4,066.4	4,012.9	53.49	76.021		
7,400.0	7,331.1	7,382.3	7,353.1	29.6	27.0	90.33	3,334.8	476.4	4,066.5	4,012.7	53.79	75.598		
7,450.0	7,379.3	7,430.5	7,401.3	29.7	27.1	90.50	3,334.8	476.4	4,066.6	4,012.5	54.07	75.203		
7,500.0	7,426.2	7,477.5	7,448.2	29.7	27.3	90.71	3,334.8	476.4	4,066.7	4,012.4	54.34	74.837		
7,550.0	7,471.5	7,522.7	7,493.5	29.8	27.5	90.95	3,334.8	476.4	4,067.1	4,012.5	54.59	74.497		
7,600.0	7,514.7	7,565.9	7,536.7	29.9	27.6	91.20	3,334.8	476.4	4,067.6	4,012.8	54.83	74.184		
7,650.0	7,555.6	7,606.8	7,577.6	29.9	27.8	91.45	3,334.8	476.4	4,068.4	4,013.4	55.06	73.893		
7,700.0	7,593.8	7,645.0	7,615.8	29.9	27.9	91.68	3,334.8	476.4	4,069.6	4,014.3	55.28	73.621		
7,750.0	7,629.0	7,680.2	7,651.0	30.0	28.0	91.87	3,334.8	476.4	4,071.2	4,015.7	55.49	73.363		
7,800.0	7,661.0	7,712.3	7,683.0	30.0	28.1	92.01	3,334.8	476.4	4,073.2	4,017.5	55.71	73.114		
7,850.0	7,689.6	7,740.8	7,711.6	30.0	28.2	92.08	3,334.8	476.4	4,075.8	4,019.9	55.93	72.871		
7,900.0	7,714.5	7,765.7	7,736.5	30.0	28.3	92.07	3,334.8	476.4	4,079.0	4,022.8	56.16	72.627		
7,950.0	7,735.4	7,786.7	7,757.4	29.9	28.4	91.96	3,334.8	476.4	4,082.8	4,026.4	56.41	72.380		
8,000.0	7,752.4	7,803.7	7,774.4	29.9	28.4	91.73	3,334.8	476.4	4,087.2	4,030.6	56.67	72.127		
8,050.0	7,765.2	7,816.5	7,787.2	29.9	28.5	91.39	3,334.8	476.4	4,092.4	4,035.5	56.94	71.870		
8,100.0	7,773.8	7,825.0	7,795.8	29.9	28.5	90.92	3,334.8	476.4	4,098.2	4,041.0	57.23	71.608		
8,150.0	7,778.0	7,829.2	7,800.0	29.9	28.5	90.32	3,334.8	476.4	4,104.7	4,047.2	57.53	71.346		
8,173.4	7,778.5	9,526.7	8,903.0	29.9	35.8	105.60	3,212.1	-354.6	4,106.6	4,043.0	63.61	64.561		
8,200.0	7,778.3	9,537.8	8,903.0	30.0	35.9	105.63	3,211.3	-365.8	4,105.1	4,041.1	63.93	64.213		
8,244.5	7,777.6	9,556.5	8,903.0	30.2	36.1	105.68	3,210.2	-384.4	4,102.9	4,038.4	64.49	63.619		
8,300.0	7,776.2	9,600.0	8,903.0	30.7	36.6	105.71	3,208.0	-427.9	4,100.9	4,035.4	65.46	62.649		
8,400.0	7,773.7	9,600.0	8,903.0	31.7	36.6	105.71	3,208.0	-427.9	4,098.1	4,031.6	66.45	61.675		
8,500.0	7,771.2	9,663.8	8,903.0	32.9	37.4	105.73	3,206.0	-491.7	4,096.5	4,028.2	68.35	59.932		
8,564.5	7,769.6	9,700.0	8,903.0	33.8	37.9	105.75	3,205.5	-527.8	4,096.4	4,026.8	69.60	58.858		
8,600.0	7,768.8	9,705.9	8,903.0	34.2	38.0	105.75	3,205.5	-533.7	4,096.5	4,026.4	70.11	58.431		
8,700.0	7,766.3	9,801.5	8,903.0	35.7	39.3	105.78	3,205.1	-626.3	4,097.4	4,024.7	72.76	56.316		
8,800.0	7,763.8	9,901.6	8,903.0	37.2	40.8	105.81	3,204.8	-726.3	4,098.3	4,022.7	75.67	54.164		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #131H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	10,001.6	8,903.0	38.9	42.3	105.84	3,204.4	-826.2	4,099.3	4,020.5	78.75	52.054		
9,000.0	7,758.8	10,101.6	8,903.0	40.6	44.0	105.88	3,204.0	-926.2	4,100.2	4,018.2	81.99	50.008		
9,100.0	7,756.4	10,201.7	8,903.0	42.4	45.7	105.91	3,203.7	-1,026.2	4,101.1	4,015.7	85.37	48.039		
9,200.0	7,753.9	10,301.7	8,903.0	44.3	47.5	105.94	3,203.3	-1,126.1	4,102.0	4,013.1	88.87	46.157		
9,300.0	7,751.4	10,401.7	8,903.0	46.2	49.4	105.97	3,202.9	-1,226.1	4,102.9	4,010.4	92.48	44.365		
9,400.0	7,748.9	10,501.8	8,903.0	48.1	51.3	106.01	3,202.6	-1,326.1	4,103.8	4,007.6	96.18	42.666		
9,500.0	7,746.4	10,601.8	8,903.0	50.1	53.2	106.04	3,202.2	-1,426.0	4,104.7	4,004.7	99.97	41.058		
9,600.0	7,743.9	10,701.8	8,903.0	52.2	55.2	106.07	3,201.8	-1,526.0	4,105.6	4,001.8	103.84	39.538		
9,700.0	7,741.5	10,801.8	8,903.0	54.3	57.2	106.10	3,201.5	-1,626.0	4,106.6	3,998.8	107.77	38.104		
9,800.0	7,739.0	10,901.9	8,903.0	56.4	59.3	106.13	3,201.1	-1,725.9	4,107.5	3,995.7	111.76	36.751		
9,900.0	7,736.5	11,001.9	8,903.0	58.5	61.3	106.17	3,200.7	-1,825.9	4,108.4	3,992.6	115.81	35.475		
10,000.0	7,734.0	11,101.9	8,903.0	60.7	63.4	106.20	3,200.4	-1,925.9	4,109.3	3,989.4	119.90	34.272		
10,100.0	7,731.5	11,202.0	8,903.0	62.8	65.6	106.23	3,200.0	-2,025.8	4,110.2	3,986.2	124.04	33.136		
10,200.0	7,729.1	11,302.0	8,903.0	65.0	67.7	106.26	3,199.7	-2,125.8	4,111.2	3,982.9	128.22	32.064		
10,300.0	7,726.6	11,402.0	8,903.0	67.3	69.9	106.30	3,199.3	-2,225.8	4,112.1	3,979.7	132.43	31.052		
10,400.0	7,724.1	11,502.1	8,903.0	69.5	72.1	106.33	3,198.9	-2,325.7	4,113.0	3,976.3	136.67	30.095		
10,500.0	7,721.6	11,602.1	8,903.0	71.7	74.3	106.36	3,198.6	-2,425.7	4,113.9	3,973.0	140.94	29.189		
10,600.0	7,719.1	11,702.1	8,903.0	74.0	76.5	106.39	3,198.2	-2,525.7	4,114.9	3,969.6	145.24	28.332		
10,700.0	7,716.7	11,802.2	8,903.0	76.3	78.7	106.42	3,197.8	-2,625.7	4,115.8	3,966.2	149.56	27.520		
10,800.0	7,714.2	11,902.2	8,903.0	78.6	81.0	106.46	3,197.5	-2,725.6	4,116.7	3,962.8	153.90	26.750		
10,900.0	7,711.7	12,002.2	8,903.0	80.9	83.3	106.49	3,197.1	-2,825.6	4,117.7	3,959.4	158.26	26.019		
11,000.0	7,709.2	12,102.3	8,903.0	83.2	85.5	106.52	3,196.7	-2,925.6	4,118.6	3,956.0	162.64	25.324		
11,100.0	7,706.7	12,202.3	8,903.0	85.5	87.8	106.55	3,196.4	-3,025.5	4,119.5	3,952.5	167.03	24.663		
11,200.0	7,704.3	12,302.3	8,903.0	87.8	90.1	106.59	3,196.0	-3,125.5	4,120.5	3,949.0	171.44	24.034		
11,300.0	7,701.8	12,402.3	8,903.0	90.1	92.4	106.62	3,195.6	-3,225.5	4,121.4	3,945.5	175.86	23.435		
11,400.0	7,699.3	12,502.4	8,903.0	92.5	94.7	106.65	3,195.3	-3,325.4	4,122.3	3,942.0	180.30	22.864		
11,500.0	7,696.8	12,602.4	8,903.0	94.8	97.0	106.68	3,194.9	-3,425.4	4,123.3	3,938.5	184.75	22.319		
11,600.0	7,694.3	12,702.4	8,903.0	97.1	99.3	106.71	3,194.6	-3,525.4	4,124.2	3,935.0	189.20	21.798		
11,700.0	7,691.9	12,802.5	8,903.0	99.5	101.6	106.75	3,194.2	-3,625.3	4,125.2	3,931.5	193.67	21.300		
11,800.0	7,689.4	12,902.5	8,903.0	101.8	104.0	106.78	3,193.8	-3,725.3	4,126.1	3,928.0	198.15	20.823		
11,900.0	7,686.9	13,002.5	8,903.0	104.2	106.3	106.81	3,193.5	-3,825.3	4,127.1	3,924.4	202.63	20.367		
12,000.0	7,684.4	13,102.6	8,903.0	106.6	108.6	106.84	3,193.1	-3,925.2	4,128.0	3,920.9	207.13	19.930		
12,100.0	7,681.9	13,202.6	8,903.0	108.9	111.0	106.87	3,192.7	-4,025.2	4,129.0	3,917.3	211.63	19.511		
12,200.0	7,679.4	13,302.6	8,903.0	111.3	113.3	106.91	3,192.4	-4,125.2	4,129.9	3,913.8	216.13	19.108		
12,300.0	7,677.0	13,402.7	8,903.0	113.7	115.7	106.94	3,192.0	-4,225.1	4,130.9	3,910.2	220.65	18.722		
12,400.0	7,674.5	13,502.7	8,903.0	116.1	118.0	106.97	3,191.6	-4,325.1	4,131.8	3,906.7	225.16	18.350		
12,500.0	7,672.0	13,602.7	8,903.0	118.5	120.4	107.00	3,191.3	-4,425.1	4,132.8	3,903.1	229.69	17.993		
12,600.0	7,669.5	13,702.7	8,903.0	120.9	122.8	107.03	3,190.9	-4,525.0	4,133.7	3,899.5	234.21	17.649		
12,700.0	7,667.0	13,802.8	8,903.0	123.2	125.1	107.07	3,190.5	-4,625.0	4,134.7	3,895.9	238.75	17.318		
12,800.0	7,664.6	13,902.8	8,903.0	125.6	127.5	107.10	3,190.2	-4,725.0	4,135.6	3,892.4	243.28	16.999		
12,900.0	7,662.1	14,002.8	8,903.0	128.0	129.9	107.13	3,189.8	-4,825.0	4,136.6	3,888.8	247.82	16.692		
13,000.0	7,659.6	14,097.1	8,903.0	130.4	132.1	107.16	3,189.5	-4,924.9	4,137.6	3,885.3	252.24	16.404		
13,100.0	7,657.1	14,197.1	8,903.0	132.8	134.5	107.19	3,189.1	-5,024.9	4,138.5	3,881.7	256.78	16.117		
13,200.0	7,654.6	14,302.9	8,903.0	135.2	137.0	107.22	3,188.7	-5,124.9	4,139.5	3,878.0	261.46	15.832		
13,300.0	7,652.2	14,403.0	8,903.0	137.6	139.4	107.26	3,188.4	-5,224.8	4,140.4	3,874.4	266.02	15.565		
13,400.0	7,649.7	14,503.0	8,903.0	140.0	141.8	107.29	3,188.0	-5,324.8	4,141.4	3,870.8	270.57	15.306		
13,500.0	7,647.2	14,603.0	8,903.0	142.4	144.2	107.32	3,187.6	-5,424.8	4,142.4	3,867.2	275.13	15.056		
13,600.0	7,644.7	14,703.1	8,903.0	144.9	146.6	107.35	3,187.3	-5,524.7	4,143.3	3,863.7	279.69	14.814		
13,700.0	7,642.2	14,803.1	8,903.0	147.3	149.0	107.38	3,186.9	-5,624.7	4,144.3	3,860.1	284.25	14.580		
13,800.0	7,639.8	14,896.9	8,903.0	149.7	151.2	107.42	3,186.5	-5,724.7	4,145.3	3,856.6	288.67	14.360		
13,900.0	7,637.3	15,003.2	8,903.0	152.1	153.7	107.45	3,186.2	-5,824.6	4,146.3	3,852.9	293.38	14.133		
14,000.0	7,634.8	15,103.2	8,903.0	154.5	156.1	107.48	3,185.8	-5,924.6	4,147.2	3,849.3	297.94	13.920		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #131H - Wellbore #1 - BLM Plan #1												Offset Site Error:	0.0 usft
Survey Program: 0-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,100.0	7,632.3	15,203.2	8,903.0	156.9	158.5	107.51	3,185.4	-6,024.6	4,148.2	3,845.7	302.51	13.713	
14,200.0	7,629.8	15,303.2	8,903.0	159.3	160.9	107.54	3,185.1	-6,124.5	4,149.2	3,842.1	307.08	13.512	
14,300.0	7,627.4	15,403.3	8,903.0	161.8	163.3	107.57	3,184.7	-6,224.5	4,150.2	3,838.5	311.65	13.317	
14,400.0	7,624.9	15,503.3	8,903.0	164.2	165.7	107.61	3,184.4	-6,324.5	4,151.1	3,834.9	316.22	13.127	
14,500.0	7,622.4	15,603.3	8,903.0	166.6	168.1	107.64	3,184.0	-6,424.4	4,152.1	3,831.3	320.79	12.943	
14,600.0	7,619.9	15,703.4	8,903.0	169.0	170.6	107.67	3,183.6	-6,524.4	4,153.1	3,827.7	325.36	12.765	
14,700.0	7,617.4	15,803.4	8,903.0	171.5	173.0	107.70	3,183.3	-6,624.4	4,154.1	3,824.1	329.94	12.591	
14,800.0	7,614.9	15,903.4	8,903.0	173.9	175.4	107.73	3,182.9	-6,724.3	4,155.1	3,820.5	334.51	12.421	
14,900.0	7,612.5	16,003.5	8,903.0	176.3	177.8	107.76	3,182.5	-6,824.3	4,156.0	3,817.0	339.08	12.257	
15,000.0	7,610.0	16,103.5	8,903.0	178.7	180.2	107.80	3,182.2	-6,924.3	4,157.0	3,813.4	343.66	12.096	
15,100.0	7,607.5	16,203.5	8,903.0	181.2	182.6	107.83	3,181.8	-7,024.3	4,158.0	3,809.8	348.23	11.940	
15,200.0	7,605.0	16,303.6	8,903.0	183.6	185.0	107.86	3,181.4	-7,124.2	4,159.0	3,806.2	352.81	11.788	
15,300.0	7,602.5	16,403.6	8,903.0	186.0	187.4	107.89	3,181.1	-7,224.2	4,160.0	3,802.6	357.38	11.640	
15,400.0	7,600.1	16,503.6	8,903.0	188.4	189.8	107.92	3,180.7	-7,324.2	4,161.0	3,799.1	361.93	11.497	
15,463.1	7,598.5	16,559.5	8,903.0	190.0	190.7	107.94	3,180.5	-7,387.2	4,161.6	3,797.4	364.23	11.426 SF	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #132H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	22.0	22.0	0.0	0.0	5.24	2,953.1	270.8	2,965.5					
100.0	100.0	122.0	122.0	0.1	0.2	5.24	2,953.1	270.8	2,965.5	2,965.2	0.34	8,847.727		
200.0	200.0	222.0	222.0	0.5	0.6	5.24	2,953.1	270.8	2,965.5	2,964.5	1.05	2,818.613		
300.0	300.0	322.0	322.0	0.8	0.9	5.24	2,953.1	270.8	2,965.5	2,963.7	1.77	1,676.318		
400.0	400.0	422.0	422.0	1.2	1.3	5.24	2,953.1	270.8	2,965.5	2,963.0	2.49	1,192.881		
500.0	500.0	522.0	522.0	1.6	1.6	5.24	2,953.1	270.8	2,965.5	2,962.3	3.20	925.868		
600.0	600.0	622.0	622.0	1.9	2.0	5.24	2,953.1	270.8	2,965.5	2,961.6	3.92	756.528		
700.0	700.0	722.0	722.0	2.3	2.4	5.24	2,953.1	270.8	2,965.5	2,960.9	4.64	639.554		
800.0	800.0	822.0	822.0	2.6	2.7	5.24	2,953.1	270.8	2,965.5	2,960.1	5.35	553.909		
900.0	900.0	922.0	922.0	3.0	3.1	5.24	2,953.1	270.8	2,965.5	2,959.4	6.07	488.493		
1,000.0	1,000.0	1,022.0	1,022.0	3.4	3.4	5.24	2,953.1	270.8	2,965.5	2,958.7	6.79	436.896		
1,100.0	1,100.0	1,122.0	1,122.0	3.7	3.8	5.24	2,953.1	270.8	2,965.5	2,958.0	7.50	395.158		
1,200.0	1,200.0	1,222.0	1,222.0	4.1	4.2	5.24	2,953.1	270.8	2,965.5	2,957.3	8.22	360.699		
1,300.0	1,300.0	1,322.0	1,322.0	4.4	4.5	-141.09	2,953.1	270.8	2,966.9	2,957.9	8.92	332.519		
1,400.0	1,399.8	1,421.8	1,421.8	4.7	4.9	-141.10	2,953.1	270.8	2,970.9	2,961.3	9.61	309.108		
1,500.0	1,499.5	1,542.7	1,542.7	5.1	5.3	-141.15	2,953.0	270.9	2,977.7	2,967.3	10.37	287.052		
1,600.0	1,598.7	1,741.1	1,741.0	5.4	5.9	-141.32	2,948.1	271.8	2,984.8	2,973.4	11.37	262.619		
1,656.4	1,654.4	1,853.1	1,852.9	5.6	6.3	-141.44	2,942.5	273.0	2,988.6	2,976.7	11.92	250.616		
1,700.0	1,697.5	1,940.1	1,939.6	5.8	6.6	-141.58	2,936.6	274.2	2,991.1	2,978.8	12.36	242.014		
1,800.0	1,796.3	2,139.9	2,138.6	6.2	7.3	-141.85	2,918.2	278.0	2,994.6	2,981.2	13.36	224.125		
1,900.0	1,895.0	2,340.2	2,337.2	6.5	8.0	-142.09	2,892.9	283.3	2,994.7	2,980.4	14.37	208.434		
2,000.0	1,993.7	2,508.4	2,503.2	6.9	8.6	-142.26	2,866.5	288.7	2,991.7	2,976.4	15.28	195.773		
2,100.0	2,092.5	2,608.2	2,601.5	7.3	9.0	-142.36	2,850.0	292.2	2,987.9	2,971.9	16.00	186.719		
2,200.0	2,191.2	2,708.0	2,699.9	7.7	9.4	-142.46	2,833.4	295.6	2,984.1	2,967.4	16.73	178.388		
2,300.0	2,289.9	2,807.8	2,798.2	8.1	9.8	-142.56	2,816.8	299.0	2,980.3	2,962.9	17.46	170.705		
2,400.0	2,388.7	2,907.6	2,896.6	8.5	10.2	-142.65	2,800.2	302.4	2,976.5	2,958.4	18.19	163.602		
2,500.0	2,487.4	3,007.3	2,994.9	8.9	10.6	-142.75	2,783.7	305.9	2,972.8	2,953.8	18.93	157.022		
2,600.0	2,586.1	3,107.1	3,093.3	9.4	11.0	-142.85	2,767.1	309.3	2,969.0	2,949.3	19.67	150.912		
2,700.0	2,684.9	3,206.9	3,191.6	9.8	11.4	-142.95	2,750.5	312.7	2,965.3	2,944.9	20.42	145.227		
2,800.0	2,783.6	3,306.7	3,290.0	10.2	11.9	-143.05	2,733.9	316.2	2,961.5	2,940.4	21.16	139.927		
2,900.0	2,882.3	3,406.5	3,388.4	10.6	12.3	-143.15	2,717.4	319.6	2,957.8	2,935.9	21.91	134.974		
3,000.0	2,981.1	3,506.3	3,486.7	11.0	12.7	-143.25	2,700.8	323.0	2,954.1	2,931.4	22.66	130.340		
3,100.0	3,079.8	3,606.1	3,585.1	11.5	13.1	-143.35	2,684.2	326.4	2,950.4	2,926.9	23.42	125.993		
3,200.0	3,178.5	3,705.9	3,683.4	11.9	13.5	-143.45	2,667.7	329.9	2,946.7	2,922.5	24.17	121.911		
3,300.0	3,277.3	3,805.7	3,781.8	12.3	14.0	-143.55	2,651.1	333.3	2,943.0	2,918.0	24.93	118.069		
3,400.0	3,376.0	3,905.5	3,880.1	12.7	14.4	-143.65	2,634.5	336.7	2,939.3	2,913.6	25.68	114.449		
3,500.0	3,474.7	4,005.3	3,978.5	13.2	14.8	-143.75	2,617.9	340.1	2,935.6	2,909.2	26.44	111.032		
3,600.0	3,573.5	4,105.1	4,076.8	13.6	15.2	-143.85	2,601.4	343.6	2,931.9	2,904.7	27.20	107.802		
3,700.0	3,672.2	4,204.9	4,175.2	14.0	15.7	-143.95	2,584.8	347.0	2,928.3	2,900.3	27.96	104.745		
3,800.0	3,770.9	4,304.7	4,273.5	14.5	16.1	-144.06	2,568.2	350.4	2,924.6	2,895.9	28.72	101.847		
3,900.0	3,869.7	4,404.5	4,371.9	14.9	16.5	-144.16	2,551.6	353.9	2,921.0	2,891.5	29.48	99.096		
4,000.0	3,968.4	4,504.3	4,470.2	15.3	17.0	-144.26	2,535.1	357.3	2,917.3	2,887.1	30.24	96.483		
4,100.0	4,067.1	4,604.1	4,568.6	15.8	17.4	-144.36	2,518.5	360.7	2,913.7	2,882.7	31.00	93.997		
4,200.0	4,165.9	4,703.9	4,666.9	16.2	17.8	-144.46	2,501.9	364.1	2,910.1	2,878.4	31.76	91.628		
4,300.0	4,264.6	4,803.7	4,765.3	16.6	18.3	-144.57	2,485.3	367.6	2,906.5	2,874.0	32.52	89.371		
4,400.0	4,363.3	4,903.5	4,863.6	17.1	18.7	-144.67	2,468.8	371.0	2,902.9	2,869.6	33.28	87.216		
4,500.0	4,462.1	5,003.3	4,962.0	17.5	19.2	-144.77	2,452.2	374.4	2,899.3	2,865.3	34.05	85.157		
4,600.0	4,560.8	5,103.1	5,060.3	17.9	19.6	-144.88	2,435.6	377.9	2,895.8	2,860.9	34.81	83.188		
4,700.0	4,659.5	5,202.9	5,158.7	18.4	20.0	-144.98	2,419.1	381.3	2,892.2	2,856.6	35.57	81.303		
4,800.0	4,758.3	5,302.7	5,257.1	18.8	20.5	-145.09	2,402.5	384.7	2,888.6	2,852.3	36.34	79.497		
4,900.0	4,857.0	5,402.5	5,355.4	19.2	20.9	-145.19	2,385.9	388.1	2,885.1	2,848.0	37.10	77.766		
5,000.0	4,955.7	5,502.3	5,453.8	19.7	21.4	-145.30	2,369.3	391.6	2,881.6	2,843.7	37.86	76.105		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #132H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,100.0	5,054.5	5,602.1	5,552.1	20.1	21.8	-145.40	2,352.8	395.0	2,878.0	2,839.4	38.63	74.509		
5,200.0	5,153.2	5,701.9	5,650.5	20.5	22.2	-145.51	2,336.2	398.4	2,874.5	2,835.1	39.39	72.975		
5,300.0	5,251.9	5,801.7	5,748.8	21.0	22.7	-145.61	2,319.6	401.8	2,871.0	2,830.8	40.15	71.500		
5,400.0	5,350.7	5,901.5	5,847.2	21.4	23.1	-145.72	2,303.0	405.3	2,867.5	2,826.6	40.92	70.080		
5,500.0	5,449.4	6,001.3	5,945.5	21.9	23.6	-145.82	2,286.5	408.7	2,864.0	2,822.3	41.68	68.713		
5,600.0	5,548.1	6,101.1	6,043.9	22.3	24.0	-145.93	2,269.9	412.1	2,860.5	2,818.1	42.44	67.395		
5,700.0	5,646.9	6,200.9	6,142.2	22.7	24.5	-146.04	2,253.3	415.6	2,857.1	2,813.9	43.21	66.123		
5,800.0	5,745.6	6,300.7	6,240.6	23.2	24.9	-146.14	2,236.7	419.0	2,853.6	2,809.6	43.97	64.897		
5,900.0	5,844.3	6,400.5	6,338.9	23.6	25.3	-146.25	2,220.2	422.4	2,850.2	2,805.4	44.73	63.712		
6,000.0	5,943.1	6,500.3	6,437.3	24.1	25.8	-146.36	2,203.6	425.8	2,846.7	2,801.2	45.50	62.568		
6,100.0	6,041.8	6,600.1	6,535.6	24.5	26.2	-146.46	2,187.0	429.3	2,843.3	2,797.0	46.26	61.461		
6,200.0	6,140.5	6,700.1	6,634.0	24.9	26.7	-146.57	2,170.5	432.7	2,839.9	2,792.9	47.03	60.390		
6,300.0	6,239.3	6,800.3	6,732.3	25.4	27.1	-146.68	2,153.9	436.1	2,836.5	2,788.7	47.79	59.353		
6,400.0	6,338.0	6,900.5	6,830.7	25.8	27.6	-146.79	2,137.3	439.6	2,833.1	2,784.5	48.55	58.348		
6,500.0	6,436.7	7,000.7	6,929.0	26.2	28.0	-146.90	2,120.7	443.0	2,829.7	2,780.4	49.32	57.376		
6,600.0	6,535.5	7,099.1	7,027.4	26.7	28.5	-147.01	2,104.2	446.4	2,826.3	2,776.2	50.08	56.441		
6,664.9	6,599.6	7,163.9	7,091.3	27.0	28.8	-147.08	2,093.4	448.6	2,824.1	2,773.5	50.57	55.845		
6,700.0	6,634.2	7,198.9	7,125.8	27.1	28.9	-147.10	2,087.6	449.8	2,822.8	2,772.0	50.84	55.526		
6,800.0	6,733.3	7,301.4	7,224.1	27.5	29.4	-147.14	2,071.0	453.3	2,817.6	2,766.0	51.60	54.601		
6,900.0	6,832.7	7,401.7	7,322.3	27.9	29.8	-147.14	2,054.5	456.7	2,810.2	2,757.8	52.35	53.677		
7,000.0	6,932.3	7,502.1	7,420.4	28.3	30.3	-147.09	2,037.9	460.1	2,800.6	2,747.5	53.09	52.746		
7,100.0	7,032.1	7,602.8	7,518.3	28.7	30.7	-146.99	2,021.4	463.5	2,788.8	2,734.9	53.83	51.808		
7,200.0	7,132.1	7,703.8	7,615.8	29.0	31.2	-146.84	2,005.0	466.9	2,774.8	2,720.2	54.56	50.862		
7,273.4	7,205.5	7,768.6	7,687.2	29.2	31.5	-0.38	1,993.0	469.4	2,763.2	2,708.1	55.04	50.202		
7,300.0	7,232.1	7,781.8	7,700.3	29.3	31.5	90.38	1,990.8	469.9	2,758.8	2,703.6	55.19	49.991		
7,350.0	7,281.9	7,800.0	7,718.2	29.4	31.6	91.21	1,987.9	470.5	2,751.0	2,695.6	55.43	49.632		
7,400.0	7,331.1	7,838.9	7,756.6	29.6	31.8	92.12	1,982.0	471.7	2,743.6	2,687.8	55.72	49.241		
7,450.0	7,379.3	7,866.7	7,784.1	29.7	31.9	92.98	1,978.0	472.5	2,736.7	2,680.8	55.96	48.903		
7,500.0	7,426.2	7,900.0	7,817.1	29.7	32.0	93.87	1,973.5	473.4	2,730.6	2,674.3	56.22	48.572		
7,550.0	7,471.5	7,919.8	7,836.8	29.8	32.1	94.61	1,971.0	474.0	2,725.1	2,668.7	56.42	48.303		
7,600.0	7,514.7	7,944.8	7,861.5	29.9	32.2	95.35	1,967.9	474.6	2,720.5	2,663.9	56.63	48.041		
7,650.0	7,555.6	7,968.3	7,884.9	29.9	32.3	96.01	1,965.1	475.2	2,716.9	2,660.1	56.84	47.802		
7,700.0	7,593.8	8,000.0	7,916.4	29.9	32.4	96.71	1,961.6	475.9	2,714.4	2,657.3	57.08	47.556		
7,750.0	7,629.0	8,000.0	7,916.4	30.0	32.4	96.86	1,961.6	475.9	2,712.9	2,655.7	57.21	47.422		
7,784.0	7,651.1	8,023.5	7,939.7	30.0	32.5	97.26	1,959.2	476.4	2,712.6	2,655.2	57.40	47.262 CC		
7,800.0	7,661.0	8,029.2	7,945.4	30.0	32.6	97.35	1,958.6	476.5	2,712.7	2,655.2	57.46	47.207		
7,850.0	7,689.6	8,045.6	7,961.7	30.0	32.6	97.54	1,957.1	476.8	2,713.8	2,656.1	57.69	47.040		
7,900.0	7,714.5	8,059.9	7,975.9	30.0	32.7	97.56	1,955.7	477.1	2,716.2	2,658.2	57.93	46.885		
7,950.0	7,735.4	8,071.9	7,987.9	29.9	32.7	97.42	1,954.7	477.3	2,720.0	2,661.8	58.19	46.740		
8,000.0	7,752.4	8,081.5	7,997.5	29.9	32.8	97.09	1,953.8	477.5	2,725.2	2,666.7	58.48	46.604		
8,050.0	7,765.2	8,100.0	8,015.9	29.9	32.8	96.81	1,952.3	477.8	2,731.8	2,673.0	58.82	46.440		
8,100.0	7,773.8	8,100.0	8,015.9	29.9	32.8	96.01	1,952.3	477.8	2,739.7	2,680.6	59.12	46.338		
8,150.0	7,778.0	8,100.0	8,015.9	29.9	32.8	95.08	1,952.3	477.8	2,749.0	2,689.6	59.45	46.241		
8,173.4	7,778.5	8,100.0	8,015.9	29.9	32.8	94.59	1,952.3	477.8	2,753.8	2,694.2	59.61	46.198		
8,200.0	7,778.3	8,100.0	8,015.9	30.0	32.8	94.47	1,952.3	477.8	2,759.5	2,699.7	59.80	46.149		
8,244.5	7,777.6	8,100.0	8,015.9	30.2	32.8	94.27	1,952.3	477.8	2,769.7	2,709.5	60.13	46.060		
8,300.0	7,776.2	8,100.0	8,015.9	30.7	32.8	94.27	1,952.3	477.8	2,783.3	2,722.7	60.58	45.943		
8,400.0	7,773.7	8,100.0	8,015.9	31.7	32.8	94.27	1,952.3	477.8	2,810.5	2,749.0	61.48	45.715		
8,500.0	7,771.2	8,100.0	8,015.9	32.9	32.8	94.27	1,952.3	477.8	2,841.0	2,778.5	62.46	45.484		
8,600.0	7,768.8	9,745.3	8,903.0	34.2	39.5	112.97	1,885.1	-521.3	2,848.4	2,778.3	70.06	40.657		
8,700.0	7,766.3	9,845.2	8,903.0	35.7	40.7	113.02	1,884.7	-621.3	2,849.6	2,776.9	72.67	39.215		
8,800.0	7,763.8	9,945.2	8,903.0	37.2	42.2	113.06	1,884.4	-721.3	2,850.8	2,775.3	75.46	37.781		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #132H - Wellbore #1 - BLM Plan #1													Offset Site Error:	0.0 usft
Survey Program: 0-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	10,045.2	8,903.0	38.9	43.7	113.11	1,884.0	-821.3	2,852.0	2,773.6	78.41	36.373		
9,000.0	7,758.8	10,145.1	8,903.0	40.6	45.3	113.15	1,883.7	-921.2	2,853.2	2,771.7	81.51	35.006		
9,100.0	7,756.4	10,245.1	8,903.0	42.4	47.0	113.19	1,883.3	-1,021.2	2,854.4	2,769.6	84.73	33.687		
9,200.0	7,753.9	10,345.1	8,903.0	44.3	48.7	113.24	1,882.9	-1,121.2	2,855.6	2,767.5	88.07	32.424		
9,300.0	7,751.4	10,445.1	8,903.0	46.2	50.5	113.28	1,882.6	-1,221.1	2,856.8	2,765.3	91.51	31.218		
9,400.0	7,748.9	10,545.0	8,903.0	48.1	52.4	113.33	1,882.2	-1,321.1	2,858.0	2,763.0	95.04	30.071		
9,500.0	7,746.4	10,645.0	8,903.0	50.1	54.3	113.37	1,881.9	-1,421.1	2,859.2	2,760.6	98.65	28.983		
9,600.0	7,743.9	10,745.0	8,903.0	52.2	56.2	113.41	1,881.5	-1,521.0	2,860.4	2,758.1	102.33	27.953		
9,700.0	7,741.5	10,844.9	8,903.0	54.3	58.2	113.46	1,881.2	-1,621.0	2,861.6	2,755.6	106.07	26.978		
9,800.0	7,739.0	10,944.9	8,903.0	56.4	60.2	113.50	1,880.8	-1,721.0	2,862.8	2,753.0	109.87	26.056		
9,900.0	7,736.5	11,044.9	8,903.0	58.5	62.3	113.54	1,880.4	-1,820.9	2,864.1	2,750.3	113.72	25.185		
10,000.0	7,734.0	11,144.8	8,903.0	60.7	64.4	113.59	1,880.1	-1,920.9	2,865.3	2,747.7	117.61	24.362		
10,100.0	7,731.5	11,244.8	8,903.0	62.8	66.5	113.63	1,879.7	-2,020.9	2,866.5	2,744.9	121.55	23.583		
10,200.0	7,729.1	11,344.8	8,903.0	65.0	68.6	113.67	1,879.4	-2,120.8	2,867.7	2,742.2	125.52	22.847		
10,300.0	7,726.6	11,444.7	8,903.0	67.3	70.8	113.72	1,879.0	-2,220.8	2,868.9	2,739.4	129.52	22.150		
10,400.0	7,724.1	11,544.7	8,903.0	69.5	72.9	113.76	1,878.6	-2,320.8	2,870.2	2,736.6	133.55	21.491		
10,500.0	7,721.6	11,644.7	8,903.0	71.7	75.1	113.80	1,878.3	-2,420.7	2,871.4	2,733.8	137.61	20.866		
10,600.0	7,719.1	11,744.6	8,903.0	74.0	77.3	113.85	1,877.9	-2,520.7	2,872.6	2,730.9	141.70	20.273		
10,700.0	7,716.7	11,844.6	8,903.0	76.3	79.5	113.89	1,877.6	-2,620.7	2,873.8	2,728.0	145.80	19.711		
10,800.0	7,714.2	11,944.6	8,903.0	78.6	81.8	113.93	1,877.2	-2,720.6	2,875.1	2,725.1	149.93	19.177		
10,900.0	7,711.7	12,044.6	8,903.0	80.9	84.0	113.98	1,876.9	-2,820.6	2,876.3	2,722.2	154.07	18.669		
11,000.0	7,709.2	12,144.5	8,903.0	83.2	86.3	114.02	1,876.5	-2,920.6	2,877.5	2,719.3	158.23	18.186		
11,100.0	7,706.7	12,244.5	8,903.0	85.5	88.5	114.06	1,876.1	-3,020.6	2,878.8	2,716.4	162.40	17.726		
11,200.0	7,704.3	12,344.5	8,903.0	87.8	90.8	114.11	1,875.8	-3,120.5	2,880.0	2,713.4	166.59	17.288		
11,300.0	7,701.8	12,444.4	8,903.0	90.1	93.1	114.15	1,875.4	-3,220.5	2,881.2	2,710.5	170.79	16.870		
11,400.0	7,699.3	12,544.4	8,903.0	92.5	95.4	114.19	1,875.1	-3,320.5	2,882.5	2,707.5	175.00	16.472		
11,500.0	7,696.8	12,644.4	8,903.0	94.8	97.7	114.24	1,874.7	-3,420.4	2,883.7	2,704.5	179.22	16.091		
11,600.0	7,694.3	12,744.3	8,903.0	97.1	100.0	114.28	1,874.4	-3,520.4	2,885.0	2,701.5	183.45	15.726		
11,700.0	7,691.9	12,844.3	8,903.0	99.5	102.3	114.32	1,874.0	-3,620.4	2,886.2	2,698.5	187.69	15.378		
11,800.0	7,689.4	12,944.3	8,903.0	101.8	104.6	114.36	1,873.6	-3,720.3	2,887.5	2,695.5	191.93	15.044		
11,900.0	7,686.9	13,044.2	8,903.0	104.2	106.9	114.41	1,873.3	-3,820.3	2,888.7	2,692.5	196.18	14.724		
12,000.0	7,684.4	13,144.2	8,903.0	106.6	109.2	114.45	1,872.9	-3,920.3	2,890.0	2,689.5	200.44	14.418		
12,100.0	7,681.9	13,244.2	8,903.0	108.9	111.6	114.49	1,872.6	-4,020.2	2,891.2	2,686.5	204.71	14.123		
12,200.0	7,679.4	13,344.2	8,903.0	111.3	113.9	114.54	1,872.2	-4,120.2	2,892.5	2,683.5	208.98	13.841		
12,300.0	7,677.0	13,444.1	8,903.0	113.7	116.3	114.58	1,871.8	-4,220.2	2,893.7	2,680.5	213.26	13.569		
12,400.0	7,674.5	13,544.1	8,903.0	116.1	118.6	114.62	1,871.5	-4,320.1	2,895.0	2,677.4	217.53	13.308		
12,500.0	7,672.0	13,644.1	8,903.0	118.5	121.0	114.66	1,871.1	-4,420.1	2,896.2	2,674.4	221.82	13.057		
12,600.0	7,669.5	13,744.0	8,903.0	120.9	123.3	114.71	1,870.8	-4,520.1	2,897.5	2,671.4	226.11	12.815		
12,700.0	7,667.0	13,844.0	8,903.0	123.2	125.7	114.75	1,870.4	-4,620.0	2,898.7	2,668.4	230.40	12.582		
12,800.0	7,664.6	13,944.0	8,903.0	125.6	128.0	114.79	1,870.1	-4,720.0	2,900.0	2,665.3	234.69	12.357		
12,900.0	7,662.1	14,043.9	8,903.0	128.0	130.4	114.83	1,869.7	-4,820.0	2,901.3	2,662.3	238.98	12.140		
13,000.0	7,659.6	14,143.9	8,903.0	130.4	132.8	114.88	1,869.3	-4,919.9	2,902.5	2,659.3	243.28	11.931		
13,100.0	7,657.1	14,243.9	8,903.0	132.8	135.1	114.92	1,869.0	-5,019.9	2,903.8	2,656.2	247.58	11.729		
13,200.0	7,654.6	14,343.8	8,903.0	135.2	137.5	114.96	1,868.6	-5,119.9	2,905.1	2,653.2	251.88	11.533		
13,300.0	7,652.2	14,443.8	8,903.0	137.6	139.9	115.00	1,868.3	-5,219.9	2,906.3	2,650.2	256.18	11.345		
13,400.0	7,649.7	14,543.8	8,903.0	140.0	142.3	115.04	1,867.9	-5,319.8	2,907.6	2,647.1	260.49	11.162		
13,500.0	7,647.2	14,643.7	8,903.0	142.4	144.6	115.09	1,867.5	-5,419.8	2,908.9	2,644.1	264.79	10.985		
13,600.0	7,644.7	14,743.7	8,903.0	144.9	147.0	115.13	1,867.2	-5,519.8	2,910.2	2,641.1	269.10	10.814		
13,700.0	7,642.2	14,843.7	8,903.0	147.3	149.4	115.17	1,866.8	-5,619.7	2,911.4	2,638.0	273.41	10.649		
13,800.0	7,639.8	14,943.7	8,903.0	149.7	151.8	115.21	1,866.5	-5,719.7	2,912.7	2,635.0	277.71	10.488		
13,900.0	7,637.3	15,043.6	8,903.0	152.1	154.2	115.26	1,866.1	-5,819.7	2,914.0	2,632.0	282.02	10.333		
14,000.0	7,634.8	15,143.6	8,903.0	154.5	156.6	115.30	1,865.8	-5,919.6	2,915.3	2,629.0	286.33	10.182		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Bo Howard 1211 Fed Com #132H - Wellbore #1 - BLM Plan #1												Offset Site Error:	0.0 usft
Survey Program: 0-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
14,100.0	7,632.3	15,243.6	8,903.0	156.9	159.0	115.34	1,865.4	-6,019.6	2,916.6	2,625.9	290.64	10.035	
14,200.0	7,629.8	15,343.5	8,903.0	159.3	161.4	115.38	1,865.0	-6,119.6	2,917.8	2,622.9	294.95	9.893	
14,300.0	7,627.4	15,443.5	8,903.0	161.8	163.8	115.42	1,864.7	-6,219.5	2,919.1	2,619.9	299.25	9.755	
14,400.0	7,624.9	15,543.5	8,903.0	164.2	166.2	115.47	1,864.3	-6,319.5	2,920.4	2,616.9	303.56	9.621	
14,500.0	7,622.4	15,643.4	8,903.0	166.6	168.6	115.51	1,864.0	-6,419.5	2,921.7	2,613.8	307.87	9.490	
14,600.0	7,619.9	15,743.4	8,903.0	169.0	171.0	115.55	1,863.6	-6,519.4	2,923.0	2,610.8	312.17	9.363	
14,700.0	7,617.4	15,843.4	8,903.0	171.5	173.4	115.59	1,863.2	-6,619.4	2,924.3	2,607.8	316.48	9.240	
14,800.0	7,614.9	15,943.3	8,903.0	173.9	175.8	115.63	1,862.9	-6,719.4	2,925.6	2,604.8	320.78	9.120	
14,900.0	7,612.5	16,043.3	8,903.0	176.3	178.2	115.67	1,862.5	-6,819.3	2,926.9	2,601.8	325.09	9.003	
15,000.0	7,610.0	16,143.3	8,903.0	178.7	180.6	115.72	1,862.2	-6,919.3	2,928.2	2,598.8	329.39	8.890	
15,100.0	7,607.5	16,243.2	8,903.0	181.2	183.0	115.76	1,861.8	-7,019.3	2,929.5	2,595.8	333.69	8.779	
15,200.0	7,605.0	16,343.2	8,903.0	183.6	185.4	115.80	1,861.5	-7,119.3	2,930.8	2,592.8	338.00	8.671	
15,300.0	7,602.5	16,443.2	8,903.0	186.0	187.8	115.84	1,861.1	-7,219.2	2,932.1	2,589.8	342.30	8.566	
15,400.0	7,600.1	16,543.2	8,903.0	188.4	190.2	115.88	1,860.7	-7,319.2	2,933.4	2,586.8	346.60	8.463	
15,463.1	7,598.5	16,606.2	8,903.0	190.0	191.7	115.91	1,860.5	-7,382.3	2,934.2	2,584.9	349.31	8.400 ES, SF	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W01J Fed Com 2H - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 157-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	141.75	-421.7	332.4	537.0					
100.0	100.0	93.7	93.7	0.1	0.1	141.78	-421.6	332.0	536.7	536.4	0.27	1,995.114		
200.0	200.0	197.2	197.2	0.5	0.4	141.89	-421.5	330.7	535.8	534.9	0.87	618,840		
300.0	300.0	297.7	297.7	0.8	0.7	142.05	-421.4	328.6	534.4	532.8	1.58	337,258		
400.0	400.0	399.7	399.6	1.2	1.1	142.21	-421.1	326.5	533.0	530.6	2.31	230,708		
500.0	500.0	500.1	500.1	1.6	1.5	142.35	-420.5	324.4	531.2	528.2	3.03	175,415		
600.0	600.0	595.7	595.6	1.9	1.8	142.36	-419.6	323.5	529.8	526.1	3.72	142,340		
700.0	700.0	692.4	692.3	2.3	2.1	142.26	-418.5	323.9	529.2	524.8	4.41	119,949		
800.0	800.0	793.2	793.1	2.6	2.5	142.17	-417.7	324.4	528.9	523.8	5.12	103,336		
900.0	900.0	893.5	893.4	3.0	2.8	142.11	-416.9	324.5	528.3	522.5	5.83	90,621		
1,000.0	1,000.0	993.2	993.1	3.4	3.2	142.06	-416.3	324.5	527.8	521.3	6.54	80,698		
1,100.0	1,100.0	1,093.9	1,093.8	3.7	3.5	141.98	-415.4	324.7	527.3	520.0	7.26	72,673		
1,200.0	1,200.0	1,194.9	1,194.8	4.1	3.9	141.89	-414.3	325.0	526.6	518.6	7.97	66,049		
1,300.0	1,300.0	1,296.0	1,295.8	4.4	4.3	-4.56	-413.0	325.1	523.9	515.2	8.67	60,403		
1,400.0	1,399.8	1,396.9	1,396.8	4.7	4.6	-4.77	-411.2	325.5	517.5	508.2	9.36	55,271		
1,500.0	1,499.5	1,495.0	1,494.8	5.1	5.0	-5.09	-409.1	326.3	507.6	497.6	10.05	50,529		
1,600.0	1,598.7	1,592.1	1,591.9	5.4	5.3	-5.46	-407.4	327.4	494.9	484.2	10.73	46,130		
1,656.4	1,654.4	1,648.8	1,648.6	5.6	5.5	-5.70	-406.4	328.0	486.2	475.1	11.12	43,714		
1,700.0	1,697.5	1,691.9	1,691.7	5.8	5.7	-5.87	-405.7	328.4	479.0	467.5	11.42	41,928		
1,800.0	1,796.3	1,790.6	1,790.4	6.2	6.0	-6.27	-404.1	329.1	462.4	450.3	12.11	38,170		
1,900.0	1,895.0	1,887.4	1,887.2	6.5	6.4	-6.70	-402.6	329.9	446.0	433.2	12.80	34,835		
2,000.0	1,993.7	1,985.0	1,984.8	6.9	6.7	-7.17	-401.4	331.1	430.1	416.6	13.50	31,868		
2,100.0	2,092.5	2,083.1	2,082.8	7.3	7.1	-7.67	-400.2	332.2	414.3	400.1	14.19	29,187		
2,200.0	2,191.2	2,181.5	2,181.3	7.7	7.4	-8.16	-399.4	333.3	398.6	383.8	14.89	26,767		
2,300.0	2,289.9	2,282.2	2,281.9	8.1	7.8	-8.67	-398.7	334.0	382.9	367.3	15.60	24,538		
2,400.0	2,388.7	2,381.7	2,381.4	8.5	8.1	-9.20	-397.6	334.4	366.6	350.3	16.31	22,474		
2,500.0	2,487.4	2,479.3	2,479.0	8.9	8.5	-9.78	-396.5	334.8	350.5	333.5	17.02	20,590		
2,600.0	2,586.1	2,577.2	2,576.9	9.4	8.8	-10.43	-395.6	335.5	334.7	317.0	17.73	18,875		
2,700.0	2,684.9	2,675.3	2,675.0	9.8	9.2	-11.09	-395.1	336.1	319.1	300.7	18.45	17,302		
2,800.0	2,783.6	2,773.9	2,773.6	10.2	9.5	-11.80	-394.7	336.7	303.8	284.6	19.16	15,854		
2,900.0	2,882.3	2,876.2	2,875.9	10.6	9.9	-12.63	-393.9	337.1	288.0	268.1	19.88	14,488		
3,000.0	2,981.1	2,981.2	2,980.8	11.0	10.3	-14.37	-388.9	338.2	270.0	249.4	20.60	13,107		
3,100.0	3,079.8	3,081.3	3,080.6	11.5	10.6	-16.76	-381.6	339.7	251.2	229.8	21.33	11,773		
3,200.0	3,178.5	3,181.6	3,180.4	11.9	11.0	-19.99	-372.2	341.2	231.5	209.5	22.08	10,488		
3,300.0	3,277.3	3,279.8	3,278.0	12.3	11.3	-24.12	-361.4	342.9	211.9	189.0	22.85	9,273		
3,400.0	3,376.0	3,376.8	3,374.2	12.7	11.7	-29.52	-348.9	345.1	193.3	169.6	23.67	8,166		
3,500.0	3,474.7	3,473.4	3,469.9	13.2	12.1	-36.14	-335.9	347.4	176.6	152.1	24.54	7,196		
3,600.0	3,573.5	3,569.9	3,565.5	13.6	12.4	-43.80	-323.2	349.5	162.6	137.1	25.46	6,386		
3,700.0	3,672.2	3,665.5	3,660.3	14.0	12.8	-52.35	-311.1	351.5	152.1	125.7	26.40	5,759		
3,800.0	3,770.9	3,760.7	3,754.5	14.5	13.1	-62.15	-298.1	354.3	146.6	119.3	27.35	5,361		
3,850.1	3,820.4	3,808.6	3,802.0	14.7	13.3	-67.32	-291.3	355.9	146.0	118.1	27.81	5,249 CC, ES		
3,900.0	3,869.7	3,856.7	3,849.6	14.9	13.5	-72.53	-284.5	357.5	146.6	118.3	28.24	5,190 SF		
4,000.0	3,968.4	3,953.0	3,944.8	15.3	13.9	-82.65	-270.9	360.6	151.6	122.5	29.05	5,217		
4,100.0	4,067.1	4,048.3	4,039.2	15.8	14.3	-91.77	-257.4	363.8	161.3	131.5	29.75	5,420		
4,200.0	4,165.9	4,144.2	4,134.0	16.2	14.6	-99.49	-244.2	367.9	175.2	144.8	30.41	5,764		
4,300.0	4,264.6	4,240.6	4,229.5	16.6	15.0	-105.98	-231.2	372.3	192.0	161.0	31.05	6,185		
4,400.0	4,363.3	4,337.2	4,325.1	17.1	15.4	-111.44	-218.2	376.6	210.8	179.1	31.68	6,653		
4,500.0	4,462.1	4,434.4	4,421.3	17.5	15.8	-116.06	-205.2	380.6	230.9	198.6	32.33	7,143		
4,600.0	4,560.8	4,531.4	4,517.4	17.9	16.1	-119.94	-192.4	384.5	252.0	219.0	32.99	7,639		
4,700.0	4,659.5	4,628.3	4,613.4	18.4	16.5	-123.23	-179.9	388.2	273.8	240.2	33.65	8,138		
4,800.0	4,758.3	4,725.4	4,709.6	18.8	16.9	-126.06	-167.4	391.9	296.2	261.9	34.32	8,632		
4,900.0	4,857.0	4,823.4	4,806.8	19.2	17.3	-128.53	-155.1	395.3	318.9	283.9	35.01	9,108		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W0IJ Fed Com 2H - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 157-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,000.0	4,955.7	4,922.3	4,904.9	19.7	17.7	-130.73	-143.2	398.5	341.5	305.8	35.72	9.559		
5,100.0	5,054.5	5,021.4	5,003.4	20.1	18.1	-132.70	-131.9	401.1	363.8	327.4	36.44	9.984		
5,200.0	5,153.2	5,123.8	5,105.2	20.5	18.5	-134.55	-121.1	403.4	385.5	348.3	37.20	10.362		
5,300.0	5,251.9	5,219.3	5,200.1	21.0	18.8	-136.03	-111.6	405.8	407.1	369.2	37.87	10.748		
5,400.0	5,350.7	5,322.8	5,303.2	21.4	19.2	-137.45	-101.9	408.5	428.3	389.6	38.65	11.079		
5,500.0	5,449.4	5,416.8	5,396.7	21.9	19.6	-138.57	-93.3	411.3	449.5	410.2	39.31	11.434		
5,600.0	5,548.1	5,516.2	5,495.6	22.3	20.0	-139.68	-84.3	413.9	470.9	430.8	40.04	11.759		
5,700.0	5,646.9	5,612.6	5,591.6	22.7	20.3	-140.76	-75.7	415.6	492.0	451.3	40.73	12.079		
5,800.0	5,745.6	5,699.4	5,678.0	23.2	20.7	-141.65	-66.8	417.4	514.7	473.4	41.31	12.461		
5,900.0	5,844.3	5,790.7	5,768.6	23.6	21.0	-142.39	-56.1	420.4	539.0	497.1	41.94	12.853		
6,000.0	5,943.1	5,893.1	5,870.3	24.1	21.4	-143.17	-44.4	423.5	563.2	520.5	42.73	13.181		
6,100.0	6,041.8	5,987.0	5,963.5	24.5	21.8	-143.88	-33.6	425.8	587.4	544.0	43.40	13.535		
6,200.0	6,140.5	6,083.5	6,059.4	24.9	22.2	-144.51	-22.4	428.7	611.8	567.7	44.11	13.869		
6,300.0	6,239.3	6,172.6	6,147.7	25.4	22.5	-144.94	-11.6	432.5	636.9	592.2	44.74	14.237		
6,400.0	6,338.0	6,255.5	6,229.7	25.8	22.9	-145.23	-0.1	437.1	663.7	618.4	45.27	14.659		
6,500.0	6,436.7	6,371.7	6,344.7	26.2	23.3	-145.65	15.0	442.7	689.5	643.2	46.27	14.902		
6,600.0	6,535.5	6,461.1	6,433.3	26.7	23.7	-145.95	26.2	447.1	715.1	668.2	46.91	15.245		
6,664.9	6,599.6	6,524.5	6,496.1	27.0	24.0	-146.14	34.4	450.4	731.9	684.5	47.39	15.445		
6,700.0	6,634.2	6,557.7	6,528.9	27.1	24.1	-146.30	38.7	452.1	740.9	693.3	47.64	15.553		
6,800.0	6,733.3	6,650.8	6,621.1	27.5	24.5	-146.72	51.1	456.4	765.4	717.0	48.32	15.841		
6,900.0	6,832.7	6,746.2	6,715.6	27.9	24.9	-147.05	64.1	460.0	788.1	739.1	49.01	16.079		
7,000.0	6,932.3	6,851.0	6,819.3	28.3	25.3	-147.19	78.3	464.9	808.6	758.8	49.82	16.229		
7,100.0	7,032.1	6,961.8	6,929.3	28.7	25.7	-147.25	91.4	469.4	825.2	774.5	50.69	16.280		
7,200.0	7,132.1	7,056.2	7,022.9	29.0	26.1	-147.20	102.2	473.3	839.3	788.0	51.35	16.345		
7,273.4	7,205.5	7,124.9	7,091.0	29.2	26.4	-0.75	110.7	476.4	848.9	797.1	51.82	16.381		
7,300.0	7,232.1	7,152.7	7,118.6	29.3	26.5	89.34	114.1	477.5	852.2	800.1	52.02	16.381		
7,350.0	7,281.9	7,204.7	7,170.2	29.4	26.7	89.17	120.4	479.1	858.2	805.8	52.39	16.380		
7,400.0	7,331.1	7,248.4	7,213.6	29.6	26.9	89.15	125.8	480.2	864.2	811.6	52.66	16.411		
7,450.0	7,379.3	7,292.1	7,256.9	29.7	27.0	89.31	131.3	481.0	870.7	817.7	52.94	16.447		
7,500.0	7,426.2	7,342.3	7,306.7	29.7	27.2	89.81	137.7	481.5	877.3	824.0	53.29	16.462		
7,550.0	7,471.5	7,391.5	7,355.5	29.8	27.4	90.46	143.8	481.2	884.2	830.5	53.64	16.482		
7,600.0	7,514.7	7,431.8	7,395.5	29.9	27.6	91.01	148.7	481.0	891.6	837.7	53.91	16.538		
7,650.0	7,555.6	7,469.7	7,433.1	29.9	27.8	91.57	153.4	481.3	900.0	845.8	54.18	16.612		
7,700.0	7,593.8	7,500.9	7,464.1	29.9	27.9	91.89	157.4	481.8	909.7	855.3	54.39	16.724		
7,750.0	7,629.0	7,527.1	7,490.0	30.0	28.0	91.93	160.9	482.6	921.0	866.4	54.59	16.873		
7,800.0	7,661.0	7,550.1	7,512.7	30.0	28.1	91.72	164.1	483.5	934.2	879.4	54.78	17.054		
7,850.0	7,689.6	7,569.8	7,532.2	30.0	28.2	91.18	166.9	484.5	949.3	894.3	54.97	17.270		
7,900.0	7,714.5	7,589.6	7,551.7	30.0	28.2	90.48	169.9	485.6	966.4	911.2	55.21	17.505		
7,950.0	7,735.4	7,610.4	7,572.3	29.9	28.3	89.64	173.0	486.6	985.3	929.8	55.50	17.753		
8,000.0	7,752.4	7,627.0	7,588.7	29.9	28.4	88.36	175.4	487.4	1,006.0	950.2	55.79	18.033		
8,050.0	7,765.2	7,639.2	7,600.7	29.9	28.4	86.60	177.2	488.0	1,028.4	972.4	56.06	18.347		
8,100.0	7,773.8	7,646.6	7,608.1	29.9	28.5	84.33	178.3	488.3	1,052.5	996.2	56.30	18.693		
8,150.0	7,778.0	7,649.1	7,610.6	29.9	28.5	81.56	178.7	488.4	1,077.9	1,021.4	56.52	19.071		
8,173.4	7,778.5	7,648.5	7,610.0	29.9	28.5	80.09	178.6	488.4	1,090.2	1,033.6	56.61	19.258		
8,200.0	7,778.3	7,647.0	7,608.5	30.0	28.5	79.66	178.4	488.3	1,104.5	1,047.8	56.71	19.477		
8,244.5	7,777.6	7,643.8	7,605.3	30.2	28.5	78.87	177.9	488.2	1,129.4	1,072.6	56.87	19.860		
8,300.0	7,776.2	7,639.1	7,600.7	30.7	28.4	78.58	177.2	488.0	1,162.0	1,105.0	57.07	20.362		
8,400.0	7,773.7	7,630.3	7,592.0	31.7	28.4	78.04	175.9	487.6	1,225.0	1,167.5	57.42	21.335		
8,500.0	7,771.2	7,621.0	7,582.8	32.9	28.4	77.47	174.5	487.1	1,292.5	1,234.8	57.74	22.386		
8,600.0	7,768.8	7,611.2	7,573.1	34.2	28.3	76.86	173.1	486.7	1,364.0	1,306.0	58.03	23.506		
8,700.0	7,766.3	7,600.7	7,562.8	35.7	28.3	76.22	171.5	486.1	1,438.8	1,380.5	58.28	24.687		
8,800.0	7,763.8	7,589.6	7,551.8	37.2	28.2	75.55	169.9	485.6	1,516.5	1,458.0	58.51	25.920		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W01J Fed Com 2H - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 157-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
8,900.0	7,761.3	7,580.0	7,542.3	38.9	28.2	74.96	168.4	485.0	1,596.6	1,537.9	58.72	27.192		
9,000.0	7,758.8	7,580.0	7,542.3	40.6	28.2	74.96	168.4	485.0	1,678.9	1,619.9	58.98	28.467		
9,100.0	7,756.4	10,520.6	9,192.6	42.4	48.3	145.34	259.5	-1,050.3	1,758.1	1,701.0	57.12	30.780		
9,200.0	7,753.9	10,614.9	9,191.3	44.3	50.0	145.38	258.2	-1,144.6	1,758.6	1,699.2	59.32	29.646		
9,300.0	7,751.4	10,726.8	9,189.8	46.2	52.1	145.44	256.1	-1,256.4	1,758.8	1,697.0	61.77	28.475		
9,400.0	7,748.9	10,832.3	9,187.2	48.1	54.1	145.46	254.6	-1,361.9	1,758.4	1,694.1	64.24	27.372		
9,500.0	7,746.4	10,933.3	9,184.8	50.1	56.1	145.49	253.0	-1,462.9	1,757.9	1,691.2	66.70	26.353		
9,600.0	7,743.9	11,034.5	9,182.3	52.2	58.1	145.52	251.3	-1,564.0	1,757.3	1,688.1	69.21	25.390		
9,700.0	7,741.5	11,135.7	9,180.0	54.3	60.1	145.56	249.3	-1,665.2	1,756.7	1,684.9	71.75	24.484		
9,776.4	7,739.6	11,200.4	9,178.6	55.9	61.5	145.58	248.2	-1,729.9	1,756.4	1,682.8	73.55	23.880		
9,800.0	7,739.0	11,219.4	9,178.3	56.4	61.9	145.59	247.9	-1,748.9	1,756.4	1,682.3	74.10	23.705		
9,900.0	7,736.5	11,333.7	9,176.2	58.5	64.2	145.63	246.3	-1,863.1	1,756.6	1,679.7	76.87	22.851		
9,956.5	7,735.1	11,380.5	9,175.2	59.7	65.2	145.65	245.6	-1,910.0	1,756.4	1,678.2	78.22	22.454		
10,000.0	7,734.0	11,414.7	9,174.7	60.7	65.9	145.67	244.9	-1,944.1	1,756.5	1,677.3	79.23	22.171		
10,100.0	7,731.5	11,523.7	9,173.7	62.8	68.2	145.74	242.7	-2,053.1	1,757.0	1,675.1	81.93	21.446		
10,200.0	7,729.1	11,639.5	9,171.0	65.0	70.7	145.77	240.9	-2,168.8	1,756.5	1,671.7	84.81	20.711		
10,300.0	7,726.6	11,744.1	9,167.7	67.3	73.0	145.79	239.3	-2,273.4	1,755.5	1,667.9	87.59	20.043		
10,400.0	7,724.1	11,848.5	9,164.1	69.5	75.3	145.79	237.9	-2,377.7	1,754.2	1,663.9	90.40	19.406		
10,500.0	7,721.6	11,948.7	9,160.3	71.7	77.5	145.78	236.5	-2,477.8	1,752.8	1,659.6	93.17	18.812		
10,600.0	7,719.1	12,040.3	9,157.1	74.0	79.5	145.78	235.4	-2,569.3	1,751.6	1,655.7	95.85	18.274		
10,700.0	7,716.7	12,131.7	9,154.6	76.3	81.6	145.80	234.2	-2,660.7	1,750.9	1,652.4	98.51	17.775		
10,800.0	7,714.2	12,225.9	9,152.4	78.6	83.7	145.81	233.0	-2,754.9	1,750.7	1,649.4	101.20	17.298		
10,829.4	7,713.5	12,253.5	9,151.8	79.2	84.3	145.82	232.6	-2,782.5	1,750.6	1,648.6	101.99	17.164		
10,900.0	7,711.7	12,319.6	9,150.6	80.9	85.8	145.84	231.7	-2,848.5	1,750.7	1,646.8	103.88	16.853		
11,000.0	7,709.2	12,411.2	9,149.3	83.2	87.9	145.88	230.5	-2,940.2	1,751.2	1,644.7	106.52	16.440		
11,100.0	7,706.7	12,505.5	9,149.1	85.5	90.0	145.96	228.5	-3,034.4	1,752.2	1,643.1	109.13	16.057		
11,200.0	7,704.3	12,600.4	9,147.7	87.8	92.2	145.97	228.2	-3,129.3	1,753.2	1,641.3	111.88	15.671		
11,300.0	7,701.8	12,689.4	9,146.1	90.1	94.2	145.92	229.8	-3,218.3	1,755.1	1,640.5	114.67	15.306		
11,400.0	7,699.3	12,799.3	9,143.4	92.5	96.8	145.84	232.0	-3,328.1	1,756.5	1,638.7	117.87	14.903		
11,500.0	7,696.8	12,896.0	9,141.6	94.8	99.0	145.81	233.3	-3,424.8	1,758.2	1,637.4	120.79	14.556		
11,600.0	7,694.3	13,003.2	9,139.4	97.1	101.5	145.76	234.6	-3,532.0	1,759.6	1,635.7	123.90	14.201		
11,700.0	7,691.9	13,100.2	9,137.2	99.5	103.8	145.71	235.8	-3,628.9	1,760.8	1,633.9	126.86	13.879		
11,800.0	7,689.4	13,201.2	9,135.2	101.8	106.1	145.67	237.1	-3,729.9	1,762.2	1,632.3	129.89	13.567		
11,900.0	7,686.9	13,302.6	9,132.9	104.2	108.5	145.63	238.3	-3,831.2	1,763.4	1,630.5	132.94	13.264		
12,000.0	7,684.4	13,430.5	9,129.8	106.6	111.5	145.60	238.8	-3,959.2	1,764.0	1,627.7	136.38	12.934		
12,100.0	7,681.9	13,541.5	9,126.6	108.9	114.1	145.61	237.5	-4,070.0	1,763.4	1,623.9	139.46	12.644		
12,200.0	7,679.4	13,646.8	9,122.9	111.3	116.6	145.60	236.2	-4,175.3	1,762.3	1,619.8	142.49	12.368		
12,300.0	7,677.0	13,738.5	9,119.8	113.7	118.7	145.61	234.9	-4,266.9	1,761.0	1,615.7	145.29	12.120		
12,400.0	7,674.5	13,828.4	9,118.0	116.1	120.8	145.64	233.3	-4,356.8	1,760.8	1,612.8	148.00	11.897		
12,500.0	7,672.0	13,934.4	9,115.3	118.5	123.3	145.67	231.8	-4,462.7	1,760.1	1,609.2	150.98	11.658		
12,579.6	7,670.0	14,004.0	9,113.8	120.4	125.0	145.70	230.4	-4,532.3	1,759.9	1,606.8	153.10	11.495		
12,600.0	7,669.5	14,020.2	9,113.6	120.9	125.4	145.70	230.2	-4,548.5	1,759.9	1,606.3	153.62	11.457		
12,700.0	7,667.0	14,109.4	9,112.5	123.2	127.5	145.74	229.2	-4,637.7	1,760.7	1,604.3	156.31	11.264		
12,800.0	7,664.6	14,217.4	9,110.8	125.6	130.0	145.77	228.1	-4,745.7	1,761.1	1,601.8	159.31	11.055		
12,900.0	7,662.1	14,304.1	9,109.7	128.0	132.1	145.80	226.9	-4,832.4	1,761.8	1,599.8	161.95	10.879		
13,000.0	7,659.6	14,398.6	9,109.7	130.4	134.3	145.86	225.9	-4,926.9	1,763.5	1,598.8	164.65	10.710		
13,100.0	7,657.1	14,525.4	9,107.5	132.8	137.3	145.89	224.7	-5,053.6	1,763.9	1,595.9	167.95	10.502		
13,200.0	7,654.6	14,632.6	9,104.8	135.2	139.9	145.90	223.7	-5,160.8	1,763.6	1,592.6	170.99	10.314		
13,287.6	7,652.5	14,712.1	9,102.8	137.3	141.8	145.91	222.8	-5,240.3	1,763.3	1,589.9	173.43	10.168		
13,300.0	7,652.2	14,723.0	9,102.6	137.6	142.1	145.91	222.6	-5,251.1	1,763.4	1,589.6	173.76	10.148		
13,400.0	7,649.7	14,812.4	9,101.2	140.0	144.2	145.94	221.5	-5,340.5	1,763.7	1,587.3	176.46	9.995		
13,500.0	7,647.2	14,923.9	9,099.4	142.4	146.9	145.97	220.3	-5,452.0	1,764.3	1,584.8	179.50	9.829		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W0IJ Fed Com 2H - Wellbore #1 - Actual												Offset Site Error:	0.0 usft
Survey Program: 157-MWD												Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	
13,600.0	7,644.7	15,023.3	9,097.3	144.9	149.2	145.99	219.2	-5,551.4	1,764.3	1,581.9	182.39	9.673	
13,700.0	7,642.2	15,116.3	9,095.8	147.3	151.5	146.03	218.0	-5,644.4	1,764.5	1,579.4	185.14	9.531	
13,800.0	7,639.8	15,238.3	9,092.6	149.7	154.4	146.05	216.4	-5,766.3	1,764.0	1,575.6	188.37	9.364	
13,865.8	7,638.1	15,290.3	9,091.3	151.3	155.6	146.06	215.7	-5,818.3	1,763.7	1,573.7	190.09	9.279	
13,900.0	7,637.3	15,322.2	9,090.7	152.1	156.4	146.06	215.3	-5,850.2	1,763.8	1,572.8	191.03	9.233	
14,000.0	7,634.8	15,430.6	9,088.1	154.5	159.0	146.08	214.2	-5,958.5	1,763.6	1,569.5	194.08	9.087	
14,082.1	7,632.8	15,506.5	9,086.1	156.5	160.8	146.08	213.5	-6,034.5	1,763.4	1,567.0	196.42	8.978	
14,100.0	7,632.3	15,519.7	9,085.8	156.9	161.1	146.08	213.4	-6,047.7	1,763.4	1,566.5	196.87	8.957	
14,200.0	7,629.8	15,602.5	9,084.9	159.3	163.1	146.11	212.7	-6,130.4	1,764.4	1,564.9	199.47	8.846	
14,288.8	7,627.6	15,713.3	9,081.9	161.5	165.8	146.10	212.1	-6,241.2	1,764.0	1,561.5	202.48	8.712	
14,300.0	7,627.4	15,719.6	9,081.8	161.8	165.9	146.10	212.1	-6,247.5	1,764.0	1,561.3	202.74	8.701	
14,400.0	7,624.9	15,778.0	9,081.5	164.2	167.3	146.13	211.5	-6,305.9	1,765.6	1,560.6	204.91	8.616	
14,500.0	7,622.4	15,911.2	9,080.9	166.6	170.6	146.19	210.4	-6,439.0	1,767.1	1,558.8	208.22	8.486	
14,600.0	7,619.9	16,014.9	9,079.7	169.0	173.1	146.24	208.9	-6,542.7	1,767.7	1,556.6	211.07	8.375	
14,700.0	7,617.4	16,160.2	9,075.6	171.5	176.6	146.23	207.9	-6,687.9	1,767.5	1,552.8	214.74	8.231	
14,800.0	7,614.9	16,245.8	9,072.1	173.9	178.6	146.21	207.1	-6,773.5	1,766.0	1,548.4	217.57	8.117	
14,900.0	7,612.5	16,346.2	9,068.6	176.3	181.0	146.22	205.7	-6,873.9	1,764.8	1,544.2	220.54	8.002	
14,955.7	7,611.1	16,380.3	9,067.5	177.7	181.9	146.21	205.6	-6,907.8	1,764.4	1,542.5	221.91	7.951	
15,000.0	7,610.0	16,407.7	9,066.7	178.7	182.5	146.20	205.8	-6,935.3	1,764.7	1,541.6	223.01	7.913	
15,100.0	7,607.5	16,498.9	9,064.5	181.2	184.7	146.12	208.0	-7,026.4	1,766.3	1,540.1	226.16	7.810	
15,200.0	7,605.0	16,582.2	9,062.4	183.6	186.8	146.06	209.8	-7,109.7	1,767.9	1,538.8	229.11	7.716	
15,300.0	7,602.5	16,697.0	9,061.3	186.0	189.5	146.01	212.2	-7,224.5	1,770.8	1,538.2	232.59	7.613	
15,400.0	7,600.1	16,795.3	9,058.7	188.4	191.9	145.94	214.0	-7,322.7	1,772.0	1,536.1	235.85	7.513	
15,463.1	7,598.5	16,845.0	9,057.7	190.0	193.1	145.91	215.0	-7,372.4	1,773.2	1,535.5	237.65	7.461	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 248-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	143.65	-451.7	332.4	560.9					
100.0	100.0	90.8	90.8	0.1	0.1	143.66	-451.8	332.3	560.8	560.5	0.27	2,056.030		
200.0	200.0	191.2	191.2	0.5	0.3	143.71	-452.0	331.9	560.7	559.9	0.79	708.893		
300.0	300.0	293.7	293.7	0.8	0.6	143.78	-452.2	331.2	560.5	559.1	1.40	400.448		
400.0	400.0	395.6	395.6	1.2	0.9	143.75	-451.4	330.9	559.7	557.6	2.12	264.423		
500.0	500.0	496.7	496.7	1.6	1.3	143.77	-450.6	330.2	558.7	555.9	2.83	197.332		
600.0	600.0	594.7	594.7	1.9	1.6	143.79	-450.0	329.5	557.8	554.2	3.54	157.579		
700.0	700.0	695.0	695.0	2.3	2.0	143.83	-449.6	328.7	557.0	552.7	4.26	130.841		
800.0	800.0	795.3	795.3	2.6	2.3	143.87	-449.2	327.9	556.1	551.1	4.97	111.788		
900.0	900.0	894.5	894.5	3.0	2.7	143.91	-448.7	327.2	555.4	549.7	5.69	97.630		
997.3	997.3	987.8	987.8	3.3	3.0	143.93	-448.5	326.7	554.9	548.5	6.36	87.200		
1,000.0	1,000.0	990.3	990.3	3.4	3.0	143.93	-448.5	326.7	554.9	548.5	6.38	86.947		
1,100.0	1,100.0	1,083.7	1,083.7	3.7	3.3	143.94	-449.0	327.0	555.5	548.4	7.06	78.673		
1,200.0	1,200.0	1,181.5	1,181.4	4.1	3.7	143.99	-450.4	327.4	556.9	549.2	7.75	71.884		
1,300.0	1,300.0	1,278.7	1,278.7	4.4	4.0	-2.20	-452.7	327.3	557.0	548.6	8.42	66.132		
1,400.0	1,399.8	1,372.6	1,372.4	4.7	4.3	-2.13	-455.3	328.1	554.5	545.5	9.07	61.117		
1,500.0	1,499.5	1,474.7	1,474.6	5.1	4.7	-2.20	-457.7	330.1	548.8	539.1	9.76	56.243		
1,600.0	1,598.7	1,566.6	1,566.4	5.4	5.0	-2.38	-459.7	333.1	540.3	529.8	10.41	51.906		
1,656.4	1,654.4	1,620.1	1,619.8	5.6	5.2	-2.53	-461.0	335.3	534.4	523.6	10.78	49.553		
1,700.0	1,697.5	1,661.5	1,661.2	5.8	5.3	-2.65	-462.1	337.1	529.6	518.5	11.07	47.818		
1,800.0	1,796.3	1,759.6	1,759.0	6.2	5.7	-2.97	-465.1	342.0	519.0	507.3	11.76	44.151		
1,900.0	1,895.0	1,868.6	1,867.9	6.5	6.1	-3.34	-467.4	346.7	507.4	494.9	12.49	40.637		
2,000.0	1,993.7	1,970.4	1,969.7	6.9	6.4	-3.75	-468.4	350.6	494.7	481.5	13.19	37.502		
2,100.0	2,092.5	2,071.3	2,070.5	7.3	6.8	-4.13	-469.3	354.1	481.6	467.7	13.89	34.664		
2,200.0	2,191.2	2,172.3	2,171.4	7.7	7.1	-4.35	-470.8	356.0	468.1	453.5	14.60	32.060		
2,300.0	2,289.9	2,270.0	2,269.1	8.1	7.5	-4.39	-473.1	356.6	454.5	439.2	15.30	29.705		
2,400.0	2,388.7	2,365.5	2,364.6	8.5	7.8	-4.28	-476.5	356.7	441.5	425.5	16.00	27.604		
2,500.0	2,487.4	2,463.6	2,462.6	8.9	8.2	-4.03	-481.1	356.5	429.2	412.5	16.70	25.703		
2,600.0	2,586.1	2,565.6	2,564.5	9.4	8.5	-3.91	-485.0	357.0	416.7	399.3	17.42	23.922		
2,700.0	2,684.9	2,665.2	2,664.1	9.8	8.9	-4.14	-486.8	359.1	403.6	385.5	18.13	22.260		
2,800.0	2,783.6	2,766.5	2,765.3	10.2	9.2	-4.63	-487.6	362.4	390.3	371.5	18.85	20.712		
2,900.0	2,882.3	2,870.4	2,869.2	10.6	9.6	-5.20	-487.3	365.1	375.9	356.4	19.57	19.213		
3,000.0	2,981.1	2,963.1	2,961.8	11.0	9.9	-5.50	-488.2	366.6	361.9	341.7	20.27	17.859		
3,100.0	3,079.8	3,056.6	3,055.2	11.5	10.3	-5.37	-492.2	367.0	349.7	328.7	20.97	16.677		
3,200.0	3,178.5	3,154.9	3,153.4	11.9	10.6	-4.96	-498.1	366.8	338.3	316.7	21.68	15.606		
3,300.0	3,277.3	3,255.1	3,253.4	12.3	11.0	-4.51	-504.0	366.5	327.0	304.6	22.40	14.597		
3,400.0	3,376.0	3,354.8	3,352.9	12.7	11.3	-4.01	-509.9	366.0	315.5	292.3	23.12	13.645		
3,500.0	3,474.7	3,451.0	3,449.0	13.2	11.7	-3.48	-515.6	365.6	304.1	280.2	23.83	12.759		
3,600.0	3,573.5	3,540.4	3,538.0	13.6	12.0	-2.77	-523.3	365.8	295.2	270.7	24.51	12.045		
3,700.0	3,672.2	3,630.5	3,627.5	14.0	12.3	-1.81	-534.3	367.0	289.9	264.8	25.16	11.522		
3,800.0	3,770.9	3,726.8	3,722.7	14.5	12.7	-0.59	-548.2	368.8	287.0	261.2	25.86	11.101		
3,900.0	3,869.7	3,827.8	3,822.6	14.9	13.1	0.66	-562.8	371.1	284.5	257.9	26.60	10.696		
4,000.0	3,968.4	3,929.4	3,923.1	15.3	13.5	1.87	-577.0	373.4	281.7	254.3	27.34	10.301		
4,100.0	4,067.1	4,032.4	4,025.3	15.8	13.9	3.00	-590.2	375.8	277.9	249.8	28.10	9.889		
4,200.0	4,165.9	4,135.7	4,127.9	16.2	14.3	4.01	-602.1	378.2	273.2	244.3	28.86	9.465		
4,300.0	4,264.6	4,233.7	4,225.3	16.6	14.7	4.99	-612.5	380.2	267.6	238.0	29.58	9.046		
4,400.0	4,363.3	4,331.6	4,322.4	17.1	15.0	6.47	-625.3	380.9	263.6	233.3	30.30	8.700		
4,500.0	4,462.1	4,434.0	4,423.9	17.5	15.4	8.11	-638.3	381.3	259.5	228.4	31.07	8.352		
4,600.0	4,560.8	4,529.6	4,518.8	17.9	15.8	9.50	-649.9	382.4	255.2	223.5	31.77	8.033		
4,700.0	4,659.5	4,628.8	4,617.2	18.4	16.2	10.82	-663.1	384.8	252.8	220.3	32.51	7.775		
4,800.0	4,758.3	4,731.9	4,719.4	18.8	16.6	12.14	-675.9	387.3	249.7	216.4	33.29	7.499		
4,900.0	4,857.0	4,829.2	4,816.0	19.2	17.0	13.25	-687.5	390.2	246.3	212.3	34.02	7.240		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 248-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,000.0	4,955.7	4,930.8	4,916.8	19.7	17.4	14.04	-699.3	395.0	243.4	208.6	34.78	6.998		
5,100.0	5,054.5	5,034.8	5,020.1	20.1	17.8	14.86	-710.1	399.5	239.3	203.7	35.56	6.728		
5,200.0	5,153.2	5,136.1	5,120.9	20.5	18.2	15.82	-719.5	402.9	233.8	197.5	36.33	6.436		
5,300.0	5,251.9	5,231.8	5,216.1	21.0	18.6	17.02	-729.6	405.5	229.4	192.4	37.06	6.190		
5,400.0	5,350.7	5,333.7	5,317.3	21.4	19.0	18.52	-740.5	407.5	225.1	187.3	37.85	5.948		
5,500.0	5,449.4	5,432.2	5,415.2	21.9	19.3	20.14	-751.4	409.2	221.2	182.6	38.62	5.727		
5,600.0	5,548.1	5,532.2	5,514.6	22.3	19.7	21.88	-762.2	410.6	217.3	177.8	39.41	5.513		
5,700.0	5,646.9	5,629.4	5,611.2	22.7	20.1	23.40	-773.3	413.0	214.2	174.1	40.18	5.332		
5,800.0	5,745.6	5,728.5	5,709.5	23.2	20.5	24.88	-785.5	416.0	212.4	171.4	40.96	5.185		
5,900.0	5,844.3	5,829.4	5,809.5	23.6	20.9	26.51	-797.5	418.6	210.2	168.4	41.78	5.031		
6,000.0	5,943.1	5,930.0	5,909.4	24.1	21.3	27.77	-809.2	422.7	208.0	165.4	42.59	4.884		
6,100.0	6,041.8	6,031.2	6,010.0	24.5	21.7	29.04	-820.2	426.8	205.2	161.8	43.41	4.728		
6,200.0	6,140.5	6,131.6	6,109.6	24.9	22.1	29.99	-830.6	432.1	202.1	157.9	44.21	4.571		
6,300.0	6,239.3	6,233.6	6,211.0	25.4	22.5	30.97	-840.7	437.4	198.6	153.5	45.03	4.410		
6,400.0	6,338.0	6,333.5	6,310.4	25.8	22.9	32.15	-849.7	442.1	194.3	148.4	45.84	4.237		
6,500.0	6,436.7	6,430.7	6,407.0	26.2	23.3	33.11	-859.3	447.3	190.7	144.1	46.64	4.090		
6,600.0	6,535.5	6,530.4	6,505.9	26.7	23.7	33.86	-870.0	453.6	188.2	140.8	47.44	3.968		
6,664.9	6,599.6	6,593.7	6,568.7	27.0	23.9	34.37	-876.9	457.6	186.8	138.9	47.95	3.896		
6,700.0	6,634.2	6,627.7	6,602.4	27.1	24.1	34.71	-881.0	459.3	186.5	138.3	48.23	3.867		
6,712.1	6,646.2	6,639.7	6,614.3	27.2	24.1	34.84	-882.4	459.9	186.5	138.1	48.32	3.859 CC		
6,800.0	6,733.3	6,728.4	6,702.3	27.5	24.5	35.74	-892.9	463.6	187.1	138.1	49.05	3.814 ES		
6,900.0	6,832.7	6,831.7	6,804.9	27.9	24.9	36.56	-904.0	467.2	188.8	138.9	49.88	3.784		
7,000.0	6,932.3	6,932.6	6,905.3	28.3	25.3	37.14	-913.5	470.0	191.2	140.6	50.65	3.775 SF		
7,100.0	7,032.1	7,028.9	7,001.1	28.7	25.7	37.32	-923.5	472.3	196.8	145.5	51.35	3.832		
7,200.0	7,132.1	7,129.6	7,101.2	29.0	26.1	37.07	-934.6	474.8	205.0	153.0	52.05	3.939		
7,273.4	7,205.5	7,204.6	7,175.8	29.2	26.4	-176.93	-942.1	476.2	211.8	159.2	52.55	4.030		
7,300.0	7,232.1	7,230.0	7,201.1	29.3	26.5	-86.68	-944.7	476.6	214.4	161.7	52.70	4.068		
7,350.0	7,281.9	7,278.0	7,248.8	29.4	26.7	-87.62	-949.7	477.5	219.4	166.5	52.91	4.146		
7,400.0	7,331.1	7,326.8	7,297.2	29.6	26.9	-89.60	-955.0	478.5	224.7	171.6	53.06	4.235		
7,450.0	7,379.3	7,375.3	7,345.5	29.7	27.0	-92.42	-960.1	479.5	230.5	177.3	53.17	4.335		
7,500.0	7,426.2	7,424.1	7,394.0	29.7	27.2	-96.00	-965.0	480.5	237.2	184.0	53.26	4.454		
7,550.0	7,471.5	7,471.6	7,441.3	29.8	27.4	-100.08	-969.1	481.7	245.5	192.1	53.35	4.601		
7,600.0	7,514.7	7,514.5	7,484.1	29.9	27.6	-103.99	-972.5	482.9	256.2	202.7	53.48	4.790		
7,650.0	7,555.6	7,554.0	7,523.4	29.9	27.7	-107.53	-975.5	484.1	270.5	216.8	53.70	5.037		
7,700.0	7,593.8	7,590.1	7,559.4	29.9	27.9	-110.50	-978.3	485.4	288.8	234.8	54.01	5.348		
7,750.0	7,629.0	7,622.1	7,591.3	30.0	28.0	-112.61	-980.8	486.7	311.6	257.2	54.39	5.730		
7,800.0	7,661.0	7,650.3	7,619.4	30.0	28.1	-113.78	-983.0	488.1	338.8	283.9	54.81	6.180		
7,850.0	7,689.6	7,674.6	7,643.6	30.0	28.2	-113.87	-984.9	489.5	370.0	314.7	55.25	6.697		
7,900.0	7,714.5	7,695.5	7,664.4	30.0	28.3	-112.79	-986.6	490.8	404.9	349.2	55.68	7.271		
7,950.0	7,735.4	7,712.4	7,681.2	29.9	28.3	-110.29	-988.0	491.9	442.8	386.8	56.08	7.897		
8,000.0	7,752.4	7,725.3	7,694.0	29.9	28.4	-106.11	-989.1	492.7	483.3	426.9	56.43	8.565		
8,050.0	7,765.2	7,734.2	7,702.8	29.9	28.4	-100.00	-989.9	493.3	525.9	469.1	56.74	9.267		
8,100.0	7,773.8	7,738.9	7,707.5	29.9	28.5	-91.82	-990.3	493.6	569.8	512.8	57.01	9.995		
8,150.0	7,778.0	7,739.7	7,708.3	29.9	28.5	-81.76	-990.3	493.7	614.8	557.5	57.24	10.741		
8,173.4	7,778.5	7,738.7	7,707.3	29.9	28.5	-76.59	-990.2	493.6	636.0	578.7	57.33	11.094		
8,200.0	7,778.3	7,736.9	7,705.5	30.0	28.4	-75.09	-990.1	493.5	660.3	602.8	57.43	11.497		
8,244.5	7,777.6	7,733.5	7,702.2	30.2	28.4	-72.42	-989.8	493.3	701.1	643.6	57.57	12.178		
8,300.0	7,776.2	7,729.0	7,697.6	30.7	28.4	-71.48	-989.4	493.0	752.6	694.8	57.73	13.035		
8,400.0	7,773.7	7,720.9	7,689.6	31.7	28.4	-69.85	-988.7	492.4	846.5	788.6	57.97	14.603		
8,500.0	7,771.2	7,712.9	7,681.7	32.9	28.4	-68.27	-988.1	491.9	941.6	883.5	58.15	16.193		
8,600.0	7,768.8	7,705.2	7,674.0	34.2	28.3	-66.76	-987.4	491.4	1,037.6	979.3	58.30	17.799		
8,700.0	7,766.3	7,697.6	7,666.5	35.7	28.3	-65.30	-986.8	490.9	1,134.2	1,075.8	58.41	19.417		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design		Bo Howard 1211 - Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actual										Offset Site Error:		0.0 usft	
Survey Program: 248-MWD												Offset Well Error:		0.0 usft	
Reference		Offset		Semi Major Axis			Distance						Warning		
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor			
8,800.0	7,763.8	7,690.2	7,659.1	37.2	28.3	-63.90	-986.2	490.5	1,231.3	1,172.8	58.51	21.044			
8,900.0	7,761.3	7,683.0	7,651.9	38.9	28.2	-62.55	-985.6	490.0	1,328.8	1,270.2	58.59	22.680			
9,000.0	7,758.8	7,675.8	7,644.8	40.6	28.2	-61.26	-985.0	489.6	1,426.6	1,367.9	58.66	24.321			
9,100.0	7,756.4	10,538.3	9,195.5	42.4	47.7	-167.54	-1,060.4	-1,037.5	1,483.9	1,451.5	32.36	45.852			
9,200.0	7,753.9	10,641.1	9,194.1	44.3	49.6	-167.66	-1,058.2	-1,140.2	1,484.3	1,450.5	33.79	43.925			
9,300.0	7,751.4	10,790.6	9,191.1	46.2	52.4	-167.89	-1,053.1	-1,289.6	1,484.4	1,448.8	35.61	41.685			
9,400.0	7,748.9	10,901.1	9,185.4	48.1	54.5	-168.03	-1,049.4	-1,400.0	1,481.0	1,443.8	37.15	39.859			
9,500.0	7,746.4	11,000.2	9,180.0	50.1	56.5	-168.14	-1,046.5	-1,498.8	1,477.3	1,438.7	38.62	38.247			
9,600.0	7,743.9	11,094.4	9,174.8	52.2	58.4	-168.20	-1,044.9	-1,592.8	1,473.9	1,433.8	40.10	36.758			
9,700.0	7,741.5	11,184.7	9,169.8	54.3	60.2	-168.16	-1,045.9	-1,683.0	1,470.9	1,429.3	41.62	35.339			
9,800.0	7,739.0	11,274.5	9,165.1	56.4	62.1	-168.05	-1,048.9	-1,772.6	1,468.8	1,425.5	43.23	33.978			
9,900.0	7,736.5	11,371.5	9,160.2	58.5	64.1	-167.88	-1,053.3	-1,869.5	1,467.1	1,422.1	44.97	32.623			
10,000.0	7,734.0	11,466.7	9,155.4	60.7	66.2	-167.72	-1,057.6	-1,964.4	1,465.5	1,418.8	46.73	31.363			
10,100.0	7,731.5	11,551.7	9,151.7	62.8	68.0	-167.56	-1,062.1	-2,049.2	1,464.6	1,416.2	48.43	30.244			
10,123.1	7,731.0	11,570.6	9,151.0	63.3	68.4	-167.52	-1,063.2	-2,068.1	1,464.6	1,415.8	48.82	29.999			
10,200.0	7,729.1	11,640.2	9,148.7	65.0	69.9	-167.35	-1,067.7	-2,137.5	1,464.9	1,414.7	50.23	29.165			
10,300.0	7,726.6	11,747.9	9,144.9	67.3	72.2	-167.13	-1,074.0	-2,244.9	1,465.1	1,412.8	52.24	28.044			
10,400.0	7,724.1	11,851.0	9,141.9	69.5	74.5	-167.07	-1,076.1	-2,348.0	1,465.0	1,411.0	54.07	27.095			
10,500.0	7,721.6	11,949.8	9,139.3	71.7	76.7	-167.08	-1,076.4	-2,446.7	1,464.7	1,408.9	55.80	26.249			
10,527.0	7,721.0	11,974.8	9,138.6	72.3	77.2	-167.08	-1,076.6	-2,471.7	1,464.7	1,408.5	56.26	26.035			
10,600.0	7,719.1	12,049.4	9,136.7	74.0	78.9	-167.07	-1,077.2	-2,546.2	1,464.7	1,407.2	57.56	25.445			
10,666.7	7,717.5	12,114.6	9,135.1	75.5	80.4	-167.07	-1,077.5	-2,611.5	1,464.6	1,405.9	58.73	24.940			
10,700.0	7,716.7	12,144.0	9,134.4	76.3	81.0	-167.08	-1,077.5	-2,640.8	1,464.7	1,405.4	59.28	24.709			
10,800.0	7,714.2	12,244.4	9,132.4	78.6	83.3	-167.10	-1,077.8	-2,741.2	1,465.1	1,404.1	61.03	24.005			
10,900.0	7,711.7	12,356.1	9,129.5	80.9	85.8	-167.10	-1,078.3	-2,852.8	1,465.0	1,402.1	62.90	23.289			
10,981.2	7,709.7	12,429.1	9,127.5	82.7	87.5	-167.11	-1,078.5	-2,925.9	1,464.6	1,400.4	64.28	22.786			
11,000.0	7,709.2	12,445.1	9,127.1	83.2	87.8	-167.11	-1,078.6	-2,941.8	1,464.7	1,400.1	64.59	22.677			
11,100.0	7,706.7	12,542.4	9,125.1	85.5	90.1	-167.12	-1,078.9	-3,039.2	1,465.0	1,398.7	66.34	22.084			
11,200.0	7,704.3	12,646.2	9,122.8	87.8	92.4	-167.13	-1,079.4	-3,142.9	1,465.3	1,397.1	68.16	21.498			
11,300.0	7,701.8	12,751.6	9,120.3	90.1	94.9	-167.15	-1,079.5	-3,248.3	1,465.2	1,395.3	69.97	20.940			
11,350.4	7,700.5	12,798.3	9,119.1	91.3	95.9	-167.16	-1,079.5	-3,294.9	1,465.2	1,394.3	70.84	20.684			
11,400.0	7,699.3	12,844.5	9,118.1	92.5	97.0	-167.17	-1,079.7	-3,341.1	1,465.2	1,393.5	71.70	20.437			
11,500.0	7,696.8	12,932.0	9,116.5	94.8	99.0	-167.17	-1,080.2	-3,428.6	1,465.9	1,392.5	73.39	19.973			
11,600.0	7,694.3	13,022.8	9,115.4	97.1	101.1	-167.16	-1,081.3	-3,519.4	1,467.3	1,392.1	75.15	19.525			
11,700.0	7,691.9	13,112.3	9,114.8	99.5	103.2	-167.12	-1,083.3	-3,608.9	1,469.4	1,392.4	76.94	19.097			
11,800.0	7,689.4	13,185.6	9,115.0	101.8	104.9	-167.08	-1,085.3	-3,682.1	1,472.6	1,394.0	78.61	18.734			
11,900.0	7,686.9	13,289.7	9,116.8	104.2	107.3	-167.01	-1,088.7	-3,786.2	1,477.3	1,396.7	80.58	18.333			
12,000.0	7,684.4	13,383.3	9,117.5	106.6	109.5	-166.93	-1,092.1	-3,879.7	1,481.2	1,398.7	82.50	17.954			
12,100.0	7,681.9	13,481.6	9,118.7	108.9	111.8	-166.80	-1,097.1	-3,977.8	1,485.8	1,401.2	84.57	17.569			
12,200.0	7,679.4	13,636.6	9,118.6	111.3	115.5	-166.82	-1,098.3	-4,132.8	1,488.0	1,401.2	86.83	17.136			
12,300.0	7,677.0	13,731.1	9,118.1	113.7	117.7	-166.98	-1,094.9	-4,227.3	1,489.0	1,400.7	88.32	16.858			
12,400.0	7,674.5	13,822.3	9,117.9	116.1	119.9	-167.13	-1,092.1	-4,318.5	1,490.4	1,400.6	89.82	16.594			
12,500.0	7,672.0	13,914.9	9,118.0	118.5	122.0	-167.20	-1,091.3	-4,411.0	1,492.5	1,401.1	91.45	16.320			
12,600.0	7,669.5	14,009.6	9,117.6	120.9	124.3	-167.18	-1,092.8	-4,505.7	1,494.8	1,401.5	93.28	16.025			
12,700.0	7,667.0	14,095.5	9,117.9	123.2	126.3	-167.14	-1,095.0	-4,591.5	1,498.0	1,402.9	95.08	15.756			
12,800.0	7,664.6	14,205.0	9,118.4	125.6	128.9	-167.06	-1,098.4	-4,701.0	1,501.4	1,404.2	97.16	15.452			
12,900.0	7,662.1	14,322.6	9,117.7	128.0	131.7	-167.00	-1,101.3	-4,818.6	1,503.6	1,404.3	99.29	15.143			
13,000.0	7,659.6	14,430.9	9,116.5	130.4	134.3	-167.00	-1,102.3	-4,926.8	1,505.1	1,403.8	101.22	14.870			
13,100.0	7,657.1	14,531.7	9,115.0	132.8	136.7	-166.98	-1,103.7	-5,027.6	1,506.2	1,403.1	103.12	14.606			
13,200.0	7,654.6	14,657.6	9,111.7	135.2	139.7	-166.94	-1,105.4	-5,153.5	1,506.2	1,401.0	105.26	14.309			
13,231.2	7,653.9	14,680.1	9,111.1	136.0	140.2	-166.94	-1,105.8	-5,175.9	1,506.1	1,400.3	105.79	14.237			
13,300.0	7,652.2	14,736.0	9,109.9	137.6	141.6	-166.91	-1,106.8	-5,231.9	1,506.6	1,399.6	107.03	14.077			

CC - Min centre to center distance or covergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Offset Design Bo Howard 1211 - Cholula 12/11 W0PO Fed Com #1H - Wellbore #1 - Actual													Offset Site Error:	0.0 usft
Survey Program: 248-MWD													Offset Well Error:	0.0 usft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
13,400.0	7,649.7	14,843.6	9,108.0	140.0	144.1	-166.90	-1,108.0	-5,339.4	1,507.4	1,398.4	108.98	13.831		
13,500.0	7,647.2	14,931.0	9,106.7	142.4	146.2	-166.93	-1,107.8	-5,426.8	1,508.2	1,397.5	110.67	13.628		
13,600.0	7,644.7	15,042.4	9,105.3	144.9	148.9	-167.01	-1,106.6	-5,538.2	1,509.0	1,396.6	112.42	13.423		
13,700.0	7,642.2	15,153.4	9,103.3	147.3	151.6	-167.12	-1,104.5	-5,649.2	1,509.0	1,395.0	114.09	13.227		
13,800.0	7,639.8	15,274.4	9,100.0	149.7	154.5	-167.24	-1,102.0	-5,770.1	1,508.2	1,392.4	115.80	13.024		
13,900.0	7,637.3	15,368.2	9,096.4	152.1	156.7	-167.31	-1,100.5	-5,863.9	1,506.5	1,389.1	117.44	12.828		
14,000.0	7,634.8	15,452.1	9,093.8	154.5	158.7	-167.31	-1,100.7	-5,947.7	1,505.8	1,386.6	119.16	12.637		
14,018.9	7,634.3	15,467.9	9,093.3	155.0	159.1	-167.31	-1,101.0	-5,963.5	1,505.7	1,386.2	119.50	12.600		
14,100.0	7,632.3	15,555.0	9,090.8	156.9	161.2	-167.25	-1,102.9	-6,050.5	1,505.8	1,384.6	121.19	12.424		
14,200.0	7,629.8	15,662.2	9,087.1	159.3	163.8	-167.19	-1,105.0	-6,157.6	1,505.0	1,381.8	123.26	12.210		
14,300.0	7,627.4	15,753.4	9,083.9	161.8	166.0	-167.14	-1,106.7	-6,248.7	1,504.4	1,379.2	125.20	12.016		
14,344.8	7,626.2	15,793.9	9,082.7	162.8	166.9	-167.11	-1,107.5	-6,289.2	1,504.3	1,378.3	126.06	11.934		
14,400.0	7,624.9	15,844.8	9,081.4	164.2	168.2	-167.09	-1,108.5	-6,340.1	1,504.4	1,377.3	127.13	11.834		
14,500.0	7,622.4	15,942.3	9,079.0	166.6	170.5	-167.03	-1,110.7	-6,437.6	1,504.8	1,375.7	129.14	11.653		
14,600.0	7,619.9	16,047.9	9,076.3	169.0	173.1	-166.96	-1,113.1	-6,543.1	1,505.1	1,373.9	131.24	11.469		
14,700.0	7,617.4	16,136.2	9,074.3	171.5	175.2	-166.93	-1,114.5	-6,631.3	1,505.5	1,372.4	133.11	11.311		
14,800.0	7,614.9	16,231.2	9,072.8	173.9	177.5	-166.90	-1,116.1	-6,726.3	1,506.6	1,371.6	135.04	11.157		
14,900.0	7,612.5	16,354.7	9,070.3	176.3	180.5	-166.92	-1,116.5	-6,849.7	1,507.0	1,370.0	137.04	10.997		
15,000.0	7,610.0	16,463.8	9,067.6	178.7	183.1	-166.98	-1,115.4	-6,958.8	1,506.7	1,367.9	138.78	10.857		
15,100.0	7,607.5	16,574.3	9,063.4	181.2	185.8	-167.09	-1,112.8	-7,069.2	1,504.7	1,364.4	140.37	10.720		
15,200.0	7,605.0	16,656.1	9,061.0	183.6	187.8	-167.16	-1,111.5	-7,151.0	1,503.7	1,361.8	141.92	10.596		
15,256.9	7,603.6	16,706.2	9,059.9	185.0	189.0	-167.20	-1,110.8	-7,201.0	1,503.6	1,360.8	142.81	10.529		
15,300.0	7,602.5	16,742.5	9,059.2	186.0	189.8	-167.23	-1,110.2	-7,237.4	1,503.7	1,360.2	143.47	10.481		
15,400.0	7,600.1	16,869.3	9,057.0	188.4	192.9	-167.34	-1,108.2	-7,364.2	1,504.1	1,359.0	145.16	10.362		
15,430.7	7,599.3	16,880.0	9,056.7	189.2	193.2	-167.35	-1,107.9	-7,374.8	1,503.9	1,358.3	145.56	10.332		
15,463.1	7,598.5	16,880.0	9,056.7	190.0	193.2	-167.35	-1,107.9	-7,374.8	1,504.2	1,358.3	145.89	10.311		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to KB @ 3199.5usft


Offset Depths are relative to Offset Datum

Central Meridian is 104° 20' 0.000 W

Coordinates are relative to: Bo Howard 1211 Fed Com #124H

Coordinate System is US State Plane 1927 (Exact solution), New Mexico East 30

Grid Convergence at Surface is: 0.11°



CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Anticollision Report

Company:	Matador Production Company	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Project:	Ranger/Arrowhead	TVD Reference:	KB @ 3199.5usft
Reference Site:	Bo Howard 1211	MD Reference:	KB @ 3199.5usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.14 Server
Reference Design:	BLM Plan #1	Offset TVD Reference:	Offset Datum

Reference Depths are relative to KB @ 3199.5usft

Offset Depths are relative to Offset Datum


Central Meridian is 104° 20' 0.000 W

Coordinates are relative to: Bo Howard 1211 Fed Com #124H

Coordinate System is US State Plane 1927 (Exact solution), New Mexico East 30

Grid Convergence at Surface is: 0.11°

Separation Factor Plot



LEGEND

Bo Howard 1211 Fed Com #114H, Wellbore #1, BLM Plan #1 VO	Bo Howard 1211 Fed Com #124Y, Wellbore #1, Actual VO	Bo Howard 1211 Fed Com #131H, Wellbore #1, BLM Plan #1 VO
Bo Howard 1211 Fed Com #122H, Wellbore #1, BLM Plan #1 VO	Cholla 12/11 WOPD Fed Com #1H, Wellbore #1, Actual VO	Cholla 12/11 WOPD Fed Com #2H, Wellbore #1, Actual VO
Bo Howard 1211 Fed Com #132H, Wellbore #1, BLM Plan #1 VO	Bo Howard 1211 Fed Com #113H, Wellbore #1, BLM Plan #1 VO	Bo Howard 1211 Fed Com #121H, Wellbore #1, BLM Plan #1 VO

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



SURVEY PROGRAM

WELL DETAILS: Bo Howard 1211 Fed Com #124H


Depth From	Depth To	Survey/Plan	Tool				GL @ 3171.0	KB @ 3199.5usft		
0.0	15463.1	BLM Plan #1 (Wellbore #1)	MWD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
				0.0	0.0	542843.53	560942.60	32° 29' 32.037 N	104° 8' 8.440 W	

Company: Matador Production Company
Well: Bo Howard 1211 Fed Com #124H
County: Eddy County, NM
Wellbore: Wellbore #1
Plan: BLM Plan #1
Date:

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
KOP - Bo Howard 1211 Fed Com #124H	7205.5	-731.6	487.5	542112.00	561430.00	32° 29' 24.789 N	104° 8' 2.766 W
BHL - Bo Howard 1211 Fed Com #124H	7598.5	-778.6	-7372.8	542065.00	553570.00	32° 29' 24.460 N	104° 9' 34.537 W
Exit NMNM 017095 - Bo Howard 1211 Fed Com #124H	7661.6	-763.0	-4828.6	542080.57	556114.22	32° 29' 24.572 N	104° 9' 4.831 W
Exit NMNM 109425 - Bo Howard 1211 Fed Com #124H	7695.0	-754.9	-3485.0	542088.69	557457.81	32° 29' 24.629 N	104° 8' 49.144 W
FTP - Bo Howard 1211 Fed Com #124H	7440.6	-731.7	436.9	542111.94	561379.43	32° 29' 24.789 N	104° 8' 3.356 W







SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Annotation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
1200.0	0.00	0.00	1200.0	0.0	0.0	0.00	0.00	0.0	Start Build 2.00
1656.4	9.13	146.33	1654.4	-30.2	20.1	2.00	146.33	-16.8	Start 5008.6 hold at 1656.4 MD
6664.9	9.13	146.33	6599.6	-691.4	460.6	0.00	0.00	-385.5	Start Drop -1.50
7273.4	0.00	0.00	7205.5	-731.6	487.5	1.50	180.00	-407.9	Start Build 10.00
8173.4	90.00	269.70	7778.5	-734.6	-85.5	10.00	269.70	162.2	Start DLS 2.00 TFO -1.84
8244.5	91.42	269.65	7777.6	-735.0	-156.6	2.00	-1.84	232.9	Start 7218.6 hold at 8244.5 MD
15463.1	91.42	269.65	7598.5	-778.6	-7372.8	0.00	0.00	7413.8	TD at 15463.1



Azimuths to Grid North
True North: -0.11°
Magnetic North: 6.45°

Magnetic Field
Strength: 47397.0snT
Dip Angle: 60.14°
Date: 9/15/2023
Model: IGRF2015



Matador Production Company

Ranger/Arrowhead

Bo Howard 1211

Bo Howard 1211 Fed Com #124H

Wellbore #1

Plan: BLM Plan #1

Standard Planning Report

15 September, 2023

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Project	Ranger/Arrowhead		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		Using geodetic scale factor

Site	Bo Howard 1211, 2/1/2023		
Site Position:		Northing:	545,766.14 usft
From:	Lat/Long	Easting:	561,221.81 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 30' 0.954 N
		Longitude:	104° 8' 5.117 W
		Grid Convergence:	0.11 °

Well	Bo Howard 1211 Fed Com #124H		
Well Position	+N/-S	-2,922.9 usft	Northing:
	+E/-W	-279.2 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	
		Latitude:	32° 29' 32.037 N
		Longitude:	104° 8' 8.440 W
		Ground Level:	3,171.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	9/15/2023	6.56	60.14	47,396.98552837

Design	BLM Plan #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	263.97

Plan Survey Tool Program		Date	9/15/2023		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks	
1	0.0	15,463.1	BLM Plan #1 (Wellbore #1)	MWD	
			OWSG MWD - Standard		

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,656.4	9.13	146.33	1,654.4	-30.2	20.1	2.00	2.00	0.00	146.33	
6,664.9	9.13	146.33	6,599.6	-691.4	460.6	0.00	0.00	0.00	0.00	
7,273.4	0.00	0.00	7,205.5	-731.6	487.5	1.50	-1.50	0.00	180.00	KOP - Bo Howard 121
8,173.4	90.00	269.70	7,778.5	-734.6	-85.5	10.00	10.00	0.00	269.70	
8,244.5	91.42	269.65	7,777.6	-735.0	-156.6	2.00	2.00	-0.06	-1.84	
15,463.1	91.42	269.65	7,598.5	-778.6	-7,372.8	0.00	0.00	0.00	0.00	BHL - Bo Howard 121

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
283.9	0.00	0.00	283.9	0.0	0.0	0.0	0.00	0.00	0.00
Rustler									
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
546.0	0.00	0.00	546.0	0.0	0.0	0.0	0.00	0.00	0.00
Salado (TOP SALT)									
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
835.1	0.00	0.00	835.1	0.0	0.0	0.0	0.00	0.00	0.00
G30:CS14-CSB (BASE SALT)									
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,037.1	0.00	0.00	1,037.1	0.0	0.0	0.0	0.00	0.00	0.00
Capitan (T)									
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
Start Build 2.00									
1,300.0	2.00	146.33	1,300.0	-1.5	1.0	-0.8	2.00	2.00	0.00
1,400.0	4.00	146.33	1,399.8	-5.8	3.9	-3.2	2.00	2.00	0.00
1,500.0	6.00	146.33	1,499.5	-13.1	8.7	-7.3	2.00	2.00	0.00
1,600.0	8.00	146.33	1,598.7	-23.2	15.5	-12.9	2.00	2.00	0.00
1,656.4	9.13	146.33	1,654.4	-30.2	20.1	-16.8	2.00	2.00	0.00
Start 5008.6 hold at 1656.4 MD									
1,700.0	9.13	146.33	1,697.5	-35.9	24.0	-20.0	0.00	0.00	0.00
1,800.0	9.13	146.33	1,796.3	-49.1	32.7	-27.4	0.00	0.00	0.00
1,900.0	9.13	146.33	1,895.0	-62.3	41.5	-34.8	0.00	0.00	0.00
2,000.0	9.13	146.33	1,993.7	-75.5	50.3	-42.1	0.00	0.00	0.00
2,100.0	9.13	146.33	2,092.5	-88.8	59.1	-49.5	0.00	0.00	0.00
2,200.0	9.13	146.33	2,191.2	-102.0	67.9	-56.8	0.00	0.00	0.00
2,300.0	9.13	146.33	2,289.9	-115.2	76.7	-64.2	0.00	0.00	0.00
2,400.0	9.13	146.33	2,388.7	-128.4	85.5	-71.6	0.00	0.00	0.00
2,500.0	9.13	146.33	2,487.4	-141.6	94.3	-78.9	0.00	0.00	0.00
2,600.0	9.13	146.33	2,586.1	-154.8	103.1	-86.3	0.00	0.00	0.00
2,700.0	9.13	146.33	2,684.9	-168.0	111.9	-93.6	0.00	0.00	0.00
2,800.0	9.13	146.33	2,783.6	-181.2	120.7	-101.0	0.00	0.00	0.00
2,900.0	9.13	146.33	2,882.3	-194.4	129.5	-108.4	0.00	0.00	0.00
2,924.0	9.13	146.33	2,906.0	-197.5	131.6	-110.1	0.00	0.00	0.00
G13: Cherry Cyn. (base Capitan)									
3,000.0	9.13	146.33	2,981.1	-207.6	138.3	-115.7	0.00	0.00	0.00
3,100.0	9.13	146.33	3,079.8	-220.8	147.1	-123.1	0.00	0.00	0.00
3,200.0	9.13	146.33	3,178.5	-234.0	155.9	-130.5	0.00	0.00	0.00
3,300.0	9.13	146.33	3,277.3	-247.2	164.7	-137.8	0.00	0.00	0.00
3,400.0	9.13	146.33	3,376.0	-260.4	173.5	-145.2	0.00	0.00	0.00
3,500.0	9.13	146.33	3,474.7	-273.6	182.3	-152.5	0.00	0.00	0.00
3,600.0	9.13	146.33	3,573.5	-286.8	191.1	-159.9	0.00	0.00	0.00
3,700.0	9.13	146.33	3,672.2	-300.0	199.9	-167.3	0.00	0.00	0.00
3,800.0	9.13	146.33	3,770.9	-313.2	208.7	-174.6	0.00	0.00	0.00
3,900.0	9.13	146.33	3,869.7	-326.4	217.5	-182.0	0.00	0.00	0.00

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4,000.0	9.13	146.33	3,968.4	-339.6	226.2	-189.3	0.00	0.00	0.00	
4,024.2	9.13	146.33	3,992.3	-342.8	228.4	-191.1	0.00	0.00	0.00	
G7: Brushy Cyn.										
4,100.0	9.13	146.33	4,067.1	-352.8	235.0	-196.7	0.00	0.00	0.00	
4,200.0	9.13	146.33	4,165.9	-366.0	243.8	-204.1	0.00	0.00	0.00	
4,300.0	9.13	146.33	4,264.6	-379.2	252.6	-211.4	0.00	0.00	0.00	
4,400.0	9.13	146.33	4,363.3	-392.4	261.4	-218.8	0.00	0.00	0.00	
4,500.0	9.13	146.33	4,462.1	-405.6	270.2	-226.1	0.00	0.00	0.00	
4,600.0	9.13	146.33	4,560.8	-418.8	279.0	-233.5	0.00	0.00	0.00	
4,700.0	9.13	146.33	4,659.5	-432.0	287.8	-240.9	0.00	0.00	0.00	
4,800.0	9.13	146.33	4,758.3	-445.2	296.6	-248.2	0.00	0.00	0.00	
4,900.0	9.13	146.33	4,857.0	-458.4	305.4	-255.6	0.00	0.00	0.00	
5,000.0	9.13	146.33	4,955.7	-471.6	314.2	-262.9	0.00	0.00	0.00	
5,100.0	9.13	146.33	5,054.5	-484.8	323.0	-270.3	0.00	0.00	0.00	
5,200.0	9.13	146.33	5,153.2	-498.0	331.8	-277.7	0.00	0.00	0.00	
5,300.0	9.13	146.33	5,251.9	-511.2	340.6	-285.0	0.00	0.00	0.00	
5,400.0	9.13	146.33	5,350.7	-524.4	349.4	-292.4	0.00	0.00	0.00	
5,500.0	9.13	146.33	5,449.4	-537.6	358.2	-299.7	0.00	0.00	0.00	
5,534.3	9.13	146.33	5,483.3	-542.1	361.2	-302.3	0.00	0.00	0.00	
G4: BSG (CS9)										
5,600.0	9.13	146.33	5,548.1	-550.8	367.0	-307.1	0.00	0.00	0.00	
5,697.4	9.13	146.33	5,644.3	-563.6	375.5	-314.3	0.00	0.00	0.00	
G4.1: AVALON-SS										
5,700.0	9.13	146.33	5,646.9	-564.0	375.8	-314.5	0.00	0.00	0.00	
5,729.7	9.13	146.33	5,676.2	-567.9	378.4	-316.7	0.00	0.00	0.00	
G3.3: Avalon SS (B)										
5,800.0	9.13	146.33	5,745.6	-577.2	384.6	-321.8	0.00	0.00	0.00	
5,900.0	9.13	146.33	5,844.3	-590.4	393.4	-329.2	0.00	0.00	0.00	
6,000.0	9.13	146.33	5,943.1	-603.6	402.2	-336.5	0.00	0.00	0.00	
6,028.9	9.13	146.33	5,971.6	-607.4	404.7	-338.7	0.00	0.00	0.00	
L8.2: U. Avalon Shale										
6,089.3	9.13	146.33	6,031.2	-615.4	410.0	-343.1	0.00	0.00	0.00	
L6.3: Avalon Carb										
6,100.0	9.13	146.33	6,041.8	-616.8	411.0	-343.9	0.00	0.00	0.00	
6,200.0	9.13	146.33	6,140.5	-630.0	419.7	-351.3	0.00	0.00	0.00	
6,300.0	9.13	146.33	6,239.3	-643.2	428.5	-358.6	0.00	0.00	0.00	
6,359.1	9.13	146.33	6,297.6	-651.0	433.7	-363.0	0.00	0.00	0.00	
L6.2: L. Avalon Shale										
6,400.0	9.13	146.33	6,338.0	-656.4	437.3	-366.0	0.00	0.00	0.00	
6,431.0	9.13	146.33	6,368.6	-660.5	440.1	-368.3	0.00	0.00	0.00	
L5.3: FBSC										
6,500.0	9.13	146.33	6,436.7	-669.6	446.1	-373.3	0.00	0.00	0.00	
6,600.0	9.13	146.33	6,535.5	-682.8	454.9	-380.7	0.00	0.00	0.00	
6,664.9	9.13	146.33	6,599.6	-691.4	460.6	-385.5	0.00	0.00	0.00	
Start Drop -1.50										
6,700.0	8.60	146.33	6,634.2	-695.9	463.6	-388.0	1.50	-1.50	0.00	
6,772.9	7.51	146.33	6,706.4	-704.4	469.3	-392.7	1.50	-1.50	0.00	
L5.1: FBSC										
6,800.0	7.10	146.33	6,733.3	-707.2	471.2	-394.3	1.50	-1.50	0.00	
6,900.0	5.60	146.33	6,832.7	-716.4	477.3	-399.5	1.50	-1.50	0.00	
6,998.5	4.12	146.33	6,930.8	-723.4	482.0	-403.3	1.50	-1.50	0.00	
L4.3: SBSC										
7,000.0	4.10	146.33	6,932.3	-723.5	482.0	-403.4	1.50	-1.50	0.00	

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
7,100.0	2.60	146.33	7,032.1	-728.3	485.3	-406.1	1.50	-1.50	0.00
7,200.0	1.10	146.33	7,132.1	-731.0	487.1	-407.6	1.50	-1.50	0.00
7,273.4	0.00	0.00	7,205.5	-731.6	487.5	-407.9	1.50	-1.50	-199.32
Start Build 10.00 - KOP - Bo Howard 1211 Fed Com #124H									
7,300.0	2.66	269.70	7,232.1	-731.6	486.8	-407.3	10.00	10.00	-339.65
7,350.0	7.66	269.70	7,281.9	-731.6	482.3	-402.8	10.00	10.00	0.00
7,400.0	12.66	269.70	7,331.1	-731.7	473.5	-394.1	10.00	10.00	0.00
7,450.0	17.66	269.70	7,379.3	-731.8	460.5	-381.1	10.00	10.00	0.00
7,499.6	22.62	269.70	7,425.9	-731.8	443.4	-364.1	10.00	10.00	0.00
L4.1: SBSG									
7,500.0	22.66	269.70	7,426.2	-731.8	443.2	-363.9	10.00	10.00	0.00
7,515.7	24.23	269.70	7,440.6	-731.9	437.0	-357.7	10.00	10.00	0.00
FTP - Bo Howard 1211 Fed Com #124H									
7,550.0	27.66	269.70	7,471.5	-732.0	422.0	-342.8	10.00	10.00	0.00
7,600.0	32.66	269.70	7,514.7	-732.1	396.9	-317.8	10.00	10.00	0.00
7,650.0	37.66	269.70	7,555.6	-732.2	368.1	-289.2	10.00	10.00	0.00
7,657.4	38.40	269.70	7,561.4	-732.3	363.5	-284.6	10.00	10.00	0.00
L4.1: SBSG B Carb									
7,700.0	42.66	269.70	7,593.8	-732.4	335.9	-257.1	10.00	10.00	0.00
7,750.0	47.66	269.70	7,629.0	-732.6	300.4	-221.8	10.00	10.00	0.00
7,800.0	52.66	269.70	7,661.0	-732.8	262.0	-183.6	10.00	10.00	0.00
7,850.0	57.66	269.70	7,689.6	-733.0	221.0	-142.8	10.00	10.00	0.00
7,884.3	61.09	269.70	7,707.0	-733.2	191.5	-113.4	10.00	10.00	0.00
SBSG B Target									
7,900.0	62.66	269.70	7,714.5	-733.2	177.7	-99.7	10.00	10.00	0.00
7,950.0	67.66	269.70	7,735.4	-733.5	132.3	-54.5	10.00	10.00	0.00
8,000.0	72.66	269.70	7,752.4	-733.7	85.3	-7.8	10.00	10.00	0.00
8,050.0	77.66	269.70	7,765.2	-734.0	37.0	40.3	10.00	10.00	0.00
8,100.0	82.66	269.70	7,773.8	-734.2	-12.3	89.3	10.00	10.00	0.00
8,150.0	87.66	269.70	7,778.0	-734.5	-62.1	138.9	10.00	10.00	0.00
8,173.4	90.00	269.70	7,778.5	-734.6	-85.5	162.2	10.00	10.00	0.00
Start DLS 2.00 TFO -1.84									
8,200.0	90.53	269.68	7,778.3	-734.8	-112.1	188.6	2.00	2.00	-0.06
8,244.5	91.42	269.65	7,777.6	-735.0	-156.6	232.9	2.00	2.00	-0.06
Start 7218.6 hold at 8244.5 MD									
8,300.0	91.42	269.65	7,776.2	-735.3	-212.1	288.1	0.00	0.00	0.00
8,400.0	91.42	269.65	7,773.7	-736.0	-312.0	387.6	0.00	0.00	0.00
8,500.0	91.42	269.65	7,771.2	-736.6	-412.0	487.1	0.00	0.00	0.00
8,600.0	91.42	269.65	7,768.8	-737.2	-512.0	586.5	0.00	0.00	0.00
8,700.0	91.42	269.65	7,766.3	-737.8	-611.9	686.0	0.00	0.00	0.00
8,800.0	91.42	269.65	7,763.8	-738.4	-711.9	785.5	0.00	0.00	0.00
8,900.0	91.42	269.65	7,761.3	-739.0	-811.9	885.0	0.00	0.00	0.00
9,000.0	91.42	269.65	7,758.8	-739.6	-911.8	984.5	0.00	0.00	0.00
9,100.0	91.42	269.65	7,756.4	-740.2	-1,011.8	1,083.9	0.00	0.00	0.00
9,200.0	91.42	269.65	7,753.9	-740.8	-1,111.8	1,183.4	0.00	0.00	0.00
9,300.0	91.42	269.65	7,751.4	-741.4	-1,211.7	1,282.9	0.00	0.00	0.00
9,400.0	91.42	269.65	7,748.9	-742.0	-1,311.7	1,382.4	0.00	0.00	0.00
9,500.0	91.42	269.65	7,746.4	-742.6	-1,411.7	1,481.8	0.00	0.00	0.00
9,600.0	91.42	269.65	7,743.9	-743.2	-1,511.6	1,581.3	0.00	0.00	0.00
9,700.0	91.42	269.65	7,741.5	-743.8	-1,611.6	1,680.8	0.00	0.00	0.00
9,800.0	91.42	269.65	7,739.0	-744.4	-1,711.6	1,780.3	0.00	0.00	0.00
9,900.0	91.42	269.65	7,736.5	-745.0	-1,811.5	1,879.8	0.00	0.00	0.00
10,000.0	91.42	269.65	7,734.0	-745.6	-1,911.5	1,979.2	0.00	0.00	0.00

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
10,100.0	91.42	269.65	7,731.5	-746.2	-2,011.5	2,078.7	0.00	0.00	0.00	
10,200.0	91.42	269.65	7,729.1	-746.8	-2,111.4	2,178.2	0.00	0.00	0.00	
10,300.0	91.42	269.65	7,726.6	-747.4	-2,211.4	2,277.7	0.00	0.00	0.00	
10,400.0	91.42	269.65	7,724.1	-748.0	-2,311.4	2,377.1	0.00	0.00	0.00	
10,500.0	91.42	269.65	7,721.6	-748.6	-2,411.3	2,476.6	0.00	0.00	0.00	
10,600.0	91.42	269.65	7,719.1	-749.2	-2,511.3	2,576.1	0.00	0.00	0.00	
10,700.0	91.42	269.65	7,716.7	-749.8	-2,611.3	2,675.6	0.00	0.00	0.00	
10,800.0	91.42	269.65	7,714.2	-750.4	-2,711.2	2,775.1	0.00	0.00	0.00	
10,900.0	91.42	269.65	7,711.7	-751.0	-2,811.2	2,874.5	0.00	0.00	0.00	
11,000.0	91.42	269.65	7,709.2	-751.6	-2,911.2	2,974.0	0.00	0.00	0.00	
11,100.0	91.42	269.65	7,706.7	-752.2	-3,011.1	3,073.5	0.00	0.00	0.00	
11,200.0	91.42	269.65	7,704.3	-752.8	-3,111.1	3,173.0	0.00	0.00	0.00	
11,300.0	91.42	269.65	7,701.8	-753.4	-3,211.1	3,272.4	0.00	0.00	0.00	
11,400.0	91.42	269.65	7,699.3	-754.0	-3,311.0	3,371.9	0.00	0.00	0.00	
11,500.0	91.42	269.65	7,696.8	-754.7	-3,411.0	3,471.4	0.00	0.00	0.00	
11,574.0	91.42	269.65	7,695.0	-755.1	-3,485.0	3,545.0	0.00	0.00	0.00	
Exit NMNM 109425 - Bo Howard 1211 Fed Com #124H										
11,600.0	91.42	269.65	7,694.3	-755.3	-3,511.0	3,570.9	0.00	0.00	0.00	
11,700.0	91.42	269.65	7,691.9	-755.9	-3,610.9	3,670.4	0.00	0.00	0.00	
11,800.0	91.42	269.65	7,689.4	-756.5	-3,710.9	3,769.8	0.00	0.00	0.00	
11,900.0	91.42	269.65	7,686.9	-757.1	-3,810.9	3,869.3	0.00	0.00	0.00	
12,000.0	91.42	269.65	7,684.4	-757.7	-3,910.8	3,968.8	0.00	0.00	0.00	
12,100.0	91.42	269.65	7,681.9	-758.3	-4,010.8	4,068.3	0.00	0.00	0.00	
12,200.0	91.42	269.65	7,679.4	-758.9	-4,110.8	4,167.7	0.00	0.00	0.00	
12,300.0	91.42	269.65	7,677.0	-759.5	-4,210.8	4,267.2	0.00	0.00	0.00	
12,400.0	91.42	269.65	7,674.5	-760.1	-4,310.7	4,366.7	0.00	0.00	0.00	
12,500.0	91.42	269.65	7,672.0	-760.7	-4,410.7	4,466.2	0.00	0.00	0.00	
12,600.0	91.42	269.65	7,669.5	-761.3	-4,510.7	4,565.7	0.00	0.00	0.00	
12,700.0	91.42	269.65	7,667.0	-761.9	-4,610.6	4,665.1	0.00	0.00	0.00	
12,800.0	91.42	269.65	7,664.6	-762.5	-4,710.6	4,764.6	0.00	0.00	0.00	
12,900.0	91.42	269.65	7,662.1	-763.1	-4,810.6	4,864.1	0.00	0.00	0.00	
12,918.1	91.42	269.65	7,661.6	-763.2	-4,828.6	4,882.1	0.00	0.00	0.00	
Exit NMNM 017095 - Bo Howard 1211 Fed Com #124H										
13,000.0	91.42	269.65	7,659.6	-763.7	-4,910.5	4,963.6	0.00	0.00	0.00	
13,100.0	91.42	269.65	7,657.1	-764.3	-5,010.5	5,063.0	0.00	0.00	0.00	
13,200.0	91.42	269.65	7,654.6	-764.9	-5,110.5	5,162.5	0.00	0.00	0.00	
13,300.0	91.42	269.65	7,652.2	-765.5	-5,210.4	5,262.0	0.00	0.00	0.00	
13,400.0	91.42	269.65	7,649.7	-766.1	-5,310.4	5,361.5	0.00	0.00	0.00	
13,500.0	91.42	269.65	7,647.2	-766.7	-5,410.4	5,461.0	0.00	0.00	0.00	
13,600.0	91.42	269.65	7,644.7	-767.3	-5,510.3	5,560.4	0.00	0.00	0.00	
13,700.0	91.42	269.65	7,642.2	-767.9	-5,610.3	5,659.9	0.00	0.00	0.00	
13,800.0	91.42	269.65	7,639.8	-768.5	-5,710.3	5,759.4	0.00	0.00	0.00	
13,900.0	91.42	269.65	7,637.3	-769.1	-5,810.2	5,858.9	0.00	0.00	0.00	
14,000.0	91.42	269.65	7,634.8	-769.7	-5,910.2	5,958.4	0.00	0.00	0.00	
14,100.0	91.42	269.65	7,632.3	-770.3	-6,010.2	6,057.8	0.00	0.00	0.00	
14,200.0	91.42	269.65	7,629.8	-770.9	-6,110.1	6,157.3	0.00	0.00	0.00	
14,300.0	91.42	269.65	7,627.4	-771.5	-6,210.1	6,256.8	0.00	0.00	0.00	
14,400.0	91.42	269.65	7,624.9	-772.1	-6,310.1	6,356.3	0.00	0.00	0.00	
14,500.0	91.42	269.65	7,622.4	-772.7	-6,410.0	6,455.7	0.00	0.00	0.00	
14,600.0	91.42	269.65	7,619.9	-773.3	-6,510.0	6,555.2	0.00	0.00	0.00	
14,700.0	91.42	269.65	7,617.4	-774.0	-6,610.0	6,654.7	0.00	0.00	0.00	
14,800.0	91.42	269.65	7,614.9	-774.6	-6,709.9	6,754.2	0.00	0.00	0.00	
14,900.0	91.42	269.65	7,612.5	-775.2	-6,809.9	6,853.7	0.00	0.00	0.00	

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
15,000.0	91.42	269.65	7,610.0	-775.8	-6,909.9	6,953.1	0.00	0.00	0.00	
15,100.0	91.42	269.65	7,607.5	-776.4	-7,009.8	7,052.6	0.00	0.00	0.00	
15,200.0	91.42	269.65	7,605.0	-777.0	-7,109.8	7,152.1	0.00	0.00	0.00	
15,300.0	91.42	269.65	7,602.5	-777.6	-7,209.8	7,251.6	0.00	0.00	0.00	
15,400.0	91.42	269.65	7,600.1	-778.2	-7,309.7	7,351.0	0.00	0.00	0.00	
15,463.1	91.42	269.65	7,598.5	-778.6	-7,372.8	7,413.8	0.00	0.00	0.00	
TD at 15463.1 - BHL - Bo Howard 1211 Fed Com #124H										

Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
KOP - Bo Howard 1211 I - plan hits target center - Point	0.00	0.00	7,205.5	-731.6	487.5	542,112.00	561,430.00	32° 29' 24.789 N	104° 8' 2.766 W	
FTP - Bo Howard 1211 - plan misses target center by 0.2usft at 7515.7usft MD (7440.6 TVD, -731.9 N, 437.0 E) - Point	0.00	0.00	7,440.6	-731.7	436.9	542,111.94	561,379.43	32° 29' 24.789 N	104° 8' 3.356 W	
BHL - Bo Howard 1211 F - plan hits target center - Point	0.00	0.00	7,598.5	-778.6	-7,372.8	542,065.00	553,570.00	32° 29' 24.460 N	104° 9' 34.537 W	
Exit NMNM 017095 - Bc - plan misses target center by 0.2usft at 12918.1usft MD (7661.6 TVD, -763.2 N, -4828.6 E) - Point	0.00	0.00	7,661.6	-763.0	-4,828.6	542,080.58	556,114.22	32° 29' 24.572 N	104° 9' 4.831 W	
Exit NMNM 109425 - Bc - plan misses target center by 0.2usft at 11574.0usft MD (7695.0 TVD, -755.1 N, -3485.0 E) - Point	0.00	0.01	7,695.0	-754.9	-3,485.0	542,088.69	557,457.81	32° 29' 24.629 N	104° 8' 49.144 W	

Planning Report

Database:	EDM 5000.14 Server	Local Co-ordinate Reference:	Well Bo Howard 1211 Fed Com #124H
Company:	Matador Production Company	TVD Reference:	KB @ 3199.5usft
Project:	Ranger/Arrowhead	MD Reference:	KB @ 3199.5usft
Site:	Bo Howard 1211	North Reference:	Grid
Well:	Bo Howard 1211 Fed Com #124H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	BLM Plan #1		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
283.9	283.9	Rustler		-1.32	269.65	
546.0	546.0	Salado (TOP SALT)		-1.32	269.65	
835.1	835.1	G30:CS14-CSB (BASE SALT)		-1.32	269.65	
1,037.1	1,037.1	Capitan (T)		-1.32	269.65	
2,924.0	2,906.0	G13: Cherry Cyn. (base Capitan)		-1.32	269.65	
4,024.2	3,992.3	G7: Brushy Cyn.		-1.32	269.65	
5,534.3	5,483.3	G4: BSG (CS9)		-1.32	269.65	
5,697.4	5,644.3	G4.1: AVALON-SS		-1.32	269.65	
5,729.7	5,676.2	G3.3: Avalon SS (B)		-1.32	269.65	
6,028.9	5,971.6	L8.2: U. Avalon Shale		-1.32	269.65	
6,089.3	6,031.2	L6.3: Avalon Carb		-1.32	269.65	
6,359.1	6,297.6	L6.2: L. Avalon Shale		-1.32	269.65	
6,431.0	6,368.6	L5.3: FBSC		-1.32	269.65	
6,772.9	6,706.4	L5.1: FBSC		-1.32	269.65	
6,998.5	6,930.8	L4.3: SBSC		-1.32	269.65	
7,499.6	7,425.9	L4.1: SBSC		-1.32	269.65	
7,657.4	7,561.4	L4.1: SBSC B Carb		-1.32	269.65	
7,884.3	7,707.0	SBSG B Target		-1.32	269.65	

Plan Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
1,200.0	1,200.0	0.0	0.0	Start Build 2.00	
1,656.4	1,654.4	-30.2	20.1	Start 5008.6 hold at 1656.4 MD	
6,664.9	6,599.6	-691.4	460.6	Start Drop -1.50	
7,273.4	7,205.5	-731.6	487.5	Start Build 10.00	
8,173.4	7,778.5	-734.6	-85.5	Start DLS 2.00 TFO -1.84	
8,244.5	7,777.6	-735.0	-156.6	Start 7218.6 hold at 8244.5 MD	
15,463.1	7,598.5	-778.6	-7,372.8	TD at 15463.1	

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office


☐ **AMENDED REPORT**

SCALE: 1" = 2000'

0' 1000' 2000'



SECTION 12, TOWNSHIP 21-S, RANGE 27-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



NEW MEXICO EAST
NAD 1983

SURFACE LOCATION (SHL)

1723' FSL - SEC. 12
535' FEL - SEC. 12
X=602123 Y=542904
LAT.: N 32.4923512
LONG.: W 104.1361814

KICK OFF POINT (KOP)

989' FSL - SEC. 12
50' FEL - SEC. 12
X=602611 Y=542173
LAT.: N 32.4903386
LONG.: W 104.1346041

FIRST PERF. POINT (FPP)

989' FSL - SEC. 12
100' FEL - SEC. 12
X=602561 Y=542173
LAT.: N 32.4903380
LONG.: W 104.1347663

BLM PERF. POINT (BPP1)

989' FSL - SEC. 12
1344' FWL - SEC. 12
X=598638 Y=542149
LAT.: N 32.4902919
LONG.: W 104.1474898

BLM PERF. POINT (BPP2)

668' FSL - SEC. 12
0' FWL - SEC. 12
X=597294 Y=542141
LAT.: N 32.4902757
LONG.: W 104.1518498

LAST PERF. POINT (LPP)
BOTTOM HOLE LOCATION (BHL)

989' FSL - SEC. 11
2543' FEL - SEC. 11
X=594751 Y=542125
LAT.: N 32.4902448
LONG.: W 104.1600984

LEASE NAME & WELL NO.: BO HOWARD 1211 FED COM 124H

SECTION 12 TWP 21-S RGE 27-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM
DESCRIPTION 1723' FNL & 535' FEL

DISTANCE & DIRECTION

FROM INT. OF GEORGE SHOUP RELIEF RTE. & US-180 E/US-62E/E
GREENE ST., GO NORTHEAST ON US-180 E/US-62E/E GREENE ST. ±5.1
MILES, THENCE NORTHWEST (LEFT) ON MAGNUM RD. ±1.1 MILES,
THENCE WEST (LEFT) ON A LEASE RD. ±1.0 MILE, THENCE SOUTH
(LEFT) ON A PROPOSED RD. ±1301 FEET TO A POINT ±511 FEET
NORTHEAST OF THE LOCATION.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET
THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY MATADOR PRODUCTION COMPANY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
AS OF THE DATE OF SURVEY, ALL ABOVE GROUND APPURTENANCES WITHIN 300' OF THE STAKED LOCATION ARE SHOWN HEREON.



Angel M. Baeza, P.S. No. 25116
September 14, 2023



481 WINSBROOK ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM




LEGEND

----- SECTION LINE
 ----- PROPOSED ROAD

SECTION 12, TOWNSHIP 21-S, RANGE 27-E, N.M.P.M.
 EDDY COUNTY, NEW MEXICO

DETAIL VIEW
 SCALE: 1" = 100'



Angel M. Baeza, P.S. No. 25116

LEASE NAME & WELL NO.: BO HOWARD 1211 FED COM 124H
 124H LATITUDE N 32.4923512 124H LONGITUDE W 104.1361814

CENTER OF PAD IS 826' FNL & 655' FEL



SCALE: 1" = 100'
 0' 50' 100'

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. ELEVATIONS USED ARE NAVD88, OBTAINED THROUGH AN OPUS SOLUTION.

THIS PROPOSED PAD SITE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY MATADOR PRODUCTION COMPANY. ONLY THE DATA SHOWN ABOVE IS BEING CERTIFIED TO, ALL OTHER INFORMATION WAS INTENTIONALLY OMITTED. THIS PLAT IS ONLY INTENDED TO BE USED FOR A PERMIT AND IS NOT A BOUNDARY SURVEY. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ORIGINAL DOCUMENT SIZE: 8.5" X 11"

TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY
 481 WINSBROOK ROAD, Ste. 200 • BENBROOK, TEXAS 76126
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 266524

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 266524
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Original COA's still apply.	9/18/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 349916

COMMENTS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 349916
	Action Type: [IM-SD] Well File Support Doc (ENG) (IM-AWF)

COMMENTS

Created By	Comment	Comment Date
dmcclure	Original well which was skidded is the 30-015-54141 BO HOWARD 1211 FEDERAL COM #124Y	5/31/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 349916

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 349916
	Action Type: [IM-SD] Well File Support Doc (ENG) (IM-AWF)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	None	5/31/2024