

Submit a Copy To Appropriate District

Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-11386
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator J R Oil Ltd. Co.		6. State Oil & Gas Lease No.
3. Address of Operator PO Box 2975, Hobbs, NM 88241		7. Lease Name or Unit Agreement Name Hodges B
4. Well Location Unit Letter <u>K</u> : <u>1642</u> feet from the <u>South</u> line and <u>1660</u> feet from the <u>West</u> line Section <u>1</u> Township <u>25S</u> Range <u>37E</u> NMPM <u>Lea</u> County		8. Well Number 005
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 256073
		10. Pool name or Wildcat Justis; Devonian, North

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒ XX
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Maren Latimer TITLE Agent DATE 04/22/2024

Type or print name Maren Latimer E-mail address: mlatimer@ravenop.com PHONE: 5756916790
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

**Plugging Report
J R Oil Ltd. Co.
Hodges B #5
API 30-025-11386**

2/26/2024 Move in and rig up. Install BOP. Pick up workstring and tag up at 6144'. Circulated MLF and test casing to 500#. Casing good. POOH to 5305' and spot 37 sx Class C cement. POOH to 3806' and SION.


2/28/2024 Spot 25 sx cement at 3806'. POOH to 3461' and circulated clean. POOH with tubing and perforated at 3455'. Set packer at 2918' and pressure up to 500#. Held. Bled off at truck and repeated to 1000#. Held. Pulled packer and RIH with tubing to 3461' and spot 25 sx cement. POOH and SION.

2/29/2024 Tagged cement at 3078'. POOH to 2569' and spot 25 sx cement. POOH with tubing and perforated casing at 1088'. Gained circulation at the 7" x 9 5/8" head. Squeezed with 50 sx cement. Closed annulus valve and pressured up to 1000# and shut in.

3/4/2024 Released packer and tagged cement at 883'. Mild pressure still building on the 7" x 9 5/8" annulus. Called Ian with JR Oil. Perforated at 800'. Set packer and gained circulation at the 7" x 9 5/8" annulus. Squeezed with 40 sx cement. WOC 4 hrs while maintaining 700# of pressure on the annulus. Released packer and tagged cement at 626'. Eliminated pressure building up on that annulus. Perforated casing at 548'. Pump 4 1/2" casing. Good communication with the 7" x 9 5/8" and 9 5/8" x 13 3/8" annuluses. No communication at the 4 1/2" x 7" annulus. While testing communication, fluid started coming into the cellar around the wellhead. Dug of cellar and checked the connections. There is a hole in the 13 3/8" casing below the surface head. SION

3/5/2024 Rigged up vac truck to catch fluid in the cellar. Pumped cement down the 4 1/2" casing to perfs at 548'. Took 310 sx cement to the pit from the 7" x 9 5/8" annulus and the 9 5/8" x 13 3/8" annulus. Cleaned up pump and perforated 4 1/2" casing at 120'. Pumped cement down the 4 1/2" to perfs at 120'. Took 20 sx to get good cement to the pit from the 4 1/2" x 7" anulus. Rigged down and removed the wellhead. Took 15 sx to top off all annuluses. Installed marker and removed the anchors.

Hodges B #5



Released to Imaging: 5/31/2024 7:35:24 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 335882

COMMENTS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 335882
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	5/31/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 335882

CONDITIONS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 335882
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	well head cut off 3/5/24. CBL in Well File	5/31/2024