

District I
1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210		² OGRID Number 16696	
		³ Reason for Filing Code/ Effective Date – NW (12/17/2023)	
⁴ API Number 30-025-48932	⁵ Pool Name ANTELOPE RIDGE; WOLFCAMP		⁶ Pool Code 2220
⁷ Property Code: 330848	⁸ Property Name: SAKER 6-7 FEDERAL COM		⁹ Well Number: 31H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	6	24S	35E	3	200'	NORTH	1960'	WEST	LEA

¹¹ Bottom Hole Location FTP: 246' FNL 442' FWL LTP- 189' FSL 343' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	7	24S	35E	4	25'	SOUTH	341'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 12/16/2023		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, L.P	G

IV. Well Completion Data

²¹ Spud Date 05/29/2023	²² Ready Date 12/23/2023	²³ TD 12259'V/ 22417'MD	²⁴ PBSD 12252'V/ 22373'M	²⁵ Perforations 12068' -22252'MD	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17-1/2"		13-3/8"		1090'	
9-7/8"		7.827"		11622'	
6-3/4"		5-1/2"		F/ 11375' - 22398'	
		3-1/2"		11296'	

V. Well Test Data

³¹ Date New Oil 12/23/2023	³² Gas Delivery Date 12/23/2023	³³ Test Date 1/2/2024	³⁴ Test Length 24 HOURS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 951
³⁷ Choke Size	³⁸ Oil 2182	³⁹ Water 2547	⁴⁰ Gas 2706		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Leslie T. Reeves*

Printed name:
LESLIE REEVES

Title:
REGULATORY MANAGER

E-mail Address:
LESLIE_REEVES@oxy.com

Date: 2/27/2024 Phone: 713-497-2492

OIL CONSERVATION DIVISION

Approved by: *PATRICIA MARTINEZ*

Title: *PETROLEUM SPECIALIST*

Approval Date: *6/18/2024*

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name
30-025-48932	2220	ANTELOPE RIDGE; WOLFCAMP
⁴ Property Code	⁵ Property Name	⁶ Well Number
330848	SAKER 6 7 FED COM	31H
⁷ OGRID No.	⁸ Operator Name	⁹ Elevation
16696	OXY USA INC.	3449.7' (NAVD 88)

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	6	24S	35E		200	NORTH	1960	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	7	24S	35E		25	SOUTH	341	WEST	LEA
¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						
640.54	INFILL								


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NAD 83 (SURFACE HOLE LOCATION) LATITUDE = 32°15'11.75" (32.253264°) LONGITUDE = -103°24'31.88" (-103.408856°) NAD 27 (SURFACE HOLE LOCATION) LATITUDE = 32°15'11.30" (32.253138°) LONGITUDE = -103°24'30.18" (-103.408382°) STATE PLANE NAD 83 (N.M. EAST) N: 457101.07' E: 827129.31' STATE PLANE NAD 27 (N.M. EAST) N: 457041.71' E: 785944.78'	NAD 83 (AS-DRILLED KOP) LATITUDE = 32°15'12.98" (32.253607°) LONGITUDE = -103°24'48.53" (-103.413481°) NAD 27 (AS-DRILLED KOP) LATITUDE = 32°15'12.53" (32.253481°) LONGITUDE = -103°24'46.83" (-103.413007°) STATE PLANE NAD 83 (N.M. EAST) N: 457213.57' E: 825698.35' STATE PLANE NAD 27 (N.M. EAST) N: 457154.22' E: 784513.86'	NAD 83 (AS-DRILLED FTP) LATITUDE = 32°15'11.27" (32.253132°) LONGITUDE = -103°24'49.55" (-103.413765°) NAD 27 (AS-DRILLED FTP) LATITUDE = 32°15'10.82" (32.253007°) LONGITUDE = -103°24'47.85" (-103.413291°) STATE PLANE NAD 83 (N.M. EAST) N: 457040.12' E: 825612.04' STATE PLANE NAD 27 (N.M. EAST) N: 456980.77' E: 784427.55'
NAD 83 (AS-DRILLED LTP) LATITUDE = 32°13'31.08" (32.225301°) LONGITUDE = -103°24'50.65" (-103.414068°) NAD 27 (AS-DRILLED LTP) LATITUDE = 32°13'30.63" (32.225176°) LONGITUDE = -103°24'48.94" (-103.413596°) STATE PLANE NAD 83 (N.M. EAST) N: 446914.47' E: 825605.03' STATE PLANE NAD 27 (N.M. EAST) N: 446855.40' E: 784420.11'	NAD 83 (AS-DRILLED BHL) LATITUDE = 32°13'29.46" (32.224851°) LONGITUDE = -103°24'50.67" (-103.414076°) NAD 27 (AS-DRILLED BHL) LATITUDE = 32°13'29.01" (32.224725°) LONGITUDE = -103°24'48.97" (-103.413603°) STATE PLANE NAD 83 (N.M. EAST) N: 446750.53' E: 825604.05' STATE PLANE NAD 27 (N.M. EAST) N: 446691.47' E: 784419.13'	NOTE: - Distances referenced on plat to section lines are perpendicular. - Basis of Bearings is a Transverse Mercator Projection with a Central Meridian of W103°53'00" (NAD 83) - As-Drilled well head has not been field verified. - Wellbore data provided by Oxy USA Inc.

¹⁷ OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
Leslie T. Reeves 2/27/2024
Signature _____ Date _____
LESLIE REEVES
Printed Name _____
LESLIE_REEVES@OXY.COM
E-mail Address _____

¹⁸ SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
December 12, 2019
Date of Survey _____
Signature and Seal of Professional Surveyor: _____

Certificate Number: _____



LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S89°41'10"W	2631.14'
L2	S89°41'56"W	2640.30'
L3	N00°26'32"W	2642.64'
L4	N00°26'28"W	2640.92'
L5	S89°43'47"W	2640.49'
L6	S89°43'29"W	2646.32'
L7	N00°17'03"W	2640.42'
L8	N00°15'58"W	2639.92'
L9	N00°17'18"W	2640.86'
L10	N00°24'37"W	2642.00'
L11	S89°45'26"W	2646.85'
L12	S89°43'41"W	2646.34'
L13	N00°16'35"W	2640.63'
L14	N00°17'02"W	2640.80'





OXY



Borehole:	Well:	Field:	Structure:
Saker 6-7 Fed Com 31H	Saker 6-7 Fed Com 31H	NM Lea County (NAD 83)	Oxy Saker 6-7 Fed Com Pad Lot 3

Gravity & Magnetic Parameters					Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet					Miscellaneous					
Model:	IFR1	Dip:	59.825"	Date:	12-Oct-2023	Lat:	N 32 15 11.75	Northing:	457101.07NUS	Grid Conv:	0.4934"	Slot:	Saker 6-7 Fed Com Pad 31H	TVD Ref:	RKB (3475.700 ft above MSL)
MagDec:	6.257"	FS:	47501.5nT	Gravity FS:	998.464mgn (9.80665 Based)	Lon:	W 103 24 31.88	Easting:	827129.31NUS	Scale Fact:	1.00000264	Plan:	Oxy Saker 6-7 Fed Com 31H Rev5 AR 05Oct23		

Critical Points									
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	DLS(/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,475.70	
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,449.70	0.00
First 3rd Party Survey	175.00	0.55	308.32	175.00	-0.36	0.44	-0.56	-3,300.70	0.37
Last 3rd Party Survey	1,043.00	0.54	121.07	1,042.96	-4.65	4.64	0.42	-2,432.74	0.15
First SLB Survey	1,149.00	0.22	131.92	1,148.96	-4.35	4.25	1.00	-2,326.74	0.31
Actual KOP	11,645.00	10.48	273.88	11,426.12	98.74	112.50	-1,430.96	7,950.42	4.00
Wolfcamp Intersection	11,761.19	21.66	229.17	11,538.29	113.73	101.24	-1,457.20	8,062.59	16.12
Enter Lateral Window	13,703.00	91.00	182.42	11,920.71	1,874.04	-1,662.38	-1,564.78	8,445.01	0.16
Exit Lateral Window	14,225.00	90.54	174.32	11,911.22	2,389.08	-2,183.75	-1,560.08	8,435.52	1.00
Enter Lateral Window	15,790.00	90.45	183.47	11,904.09	3,933.13	-3,746.81	-1,545.90	8,428.39	1.06
Exit Lateral Window	16,606.50	89.22	175.46	11,919.13	4,737.63	-4,561.22	-1,538.50	8,443.43	4.44
Enter Lateral Window	16,806.00	90.63	183.48	11,919.15	4,934.53	-4,760.55	-1,536.67	8,443.45	4.31
Section 6-7 Line Cross	17,141.40	88.36	181.08	11,918.72	5,268.74	-5,095.10	-1,559.03	8,443.02	1.68
Exit Lateral Window	17,583.00	87.59	175.05	11,928.07	5,699.61	-5,535.05	-1,529.61	8,452.37	2.27
Enter Lateral Window	17,831.00	89.00	185.34	11,935.95	5,944.06	-5,782.51	-1,527.38	8,460.25	4.14
LTP / 100ft FSL Cross	22,341.60	83.53	180.35	12,248.68	10,388.10	-10,275.64	-1,524.41	8,772.98	1.07
Final Survey	22,385.00	83.32	180.77	12,253.66	10,430.80	-10,318.75	-1,524.83	8,777.96	1.07
Projection to Total Depth	22,417.00	83.32	180.77	12,257.38	10,462.30	-10,350.53	-1,525.26	8,781.68	0.00





Oxy Saker 6-7 Fed Com 31H IFR1 Surveys to 22417ft Survey Geodetic Report

Definitive Survey



Report Date: October 17, 2023 - 09:42 PM (UTC 0)
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: Oxy Saker 6-7 Fed Com Pad Lot 3 / Saker 6-7 Fed Com Pad 31H
Well: Saker 6-7 Fed Com 31H
Borehole: Saker 6-7 Fed Com 31H
UBH/ API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Saker 6-7 Fed Com 31H IFR1 Surveys to 22417ft / 3
Survey Date: October 17, 2023
Tort / AHD / DDI / ERD Ratio: 370.715' +/- 12005.697 ft / 6.911' / 0.979
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°15'11.74875" S, W 103°24'31.88131"
Location Grid N/E Y/X: N 457101.070 RUS , E 827129.310 RUS
CRS Grid Convergence Angle: 0.493"
Grid Scale Factor: 1.00000264
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 188.440 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3475.700 ft above MSL
Seabed / Ground Elevation: 3449.700 ft above MSL
Magnetic Declination: 6.257°
Total Gravity Field Strength: 998.463mgm (9.80655 Bases)
Gravity Model: GARM
Total Magnetic Field Strength: 47501.5 nT
Magnetic Dip Angle: 59.825°
Declination Date: October 12, 2023
Magnetic Declination Model: IFR1
North Reference: 5.764°
Total Corr Mag
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (N/S ° ' ")	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.475.70	0.00	457,101.07	827,129.31	N 32°15'11.75"	W 103°24'31.88"	0.00	0.00
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.449.70	0.00	457,101.07	827,129.31	N 32°15'11.75"	W 103°24'31.88"	0.00	0.00
First 3rd Party Survey	175.00	0.55	308.32	175.00	-0.36	0.44	-0.56	-3.300.70	0.37	457,101.51	827,128.75	N 32°15'11.75"	W 103°24'31.89"	0.72	308.32
	262.00	0.78	325.02	261.99	-0.99	1.19	-1.23	-3.213.71	0.34	457,102.26	827,128.08	N 32°15'11.76"	W 103°24'31.90"	1.71	314.04
	357.00	0.55	314.98	356.99	-1.74	2.04	-1.92	-3.118.71	0.27	457,103.11	827,127.39	N 32°15'11.77"	W 103°24'31.90"	2.80	316.71
	451.00	0.69	336.11	450.98	-2.48	2.88	-2.47	-3.024.72	0.28	457,103.95	827,126.84	N 32°15'11.78"	W 103°24'31.91"	3.79	319.35
	545.00	0.28	354.98	544.98	-3.18	3.62	-2.72	-2.930.72	0.46	457,104.69	827,126.59	N 32°15'11.78"	W 103°24'31.91"	4.53	323.11
	640.00	0.51	26.66	639.97	-3.81	4.23	-2.55	-2.835.73	0.33	457,105.30	827,126.76	N 32°15'11.79"	W 103°24'31.91"	4.94	328.93
	734.00	0.41	61.19	733.97	-4.41	4.77	-2.07	-2.741.73	0.31	457,105.84	827,127.24	N 32°15'11.80"	W 103°24'31.90"	5.20	336.56
	828.00	0.47	81.21	827.97	-4.73	4.99	-1.39	-2.647.73	0.17	457,106.06	827,127.92	N 32°15'11.80"	W 103°24'31.90"	5.18	344.41
	923.00	0.49	95.64	922.97	-4.87	5.01	-0.60	-2.552.73	0.13	457,106.08	827,128.71	N 32°15'11.80"	W 103°24'31.89"	5.04	353.14
	1,016.00	0.55	116.97	1,015.96	-4.74	4.77	0.19	-2.459.74	0.22	457,105.84	827,129.50	N 32°15'11.80"	W 103°24'31.88"	4.77	2.30
Last 3rd Party Survey	1,043.00	0.54	121.07	1,042.96	-4.65	4.64	0.42	-2.432.74	0.15	457,105.71	827,129.73	N 32°15'11.79"	W 103°24'31.88"	4.66	5.12
	1,149.00	0.22	131.92	1,148.96	-4.35	4.25	1.00	-2.326.74	0.31	457,105.32	827,130.31	N 32°15'11.79"	W 103°24'31.87"	4.36	13.18
	1,242.00	0.25	100.99	1,241.96	-4.24	4.09	1.33	-2.233.74	0.14	457,105.16	827,130.64	N 32°15'11.79"	W 103°24'31.87"	4.30	17.98
	1,335.00	0.28	71.02	1,334.96	-4.34	4.13	1.74	-2.140.74	0.15	457,105.20	827,131.05	N 32°15'11.79"	W 103°24'31.86"	4.48	22.88
	1,430.00	0.49	34.23	1,429.95	-4.81	4.54	2.19	-2.045.75	0.33	457,105.61	827,131.50	N 32°15'11.79"	W 103°24'31.86"	5.04	25.76
	1,524.00	0.45	35.44	1,523.95	-5.50	5.17	2.63	-1.951.75	0.04	457,106.24	827,131.94	N 32°15'11.80"	W 103°24'31.85"	5.80	26.96
	1,619.00	0.70	33.72	1,618.95	-6.36	5.96	3.17	-1.856.75	0.26	457,107.03	827,132.48	N 32°15'11.81"	W 103°24'31.84"	6.75	28.00
	1,714.00	0.06	234.43	1,713.94	-6.85	6.41	3.45	-1.761.76	0.80	457,107.48	827,132.76	N 32°15'11.81"	W 103°24'31.84"	7.28	28.29
	1,808.00	0.07	357.78	1,807.94	-6.87	6.44	3.41	-1.667.76	0.12	457,107.51	827,132.72	N 32°15'11.81"	W 103°24'31.84"	7.29	27.89
	1,903.00	0.05	317.87	1,902.94	-6.95	6.33	3.38	-1.572.76	0.05	457,107.60	827,132.69	N 32°15'11.81"	W 103°24'31.84"	7.35	27.35
First SLB Survey	1,998.00	0.07	153.68	1,997.94	-6.93	6.51	3.38	-1.477.76	0.13	457,107.58	827,132.69	N 32°15'11.81"	W 103°24'31.84"	7.33	27.42
	2,093.00	0.08	138.22	2,092.94	-6.84	6.41	3.45	-1.382.76	0.02	457,107.48	827,132.76	N 32°15'11.81"	W 103°24'31.84"	7.27	28.27
	2,187.00	0.10	168.22	2,186.94	-6.72	6.28	3.51	-1.288.76	0.05	457,107.35	827,132.82	N 32°15'11.81"	W 103°24'31.84"	7.19	29.19
	2,281.00	0.02	216.34	2,280.94	-6.63	6.18	3.51	-1.194.76	0.09	457,107.25	827,132.82	N 32°15'11.81"	W 103°24'31.84"	7.11	29.60
	2,376.00	0.09	73.06	2,375.94	-6.65	6.19	3.57	-1.099.76	0.11	457,107.26	827,132.88	N 32°15'11.81"	W 103°24'31.84"	7.15	30.00
	2,471.00	0.05	240.94	2,470.94	-6.66	6.19	3.61	-1.004.76	0.15	457,107.26	827,132.92	N 32°15'11.81"	W 103°24'31.84"	7.17	30.24
	2,566.00	0.06	66.14	2,565.94	-6.66	6.19	3.62	-909.76	0.12	457,107.26	827,132.93	N 32°15'11.81"	W 103°24'31.84"	7.17	30.30
	2,660.00	0.08	32.65	2,659.94	-6.74	6.27	3.70	-815.76	0.05	457,107.34	827,133.01	N 32°15'11.81"	W 103°24'31.84"	7.28	30.55
	2,755.00	0.09	110.06	2,754.94	-6.79	6.30	3.80	-720.76	0.11	457,107.37	827,133.11	N 32°15'11.81"	W 103°24'31.84"	7.36	31.14
	2,850.00	0.08	84.92	2,849.94	-6.79	6.28	3.94	-625.76	0.04	457,107.35	827,133.25	N 32°15'11.81"	W 103°24'31.83"	7.41	32.12
2,945.00	0.06	316.28	2,944.94	-6.83	6.32	3.97	-530.76	0.13	457,107.39	827,133.28	N 32°15'11.81"	W 103°24'31.83"	7.46	32.15	
3,039.00	0.09	42.19	3,038.94	-6.93	6.41	3.99	-436.76	0.11	457,107.46	827,133.30	N 32°15'11.81"	W 103°24'31.83"	7.55	31.89	
3,134.00	0.08	86.55	3,133.94	-7.00	6.47	4.10	-341.76	0.07	457,107.54	827,133.41	N 32°15'11.81"	W 103°24'31.83"	7.66	32.39	
3,229.00	0.03	109.43	3,228.94	-7.01	6.47	4.19	-246.76	0.06	457,107.54	827,133.50	N 32°15'11.81"	W 103°24'31.83"	7.71	32.97	
3,323.00	0.05	142.24	3,322.94	-6.98	6.42	4.24	-152.76	0.03	457,107.49	827,133.55	N 32°15'11.81"	W 103°24'31.83"	7.70	33.44	
3,418.00	0.01	298.30	3,417.94	-6.95	6.40	4.26	-57.76	0.06	457,107.47	827,133.57	N 32°15'11.81"	W 103°24'31.83"	7.68	33.67	
3,513.00	0.10	60.28	3,512.94	-7.01	6.44	4.33	37.24	0.11	457,107.51	827,133.64	N 32°15'11.81"	W 103°24'31.83"	7.76	33.88	
3,608.00	0.07	25.72	3,607.94	-7.11	6.53	4.42	132.24	0.06	457,107.60	827,133.73	N 32°15'11.81"	W 103°24'31.83"	7.89	34.09	
3,703.00	0.03	116.25	3,702.94	-7.16	6.58	4.47	27.24	0.08	457,107.65	827,133.78	N 32°15'11.81"	W 103°24'31.83"	7.95	34.21	
3,797.00	0.11	115.57	3,796.94	-7.13	6.53	4.57	321.24	0.09	457,107.60	827,133.88	N 32°15'11.81"	W 103°24'31.83"	7.97	35.02	
3,892.00	0.11	76.97	3,891.94	-7.13	6.51	4.74	416.24	0.08	457,107.58	827,134.05	N 32°15'11.81"	W 103°24'31.83"	8.05	36.10	
3,986.00	0.30	207.32	3,985.94	-6.93	6.31	4.72	510.24	0.40	457,107.38	827,134.03	N 32°15'11.81"	W 103°24'31.83"	7.88	36.80	
4,081.00	0.20	54.10	4,080.94	-6.81	6.18	4.74	605.24	0.51	457,107.25	827,134.05	N 32°15'11.81"	W 103°24'31.83"	7.79	37.46	
4,176.00	0.04	269.50	4,175.94	-6.92	6.28	4.84	700.24	0.25	457,107.35	827,134.15	N 32°15'11.81"	W 103°24'31.82"	7.93	37.62	
4,271.00	0.08	338.13	4,270.94	-6.98	6.34	4.78	795.24	0.09	457,107.41	827,134.09	N 32°15'11.81"	W 103°24'31.82"	7.94	37.02	
4,365.00	0.04	197.12	4,364.94	-7.00	6.37	4.75	889.24	0.12	457,107.44	827,134.06	N 32°15'11.81"	W 103°24'31.83"	7.95	36.69	
4,460.00	0.03	208.43	4,459.94	-6.94	6.32	4.73	984.24	0.01	457,107.39	827,134.04	N 32°15'11.81"	W 103°24'31.83"	7.89	36.80	
4,555.00	0.03	212.44	4,554.94	-6.90	6.28	4.70	1,079.24	0.00	457,107.35	827,134.01	N 32°15'11.81"	W 103°24'31.83"	7.84	36.84	
4,650.00	0.07	127.42	4,649.94	-6.85	6.22	4.73	1,174.24	0.08	457,107.29	827,134.04	N 32°15'11.81"	W 103°24'31.83"	7.82	37.28	
4,744.00	0.12	27.05	4,743.94	-6.91	6.27	4.83	1,268.24	0.16	457,107.34	827,134.14	N 32°15'11.81"	W 103°24'31.82"	7.91	37.57	
4,839.00	0.08	6.03	4,838.94	-7.05	6.39	4.93	1,363.24	0.07	457,107.46	827,134.24	N 32°15'11.81"	W 103°24'31.82"	8.07	37.82	
4,934.00	0.18	74.61	4,933.94	-7.15	6.47	5.13	1,458.24	0.11	457,107.54	827,134.44	N 32°15'11.81"	W 103°24'31.82"	8.25	38.42	
5,028.00	0.05	342.30	5,027.94	-7.25	6.55	5.26	1,552.24	0.20	457,107.62	827,134.57	N 32°15'11.81"	W 103°24'31.82"	8.40	38.78	
5,123.00	0.04	235.84	5,122.94	-7.26	6.57	5.22	1,647.24	0.08	457,107.64	827,134.53	N 32°15'11.81"	W 103°24'31.82"	8.39	38.48	
5,217.00	0.25	304.90	5,216.94	-7.33	6.66	5.02	1,741.24	0.25	457,107.73	827,134.33	N 32°15'11.81"	W 103°24'31.82"	8.35	37.01	
5,312.00	1.24	315.95	5,311.93	-8.05	7.52	4.14	1,836.23	1.05	457,108.59	827,133.45	N 32°15'11.82"	W 103°24'31.83"	8.59	28.82	
5,406.00	0.01	317.65	5,405.96	-8.01	7.51	2.11	1,898.18	1.24	457,110.78	827,131.42	N 32°15'11.84"	W 103°24'31.86"	9.93	12.24	
5,501.00	0.40	316.58	5,500.73	-13.31	13.65	1.43	2,025.03	1.69	457,114.73	827,127.88	N 32°15'11.88"	W 103°24'31.95"	13.74	354.04	
5,596.00	3.98	316.76	5,595.50	-17.49	18.55	-5.88	2,119.80	1.03	457,119.62	827,123.43	N 32°15'11.93"	W 103°24'31.95"	19.46	342.42	
5,690.00	4.04	316.30	5,689.27	-21.54	23.32	-10.40	2,213.57	0.07	457,124.39	827,118.91	N 32°15'11.98"	W 103°24'32.00"	25.53	335.97	
5,785.00	3.59	310.76	5,784.06	-25.18	27.68	-14.96	2,308.37								

	9,596.00	22.27	267.80	9,468.72	-15.03	141.44	-850.81	5,993.02	0.23	457,242.51	826,278.50	N 32°15'13.22"	W 103°24'41.77"	862.49	279.44
	9,981.00	22.33	267.74	9,556.61	-8.36	140.04	-886.83	6,080.91	0.07	457,241.11	826,242.48	N 32°15'13.21"	W 103°24'42.19"	897.82	278.97
	9,675.00	22.37	267.56	9,643.58	-1.68	138.58	-922.47	6,167.88	0.57	457,239.65	826,206.84	N 32°15'13.20"	W 103°24'42.61"	932.82	278.54
	9,880.00	21.73	268.19	9,731.66	4.85	137.22	-958.10	6,255.97	0.82	457,238.32	826,171.28	N 32°15'13.19"	W 103°24'43.03"	967.81	278.15
	10,024.00	20.87	268.02	9,865.83	14.23	135.53	-1,010.31	6,390.13	0.60	457,236.60	826,119.00	N 32°15'13.18"	W 103°24'43.53"	1,019.36	277.64
	10,119.00	20.56	267.52	9,954.68	20.45	134.22	-1,043.89	6,478.98	0.38	457,235.29	826,085.42	N 32°15'13.17"	W 103°24'44.02"	1,052.48	277.33
	10,214.00	20.19	265.74	10,043.74	27.21	132.28	-1,076.90	6,568.04	0.76	457,233.35	826,052.41	N 32°15'13.15"	W 103°24'44.41"	1,085.00	277.00
	10,308.00	19.52	262.52	10,132.16	35.09	129.03	-1,108.65	6,656.46	1.36	457,230.10	826,020.66	N 32°15'13.12"	W 103°24'44.78"	1,116.14	276.64
	10,402.00	17.79	258.35	10,221.22	44.33	124.09	-1,138.29	6,745.52	2.32	457,225.16	825,991.02	N 32°15'13.07"	W 103°24'45.12"	1,145.03	276.22
	10,497.00	17.86	254.33	10,311.66	45.26	117.22	-1,166.53	6,835.96	1.30	457,218.29	825,958.78	N 32°15'13.01"	W 103°24'45.45"	1,172.41	275.74
	10,592.00	18.89	255.63	10,401.82	67.18	109.47	-1,195.46	6,926.12	1.17	457,210.54	825,933.85	N 32°15'12.93"	W 103°24'45.79"	1,200.46	275.23
	10,687.00	18.43	260.18	10,491.83	77.85	103.09	-1,225.15	7,016.13	1.61	457,204.16	825,904.16	N 32°15'12.87"	W 103°24'46.14"	1,229.48	274.81
	10,781.00	17.33	271.12	10,581.31	84.29	100.83	-1,253.80	7,105.61	3.75	457,201.90	825,875.51	N 32°15'12.85"	W 103°24'46.47"	1,257.85	274.60
	10,875.00	14.51	277.69	10,671.70	86.23	102.68	-1,279.47	7,196.00	3.56	457,203.75	825,849.84	N 32°15'12.87"	W 103°24'46.77"	1,283.59	274.59
	10,970.00	13.06	273.06	10,763.97	87.39	104.85	-1,301.99	7,288.27	1.92	457,205.92	825,827.32	N 32°15'12.90"	W 103°24'47.03"	1,306.20	274.60
	11,065.00	13.05	274.59	10,856.46	89.15	106.28	-1,323.64	7,380.76	0.46	457,207.35	825,805.61	N 32°15'12.91"	W 103°24'47.28"	1,327.90	274.59
	11,160.00	13.68	275.82	10,948.83	90.41	108.29	-1,345.75	7,473.13	0.48	457,209.35	825,783.56	N 32°15'12.93"	W 103°24'47.54"	1,350.10	274.60
	11,255.00	9.96	269.22	11,041.80	92.25	109.31	-1,365.15	7,566.10	4.16	457,210.38	825,764.16	N 32°15'12.95"	W 103°24'47.77"	1,369.52	274.58
	11,350.00	9.65	264.83	11,135.41	95.44	108.48	-1,381.29	7,659.71	0.85	457,209.55	825,748.02	N 32°15'12.94"	W 103°24'47.95"	1,385.55	274.49
	11,445.00	9.74	269.69	11,229.06	98.53	107.72	-1,397.26	7,753.36	0.87	457,208.79	825,732.05	N 32°15'12.93"	W 103°24'48.14"	1,401.41	274.41
	11,540.00	9.79	280.07	11,322.69	99.52	109.08	-1,413.25	7,846.99	1.85	457,210.15	825,716.06	N 32°15'12.95"	W 103°24'48.33"	1,417.45	274.41
	11,635.00	10.48	273.88	11,426.12	98.74	112.50	-1,430.96	7,950.42	4.00	457,213.57	825,698.35	N 32°15'12.98"	W 103°24'48.53"	1,435.38	274.50
	11,668.00	10.93	269.55	11,448.72	99.25	112.63	-1,435.23	7,973.02	4.00	457,213.70	825,694.08	N 32°15'12.99"	W 103°24'48.58"	1,439.64	274.49
	11,761.19	21.66	229.17	11,538.29	113.73	101.24	-1,457.20	8,062.59	16.12	457,202.31	825,672.10	N 32°15'12.87"	W 103°24'48.84"	1,460.72	273.97
	11,762.00	21.78	229.00	11,539.04	113.96	101.05	-1,457.43	8,063.34	16.12	457,202.12	825,671.88	N 32°15'12.87"	W 103°24'48.84"	1,460.93	273.97
	11,857.00	28.21	211.31	11,625.22	148.12	70.23	-1,482.46	8,149.52	10.31	457,171.30	825,646.85	N 32°15'12.57"	W 103°24'49.14"	1,484.12	273.71
	11,952.00	39.31	196.02	11,704.22	198.89	21.88	-1,507.53	8,228.52	14.84	457,122.95	825,626.78	N 32°15'12.08"	W 103°24'49.37"	1,503.99	270.83
	12,047.00	57.19	186.51	11,770.69	265.26	14.42	-1,515.34	8,294.99	14.78	457,086.65	825,613.92	N 32°15'11.44"	W 103°24'49.52"	1,516.04	268.32
	12,141.00	59.33	183.24	11,825.19	342.75	-120.66	-1,522.08	8,349.49	6.70	456,980.41	825,607.23	N 32°15'10.68"	W 103°24'49.62"	1,526.85	265.47
	12,236.00	64.35	183.40	11,871.45	425.33	-203.42	-1,526.88	8,395.75	7.39	456,897.65	825,602.43	N 32°15'9.87"	W 103°24'49.68"	1,540.37	262.41
	12,330.00	78.37	182.99	11,901.42	513.80	-292.13	-1,531.82	8,425.72	14.92	456,808.94	825,597.49	N 32°15'8.99"	W 103°24'49.75"	1,559.43	262.41
	12,425.00	85.50	182.94	11,914.74	607.37	-386.01	-1,536.68	8,439.04	7.51	456,715.06	825,592.63	N 32°15'8.06"	W 103°24'49.81"	1,584.42	255.90
	12,520.00	85.95	183.47	11,921.82	701.71	-480.59	-1,541.98	8,446.12	0.73	456,620.48	825,587.33	N 32°15'7.12"	W 103°24'49.88"	1,615.14	252.69
	12,585.00	84.55	183.44	11,926.98	796.26	-575.27	-1,545.83	8,451.28	1.55	456,555.80	825,583.48	N 32°15'6.48"	W 103°24'49.93"	1,632.23	250.57
	12,679.00	87.38	182.51	11,933.27	859.60	-638.93	-1,550.61	8,457.57	2.73	456,462.14	825,578.70	N 32°15'5.66"	W 103°24'50.00"	1,677.09	247.61
	12,774.00	90.64	181.19	11,934.91	953.95	-733.86	-1,553.68	8,459.21	3.70	456,367.21	825,575.63	N 32°15'4.62"	W 103°24'50.05"	1,718.27	244.72
	12,868.00	90.93	179.73	11,933.62	1,047.03	-827.84	-1,554.43	8,457.92	1.58	456,273.23	825,574.88	N 32°15'3.69"	W 103°24'50.06"	1,761.13	241.96
	12,963.00	91.29	179.12	11,931.78	1,140.83	-922.82	-1,553.48	8,456.08	0.75	456,178.25	825,575.83	N 32°15'2.75"	W 103°24'50.06"	1,806.90	239.29
	13,058.00	91.04	178.80	11,929.85	1,234.52	-1,017.78	-1,551.76	8,454.15	0.43	456,083.29	825,577.55	N 32°15'1.81"	W 103°24'50.05"	1,855.76	236.74
	13,153.00	92.02	179.40	11,927.31	1,329.22	-1,107.24	-1,550.25	8,451.93	1.21	455,988.33	825,579.04	N 32°15'1.07"	W 103°24'50.04"	1,902.97	234.37
	13,248.00	91.83	180.30	11,924.12	1,422.10	-1,207.68	-1,550.02	8,448.42	0.97	455,893.38	825,579.29	N 32°15'1.08"	W 103°24'50.05"	1,964.55	232.08
	13,343.00	89.92	181.28	11,922.67	1,516.24	-1,302.65	-1,551.33	8,446.97	2.26	455,798.41	825,577.98	N 32°15'8.99"	W 103°24'50.07"	2,025.71	229.98
	13,532.00	89.91	182.45	11,922.95	1,703.99	-1,491.55	-1,557.48	8,447.25	0.62	455,609.52	825,571.83	N 32°14'57.12"	W 103°24'50.17"	2,156.49	226.24
	13,627.00	91.11	182.46	11,922.11	1,798.47	-1,586.46	-1,561.55	8,446.41	1.26	455,514.61	825,567.76	N 32°14'56.18"	W 103°24'50.22"	2,226.04	224.55
	13,721.00	91.00	182.42	11,920.71	1,874.04	-1,662.38	-1,564.78	8,445.01	0.16	455,439.69	825,564.33	N 32°14'55.43"	W 103°24'50.27"	2,282.99	223.27
	13,816.00	90.97	181.74	11,918.79	1,986.34	-1,775.28	-1,568.98	8,443.09	0.71	455,325.79	825,560.33	N 32°14'54.32"	W 103°24'50.33"	2,369.24	221.47
	13,911.00	91.69	181.29	11,916.59	2,080.62	-1,870.22	-1,571.49	8,440.89	0.89	455,230.85	825,557.82	N 32°14'53.38"	W 103°24'50.37"	2,442.81	220.04
	14,006.00	90.75	179.35	11,914.56	2,174.64	-1,965.19	-1,572.02	8,438.86	2.27	455,135.88	825,557.29	N 32°14'52.44"	W 103°24'50.38"	2,516.59	218.66
	14,101.00	91.26	177.52	11,912.90	2,268.18	-2,060.14	-1,569.42	8,437.20	2.00	455,040.93	825,559.88	N 32°14'51.50"	W 103°24'50.36"	2,589.84	217.30
	14,195.00	90.46	174.61	11,911.49	2,359.97	-2,153.90	-1,562.98	8,436.79	3.21	454,947.17	825,566.33	N 32°14'50.57"	W 103°24'50.30"	2,661.23	215.97
	14,225.00	90.54	174.32	11,911.22	2,389.08	-2,183.75	-1,560.08	8,435.52	1.03	454,860.21	825,569.33	N 32°14'50.27"	W 103°24'50.28"	2,683.77	215.54
	14,290.00	90.72	173.70	11,910.51	2,453.03	-2,248.40	-1,553.30	8,434.91	1.00	454,825.67	825,565.01	N 32°14'49.63"	W 103°24'50.12"	2,714.59	214.87
	14,385.00	89.62	174.52	11,910.23	2,544.07	-2,342.89	-1,543.55	8,434.53	1.44	454,758.18	825,585.76	N 32°14'48.70"	W 103°24'50.09"	2,805.65	213.38
	14,480.00	90.33	174.94	11,910.27	2,636.36	-2,437.49	-1,534.83	8,434.57	0.87	454,663.58	825,594.48	N 32°14'47.76"	W 103°24'50.07"	2,880.46	212.20
	14,574.00	90.29	178.23	11,909.76	2,728.34	-2,531.31	-1,529.23	8,434.06	3.50	454,569.76	825,600.08	N 32°14'46.83"	W 103°24'49.94"	2,957.37	211.14
	14,669.00	90.49	182.24	11,909.11	2,822.35	-2,626.29	-1,529.62	8,433.41	4.23	454,474.78	825,599.69	N 32°14'45.89"	W 103°24'49.95"	3,039.26	210.22
	14,763.00	90.19	182.44	11,908.55	2,915.82	-2,720.21	-1,533.46	8,432.85	0.38	454,380.86	825,595.85	N 32°14'44.86"	W 103°24'50.11"	3,122.66	209.41
	14,858.00	89.85	181.84	11,908.25	3,010.24	-2,815.14	-1,537.00	8,432.82	0.73	454,285.93	825,592.31	N 32°14'44.02"	W 103°24'50.08"	3,207.40	208.63
	14,953.00	90.10	179.66	11,908.56	3,104.38	-2,910.12	-1,538.25	8,432.86	2.31	454,190.94	825,591.06	N 32°14'43.08"	W 103°24'50.08"	3,291.66	207.86
	15,048.00	88.48	179.51	11,909.74	3,198.24	-3,005.11	-1,537.56	8,434.04	1.71	454,095.96	825,591.75	N 32°14'42.14"	W 103°24'50.08"	3,375.62	207.10</

	21,476.00	83.49	180.34	12,152.50	9,537.18	-9,415.43	-1,524.21	8,676.80	1.41	447,685.63	825,605.10	N 32°13'38.71"	W 103°24'50.57"	9,538.01	189.20
	21,571.00	83.43	180.12	12,163.32	9,630.59	-9,509.81	-1,524.59	8,687.62	0.24	447,591.25	825,604.72	N 32°13'37.78"	W 103°24'50.58"	9,631.25	189.11
	21,665.00	83.64	180.00	12,173.90	9,723.00	-9,603.21	-1,524.68	8,696.20	0.26	447,497.85	825,604.63	N 32°13'36.86"	W 103°24'50.59"	9,723.50	189.02
	21,760.00	83.59	179.37	12,184.47	9,816.31	-9,697.62	-1,524.16	8,708.77	0.65	447,403.44	825,605.14	N 32°13'35.92"	W 103°24'50.60"	9,816.67	188.93
	21,849.00	83.57	179.46	12,205.60	10,001.80	-9,885.43	-1,522.25	8,729.90	0.05	447,215.64	825,607.06	N 32°13'34.06"	W 103°24'50.59"	10,001.95	188.75
	22,044.00	83.55	180.36	12,216.25	10,095.15	-9,979.83	-1,522.10	8,740.55	0.94	447,121.24	825,607.21	N 32°13'33.13"	W 103°24'50.60"	10,095.23	188.67
	22,138.00	84.02	181.29	12,226.43	10,187.77	-10,073.26	-1,523.44	8,750.73	1.10	447,027.80	825,605.86	N 32°13'32.21"	W 103°24'50.62"	10,187.81	188.60
	22,233.00	83.67	179.79	12,236.62	10,281.33	-10,167.71	-1,524.33	8,760.92	1.61	446,933.35	825,604.97	N 32°13'31.27"	W 103°24'50.64"	10,281.34	188.53
	22,328.00	83.59	180.22	12,247.16	10,374.72	-10,262.12	-1,524.34	8,771.46	0.46	446,838.94	825,604.97	N 32°13'30.34"	W 103°24'50.65"	10,374.72	188.45
LTP / 100% FSL Cross	22,341.60	83.53	180.35	12,248.68	10,388.10	-10,275.64	-1,524.41	8,772.98	1.07	446,825.43	825,604.90	N 32°13'30.20"	W 103°24'50.66"	10,388.10	188.44
Final Survey	22,385.00	83.32	180.77	12,253.66	10,430.80	-10,318.75	-1,524.83	8,777.96	1.07	446,782.32	825,604.48	N 32°13'29.78"	W 103°24'50.66"	10,430.80	188.41
Projection to Total Depth	22,417.00	83.32	180.77	12,257.38	10,462.30	-10,350.53	-1,525.26	8,781.68	0.00	446,750.54	825,604.05	N 32°13'29.46"	W 103°24'50.67"	10,462.31	188.38

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Vendor / Tool	Borehole / Survey
	1	0.000	1,043.000	Act Stns		A005Mb_MWD+IFR1		Saker 6-7 Fed Com 31H / Oxy Saker 6-7 Fed Com 31H IFR1 Surveys to 22417ft
	1	1,043.000	22,417.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS		Saker 6-7 Fed Com 31H / Oxy Saker 6-7 Fed Com 31H IFR1 Surveys to 22417ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
22,417.000	26.400	26.400	

Well Name: SAKER 6-7 FEDERAL	Well Location: T24S / R35E / SEC 6 / LOT 3 / 32.253263 / -103.408855	County or Parish/State: LEA / NM
Well Number: 31H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14164	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254893200S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2768784

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 01/10/2024	Time Sundry Submitted: 10:01
Date Operation Actually Began: 11/10/2024	

Actual Procedure: 11/21/23 MIRU Frac. 11/22/23 RIH w/ CBL. 11/23/23 RIH & clean out to PBTD @22373'M, pressure test casing to 6000# for 30 min, good test. RIH & perf @ 12068'-22252.' Total 1227 holes. Frac in 41 stages w/ 506903BBLS Produced Water + 12,008BBLS Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 27,595,340LBS sand. RD frac and RU CT 12/11/23. RD CT, well ready to produce 12/17/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 02/15/2024.

Received by OCD: 2/27/2024 10:29:46 AM

Page 8 of 15

Well Name: SAKER 6-7 FEDERAL	Well Location: T24S / R35E / SEC 6 / LOT 3 / 32.253263 / -103.408855	County or Parish/State: LEA / NM
Well Number: 31H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14164	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254893200S1	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES

Signed on: JAN 10, 2024 10:01 AM

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTONState: TX

Phone: (713) 497-2492

Email address: LESLIE_REEVES@OXY.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 01/10/2024

Signature: Jonathon Shepard

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well


0. SHL: LOT 3 / 200 FNL / 1960 FWL / TWSP: 24S / RANGE: 35E / SECTION: 6 / LAT: 32.253263 / LONG: -103.408855 (TVD: 0 feet, MD: 0 feet)

PPP: LOT 4 / 100 FNL / 330 FWL / TWSP: 24S / RANGE: 35E / SECTION: 6 / LAT: 32.253533 / LONG: -103.414127 (TVD: 11410 feet, MD: 11795 feet)

BHL: LOT 13 / 20 FSL / 330 FWL / TWSP: 24S / RANGE: 35E / SECTION: 7 / LAT: 32.224838 / LONG: -103.414106 (TVD: 11878 feet, MD: 21750 feet)

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-025-48932										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name SAKER 6-7 FEDERAL COM				
						6. Well Number: #031H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON TX 77046						11. Pool name or Wildcat ANTELOPE RIDGE; WOLFCAMP (2220)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	6	24S	35E	LOT 3	200	FNL	1960	FWL	LEA
BH:	M	7	24S	35E	LOT 4	25	FSL	241	FWL	LEA
13. Date Spudded 5/29/2023	14. Date T.D. Reached 10/15/2023	15. Date Rig Released 10/19/2023			16. Date Completed (Ready to Produce) 12/17/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3449'GR		
18. Total Measured Depth of Well 22417' MD/12259' TVD			19. Plug Back Measured Depth 22373'MD			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR,		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12068'-22252'; WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5# J-55 BTC		1090'		17-1/2"		1605SX-SURF		
7.827"		39.3# P-110WG463		11622'		9-7/8"		2975sx-SURF		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN					
5-1/2"	11375'	22398'	765sx-TOCtol							
25. TUBING RECORD										
SIZE	DEPTH SET		PACKER SET							
3-1/2"	11296'									
26. Perforation record (interval, size, and number) 12068'-22252'; 0.42, total 1227 holes.										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL					AMOUNT AND KIND MATERIAL USED					
12068'-22252'					506903BBLS Produced Water + 12,008bbbls					
					Brackish Water w/ 27,595,340LBS sand.					
28. PRODUCTION										
Date First Production 12/23/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING - LIFT INSTALLED 1/19/24				Well Status (Prod. or Shut-in) PROD				
Date of Test 1/2/2024	Hours Tested 24 HOURS	Choke Size	Prod'n For Test Period	Oil - Bbl 2182	Gas - MCF 2706	Water - Bbl. 2547	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure 951	Calculated 24-Hour Rate	Oil - Bbl. 2182	Gas - MCF 2706	Water - Bbl. 2547	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments GR, DIRECTIONAL PLAN, AS-DRILLED PLAT										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Leslie T. Reeves</i>		Printed Name LESLIE REEVES		Title REGULATORY MANAGER			Date 2/27/2024			
E-mail Address LESLIE_REEVES@OXY.COM										

OXY USA Inc.
SAKER 6-7 FEDERAL COM 31H
API No. 30-025-48932



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 318106

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 318106
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 318106

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 318106
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	6/18/2024