

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address		² OGRID Number	
		³ Reason for Filing Code/ Effective Date	
⁴ API Number	⁵ Pool Name		⁶ Pool Code
⁷ Property Code	⁸ Property Name		⁹ Well Number

II. ¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>alicia fulton</i>			OIL CONSERVATION DIVISION		
Printed name:			Approved by: <i>PATRICIA MARTINEZ</i>		
Title:			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address:			Approval Date: <i>6/28/2024</i>		
Date:		Phone:			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS COMPLETED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-50210		² Pool Code 97569		³ Pool Name Winchester; Bone Spring, West	
⁴ Property Code 333585		⁵ Property Name PALMILLO 29-30 STATE COM			⁶ Well Number 376H
⁷ OGRID NO. 873		⁸ Operator Name APACHE CORPORATION			⁹ Elevation 3470'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
H	25	19S	27E		2570	NORTH	750	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	29	19S	28E		2052	NORTH	53	EAST	EDDY
¹² Dedicated Acres 323	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

¹⁶ GEODETIC DATA NAD 83 GRID - NM EAST SURFACE LOCATION (SL) N: 593434.9 - E: 574279.5 LAT: 32.6313563° N LONG: 104.2263251° W KICK OFF POINT (KOP) 2127' FNL & 484' FEL - SEC 25 N: 593872.4 - E: 574549.7 LAT: 32.632582° N LONG: 104.2254458° W MD = 7526.0 - TVD = 7490.1 FIRST TAKE POINT (FTP) 2109' FNL & 114' FWL - SEC 30 N: 593882.3 - E: 575147.6 LAT: 32.6325838° N LONG: 104.2235036° W MD = 8610.0 - TVD = 8280.3 LAST TAKE POINT (LTP) 2059' FNL & 129' FEL - SEC 29 N: 594110.3 - E: 585435.3 LAT: 32.6331768° N LONG: 104.1900839° W MD = 18913.0 - TVD = 8501.0 BOTTOM HOLE (BH) N: 594117.6 - E: 585512.0 LAT: 32.6331966° N LONG: 104.1898347° W MD = 18990.0 - TVD = 8496.4		CORNER DATA NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1941" N: 590834.2 - E: 569728.4 B: FOUND BRASS CAP "1941" N: 593464.9 - E: 569747.2 C: FOUND BRASS CAP "1941" N: 596098.3 - E: 569768.4 D: FOUND BRASS CAP "1941" N: 596043.6 - E: 572411.3 E: FOUND BRASS CAP "1941" N: 595988.5 - E: 575053.3 F: FOUND BRASS CAP "1941" N: 596055.5 - E: 577761.8 G: FOUND BRASS CAP "1941" N: 596120.3 - E: 580368.7 H: FOUND BRASS CAP "1941" N: 596144.1 - E: 582974.0 I: FOUND BRASS CAP "1941" N: 596170.1 - E: 585579.7 J: FOUND BRASS CAP "1941"		N: 593538.2 - E: 585560.2 K: FOUND BRASS CAP "1941" N: 590906.8 - E: 585541.3 L: FOUND BRASS CAP "1941" N: 590849.0 - E: 582921.0 M: FOUND BRASS CAP "1941" N: 590871.3 - E: 580314.9 N: FOUND BRASS CAP "1941" N: 590726.0 - E: 577724.3 O: FOUND BRASS CAP "1941" N: 590726.4 - E: 575003.7 P: FOUND BRASS CAP "1941" N: 590780.1 - E: 572365.3 Q: FOUND BRASS CAP "1941" N: 593357.1 - E: 575028.3 R: FOUND BRASS CAP "1941" N: 593498.9 - E: 580342.6		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. alicia fulton 12/5/2023 Signature Date Alicia Fulton Printed Name alicia.fulton@apachecorp.com E-mail Address
CALCULATED POINTS 1: N: 594854.2 - E: 585570.0 2: N: 594809.6 - E: 580355.6 3: N: 594672.8 - E: 575040.8		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 10/11/2023 Date of Survey DALE E. BELL Signature and Seal of Professional Surveyor 14400 12/05/2023 Certificate Number				

Job No.: LS21040399AC



SLB Survey Report

Tuesday, March 21, 2023 11:12 PM Report by DrillOps

General Information			
Client:	APACHE CORPORATION	Well Name:	Palmillo 29 30 State Com 376H
Field:	WINCHESTER; BONE SPRING, WEST		
Job Location & Elevation			
Latitude:	32°37'52.883" N	Longitude:	104°13'34.770" W
Rig Type:	land	Log Measured From:	DrillFloor
Rig Floor above GL:	30.00 ft	Ground Level above MSL:	3470.00 ft
Depth Source:	30.00 DrillersDepth		
Tie In Point			
TIP_MD:	0.00 ft	TIP_NORTHING:	0.00 ft
TIP_INCL:	0.00 deg	TIP_EASTING:	0.00 ft
TIP_AZIM:	0.00 deg	TIP_ROAZ:	89.01 deg
TIP_TVD:	0.00 ft	NORTH_REF:	GridNorth
MWD Survey Reference Criteria			
Run1			
Geomag Model:	HDGM 2023	Calculation Date:	28-Feb-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		
Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		
Run2			
Geomag Model:	HDGM 2023	Calculation Date:	06-Mar-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		
Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		
Run3			
Geomag Model:	HDGM 2023	Calculation Date:	26-Feb-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		
Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		
Run4			
Geomag Model:	HDGM 2023	Calculation Date:	20-Feb-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		
Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		
Run5			
Geomag Model:	HDGM 2023	Calculation Date:	18-Feb-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		

Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		

Run6

Geomag Model:	HDGM 2023	Calculation Date:	17-Feb-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		
Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		

Run7

Geomag Model:	HDGM 2023	Calculation Date:	13-Feb-2023
Location G:	998.50 mgn		
Location B:	47564.70 nT		
Magnetic Dip:	60.24 deg		
Magnetic dec (+E/W-):	6.86 deg		
Grid convergence (+E/W-):	0.06 deg		
GTotal az corr (+E/W-):	6.80 deg		

Survey List									
MD	Incl	Azim	TVD	V Sec	N/-S	E/-W	DLS	IRE_DISTANCE	IRE_AZIMUTH
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(ft)	(deg)
0	0	0	0	0	0	0	0	0	0
25	0	0	25	0	0	0	0	0	0
111	0.5	331.65	111	-0.17	0.33	-0.18	0.58	0.38	331.65
135	0.3	313.65	135	-0.27	0.47	-0.27	0.97	0.54	329.59
165	0.5	322.65	165	-0.4	0.62	-0.41	0.7	0.75	326.72
193	0.3	8.65	193	-0.46	0.79	-0.47	1.3	0.92	329.22
220	0.6	327.65	220	-0.52	0.98	-0.54	1.56	1.12	331.32
251	0.7	251.65	250.99	-0.79	1.06	-0.8	2.59	1.33	322.82
282	0.3	306.65	281.99	-1.03	1.05	-1.05	1.88	1.48	315
345	0.7	244.65	344.99	-1.51	0.98	-1.53	0.98	1.82	302.73
377	0.3	115.65	376.99	-1.62	0.86	-1.63	2.87	1.84	297.89
419	0.7	195.65	418.99	-1.59	0.57	-1.6	1.7	1.7	289.55
551	0.79	218.05	550.98	-2.39	-0.92	-2.38	0.23	2.55	248.76
643	0.54	228.01	642.97	-3.12	-1.71	-3.09	0.3	3.54	241
734	0.47	234.1	733.97	-3.75	-2.22	-3.71	0.1	4.33	239.13
828	0.7	217.72	827.96	-4.43	-2.9	-4.38	0.3	5.25	236.47
922	1.24	182.71	921.95	-4.85	-4.37	-4.78	0.83	6.47	227.54
1017	1.65	174.69	1016.92	-4.81	-6.76	-4.7	0.48	8.23	214.8
1111	1.08	156.81	1110.89	-4.38	-8.92	-4.22	0.75	9.87	205.34
1205	0.68	67.93	1204.89	-3.52	-9.53	-3.36	1.35	10.1	199.42
1299	1.82	22.88	1298.86	-2.4	-7.94	-2.26	1.51	8.26	195.89
1393	3.07	19.31	1392.78	-0.92	-4.19	-0.85	1.34	4.27	191.44
1488	3.7	23.97	1487.61	1.26	1.01	1.24	0.72	1.6	50.74
1582	4.25	30.93	1581.38	4.38	6.77	4.26	0.78	8	32.18
1676	4.88	33.52	1675.09	8.48	13.09	8.26	0.71	15.48	32.25
1771	5.53	34.79	1769.69	13.45	20.22	13.1	0.69	24.09	32.94
1866	6.47	35.28	1864.17	19.29	28.35	18.81	0.99	34.02	33.56
1960	7.63	34.41	1957.46	26.04	37.82	25.39	1.24	45.55	33.88
2055	8.57	35.39	2051.51	33.89	48.8	33.05	1	58.94	34.11
2149	8.98	36.65	2144.41	42.53	60.39	41.49	0.48	73.27	34.49
2244	8.76	37.8	2238.27	51.59	72.06	50.35	0.3	87.9	34.94
2338	8.66	39.08	2331.19	60.63	83.21	59.2	0.23	102.12	35.43
2432	8.51	39.81	2424.14	69.73	94.04	68.11	0.2	116.12	35.92
2527	8.62	38.53	2518.08	78.85	105.01	77.05	0.23	130.24	36.27
2621	8.71	37.89	2611.01	87.8	116.14	85.81	0.14	144.4	36.46
2715	8.78	36.33	2703.91	96.62	127.53	94.43	0.26	158.69	36.52
2810	8.78	36.18	2797.8	105.39	139.23	103	0.02	173.19	36.49
2904	8.81	36.54	2890.69	114.11	150.8	111.52	0.07	187.56	36.48

2999	8.75	37.99	2984.58	123.09	162.34	120.3	0.24	202.06	36.54
3093	8.46	39.07	3077.52	132.04	173.35	129.06	0.35	216.12	36.67
3187	8.25	39.24	3170.52	140.84	183.94	137.69	0.22	229.76	36.82
3282	8.15	39.98	3264.55	149.66	194.38	146.33	0.15	243.3	36.97
3317	8.11	40.92	3299.2	152.94	198.14	149.54	0.4	248.24	37.04
3405	7.42	42.1	3386.39	160.97	207.05	157.41	0.8	260.09	37.24
3499	8.23	34.16	3479.52	168.99	217.12	165.26	1.44	272.86	37.28
3594	8.27	30.6	3573.54	176.48	228.63	172.56	0.54	286.44	37.04
3688	8.05	28.77	3666.59	183.29	240.22	179.16	0.36	299.67	36.72
3782	8.05	33.79	3759.66	190.31	251.46	185.99	0.75	312.77	36.49
3971	8	33.04	3946.81	205.22	273.48	200.52	0.06	339.12	36.25
4065	7.96	31.73	4039.9	212.4	284.5	207.51	0.2	352.14	36.11
4159	7.96	30.65	4133	219.33	295.63	214.25	0.16	365.11	35.93
4253	7.95	30.02	4226.09	226.09	306.86	220.82	0.09	378.06	35.74
4348	8.01	28.1	4320.17	232.7	318.39	227.23	0.29	391.16	35.51
4442	8.1	27.43	4413.24	239.03	330.04	233.36	0.14	404.21	35.26
4536	8.22	26.65	4506.29	245.3	341.93	239.43	0.17	417.42	35
4630	8.25	25.58	4599.32	251.43	354.02	245.35	0.17	430.73	34.72
4724	8.13	23.6	4692.36	257.22	366.19	250.93	0.33	443.91	34.42
4819	7.91	22.64	4786.44	262.63	378.38	256.13	0.27	456.92	34.09
5006	7.52	19.84	4971.74	272.14	401.76	265.24	0.29	481.42	33.43
5101	4.4	20.48	5066.22	275.69	411.03	268.62	3.28	491.02	33.17
5196	4.15	18.13	5160.95	278.15	417.71	270.97	0.32	497.9	32.97
5289	4.06	18.48	5253.71	280.35	424.03	273.06	0.1	504.34	32.78
5384	2.19	24.8	5348.57	282.26	428.87	274.89	2	509.4	32.66
5478	2.05	25.46	5442.51	283.79	432.02	276.36	0.15	512.85	32.61
5573	1.7	30.81	5537.45	285.29	434.76	277.82	0.41	515.94	32.58
5667	1.39	32.52	5631.42	286.65	436.92	279.14	0.33	518.48	32.57
5761	1.15	46.9	5725.4	287.98	438.52	280.44	0.42	520.53	32.6
5855	1	52.45	5819.38	289.34	439.67	281.78	0.19	522.22	32.66
5949	0.98	38.12	5913.37	290.5	440.8	282.93	0.26	523.79	32.69
6044	0.73	10.04	6008.36	291.13	442.04	283.54	0.51	525.16	32.68
6138	0.78	1.54	6102.35	291.28	443.27	283.66	0.13	526.26	32.62
6232	0.9	316.56	6196.34	290.81	444.44	283.17	0.69	526.98	32.5
6326	1.08	294.14	6290.33	289.51	445.34	281.85	0.45	527.04	32.33
6420	1.07	280.64	6384.31	287.84	445.86	280.18	0.27	526.59	32.15
6515	0.92	275.49	6479.29	286.22	446.1	278.55	0.18	525.92	31.98
6609	1.45	246.88	6573.27	284.37	445.71	276.71	0.83	524.61	31.83
6704	1.3	245.44	6668.25	282.26	444.79	274.62	0.16	522.73	31.69
6798	1.24	226.17	6762.22	280.54	443.64	272.92	0.46	520.86	31.6
6893	2.59	225.96	6857.17	278.22	441.43	270.63	1.42	517.79	31.51
6987	0.81	201.18	6951.13	276.42	439.34	268.86	2.01	515.08	31.47
7081	0.35	103.28	7045.12	276.44	438.65	268.9	0.98	514.51	31.51
7176	0.48	186.71	7140.12	276.67	438.19	269.14	0.59	514.24	31.56
7270	0.17	118.05	7234.12	276.74	437.73	269.22	0.48	513.9	31.59
7364	0.2	70.35	7328.12	277.02	437.72	269.49	0.16	514.03	31.62
7459	0.31	120.23	7423.12	277.39	437.65	269.87	0.25	514.17	31.66
7526	0.35	107.29	7490.12	277.74	437.5	270.23	0.13	514.22	31.7
7662	5.86	79.19	7625.87	284.98	438.68	277.45	4.08	519.05	32.31
7756	13.46	80.9	7718.47	300.57	441.31	292.99	8.09	529.71	33.58
7851	21.33	89.08	7809.06	328.84	443.34	321.23	8.66	547.48	35.93
7945	28.44	92.84	7894.29	368.32	442.51	360.73	7.75	570.91	39.19
8039	34.55	93.7	7974.4	417.27	439.67	409.73	6.52	600.99	42.98
8134	39.95	93.02	8049.99	474.58	436.33	467.11	5.7	639.2	46.95
8228	46.97	90.18	8118.19	539.13	434.63	531.7	7.75	686.73	50.74
8270	51.28	89.36	8145.67	570.87	434.76	563.44	10.37	711.68	52.35
8323	54.63	88.6	8177.59	613.17	435.52	605.73	6.42	746.05	54.28
8352	56.83	88.3	8193.92	637.13	436.17	629.69	7.63	766	55.29
8440	62.13	88.78	8238.59	712.91	438.09	705.45	6.04	830.41	58.16
8535	77.07	86.92	8271.62	801.67	441.49	794.17	15.83	908.63	60.93
8629	89.41	83.96	8282.66	894.65	448.93	887.02	13.49	994.16	63.16
8723	91.69	82.27	8281.76	988.14	460.2	980.33	3.02	1082.97	64.85
8817	92.48	82.15	8278.34	1081.41	472.93	1073.4	0.85	1172.97	66.22

8968	92.57	83.38	8271.69	1231.37	491.93	1223.05	0.82	1318.27	68.09
9062	90.56	84.53	8269.12	1324.96	501.82	1316.49	2.46	1408.89	69.13
9157	87.27	84.33	8270.92	1419.63	511.04	1411.01	3.47	1500.7	70.09
9251	85.8	86.35	8276.6	1513.26	518.66	1504.52	2.65	1591.41	70.98
9346	85.92	90.94	8283.46	1607.98	520.9	1599.22	4.82	1681.92	71.96
9441	85.73	92.34	8290.38	1702.63	518.19	1693.93	1.48	1771.41	72.99
9535	86.15	92.38	8297.04	1796.23	514.33	1787.61	0.45	1860.13	73.95
9634	86.26	93.12	8303.59	1894.8	509.59	1886.28	0.75	1953.9	74.88
9729	85.98	92.64	8310.02	1989.37	504.83	1980.94	0.58	2044.25	75.7
9824	86.22	92.45	8316.48	2083.97	500.62	2075.63	0.32	2135.15	76.44
9918	86.21	92.35	8322.68	2177.6	496.69	2169.34	0.11	2225.47	77.1
10013	87.47	92.14	8327.92	2272.3	492.98	2264.12	1.34	2317.17	77.72
10108	87.91	91.69	8331.75	2367.1	489.8	2358.99	0.66	2409.3	78.27
10202	88.46	89.83	8334.73	2461.01	488.56	2452.93	2.06	2501.11	78.74
10296	89.39	89.82	8336.49	2554.98	488.84	2546.91	0.99	2593.4	79.14
10391	89.59	89.97	8337.34	2649.96	489.02	2641.91	0.26	2686.79	79.51
10485	89.52	89.96	8338.07	2743.95	489.08	2735.91	0.08	2779.28	79.86
10579	89.78	89.96	8338.64	2837.93	489.14	2829.9	0.28	2871.87	80.19
10673	89.36	89.87	8339.35	2931.92	489.28	2923.9	0.46	2964.56	80.5
10767	89.35	89.63	8340.4	3025.9	489.69	3017.89	0.26	3057.36	80.78
10862	87.58	89.57	8342.95	3120.86	490.35	3112.85	1.86	3151.24	81.05
10956	87.53	89.76	8346.96	3214.77	490.9	3206.77	0.21	3244.12	81.3
11050	87.37	89.77	8351.14	3308.67	491.29	3300.67	0.17	3337.03	81.53
11145	87.85	89.7	8355.1	3403.58	491.73	3395.59	0.51	3431.01	81.76
11239	87.97	89.77	8358.53	3497.51	492.16	3489.52	0.15	3524.06	81.97
11334	87.3	89.36	8362.45	3592.42	492.88	3584.44	0.83	3618.17	82.17
11428	87.6	88.81	8366.63	3686.33	494.38	3678.33	0.67	3711.41	82.35
11522	87.54	89.48	8370.62	3780.24	495.78	3772.24	0.71	3804.68	82.51
11616	89.37	89.82	8373.15	3874.2	496.36	3866.2	1.98	3897.93	82.68
11711	89.88	89.65	8373.77	3969.19	496.8	3961.2	0.57	3992.23	82.85
11805	89.89	89.09	8373.96	4063.19	497.83	4055.19	0.6	4085.63	83
11899	89.74	88.43	8374.27	4157.18	499.86	4149.17	0.72	4179.17	83.13
11994	89.8	88.09	8374.65	4252.17	502.75	4244.12	0.36	4273.8	83.24
12088	89.82	88	8374.96	4346.16	505.96	4338.07	0.1	4367.47	83.35
12182	89.46	88.09	8375.55	4440.15	509.16	4432.01	0.39	4461.16	83.45
12276	90.05	88.33	8375.95	4534.13	512.1	4525.96	0.68	4554.84	83.54
12371	88.91	88.35	8376.81	4629.12	514.85	4620.92	1.2	4649.51	83.64
12465	89.77	88.67	8377.9	4723.11	517.29	4714.88	0.98	4743.17	83.74
12559	91.44	87.89	8376.9	4817.1	520.12	4808.83	1.96	4836.87	83.83
12654	88.95	87.88	8376.58	4912.07	523.62	4903.75	2.62	4931.63	83.91
12749	88.82	88.5	8378.43	5007.04	526.62	4998.69	0.67	5026.35	83.99
12844	89.31	88.64	8379.98	5102.02	528.99	5093.65	0.54	5121.04	84.07
12938	89.41	88.58	8381.03	5196.02	531.27	5187.61	0.12	5214.75	84.15
13032	89.39	88.5	8382.01	5290.01	533.67	5281.58	0.09	5308.47	84.23
13221	86.96	87.62	8388.03	5478.87	540.06	5470.36	1.37	5496.95	84.36
13315	86.8	87.83	8393.15	5572.71	543.79	5564.14	0.28	5590.65	84.42
13409	86.85	88	8398.36	5666.55	547.2	5657.94	0.19	5684.34	84.48
13504	87.2	88.28	8403.29	5761.41	550.28	5752.76	0.47	5779.02	84.54
13598	87.82	88.32	8407.37	5855.31	553.07	5846.63	0.66	5872.73	84.6
13692	88.32	88.26	8410.54	5949.25	555.87	5940.53	0.54	5966.48	84.65
13787	88.69	88.12	8413.01	6044.21	558.87	6035.45	0.42	6061.27	84.71
13873	88.03	88.68	8415.48	6130.17	561.27	6121.38	1.01	6147.06	84.76
13967	88.3	88.17	8418.49	6224.11	563.85	6215.3	0.61	6240.82	84.82
14062	88.81	88.12	8420.88	6319.07	566.93	6310.22	0.54	6335.63	84.87
14156	88.84	88.15	8422.81	6413.04	569.98	6404.15	0.05	6429.46	84.91
14250	88.88	88.17	8424.68	6507.01	573	6498.08	0.05	6523.3	84.96
14345	88.8	88.4	8426.6	6601.98	575.84	6593.02	0.26	6618.12	85.01
14439	88.8	88.27	8428.57	6695.96	578.57	6686.96	0.14	6711.94	85.05
14534	88.84	88.39	8430.53	6790.93	581.34	6781.9	0.13	6806.77	85.1
14628	88.83	90.65	8432.44	6884.9	582.13	6875.87	2.4	6900.47	85.16
14722	87.83	91	8435.18	6978.81	580.78	6969.82	1.13	6993.97	85.24
14817	87.82	90.92	8438.78	7073.69	579.19	7064.74	0.08	7088.44	85.31
14911	87.77	91.11	8442.4	7167.56	577.52	7158.65	0.21	7181.91	85.39

15006	87.76	91.04	8446.1	7262.43	575.74	7253.56	0.07	7276.38	85.46
15100	87.89	91.15	8449.67	7356.3	573.95	7347.48	0.18	7369.86	85.53
15289	87.72	91.1	8456.91	7545.03	570.24	7536.3	0.09	7557.85	85.67
15384	87.72	91.12	8460.69	7639.89	568.4	7631.21	0.02	7652.35	85.74
15478	87.8	90.81	8464.36	7733.77	566.82	7725.13	0.34	7745.89	85.8
15573	87.77	90.9	8468.04	7828.65	565.4	7820.04	0.1	7840.46	85.86
15667	88.81	90.6	8470.84	7922.56	564.17	7913.99	1.15	7934.08	85.92
15761	88.76	90.89	8472.83	8016.49	562.95	8007.96	0.31	8027.73	85.98
15856	88.86	90.82	8474.81	8111.42	561.53	8102.93	0.13	8122.37	86.04
15950	88.75	89.56	8476.77	8205.38	561.22	8196.91	1.35	8216.1	86.08
16045	88.74	88.46	8478.85	8300.36	562.86	8291.87	1.16	8310.95	86.12
16139	88.84	87.85	8480.83	8394.33	565.89	8385.8	0.66	8404.87	86.14
16233	88.73	88.49	8482.83	8488.29	568.89	8479.73	0.69	8498.79	86.16
16328	88.83	88.38	8484.85	8583.27	571.48	8574.67	0.16	8593.7	86.19
16422	88.81	88.22	8486.79	8677.24	574.27	8668.61	0.17	8687.61	86.21
16516	88.79	88.54	8488.75	8771.21	576.93	8762.55	0.34	8781.53	86.23
16611	88.54	88.51	8490.97	8866.19	579.37	8857.5	0.27	8876.43	86.26
16706	88.58	88.25	8493.35	8961.15	582.06	8952.43	0.28	8971.33	86.28
16800	88.53	88.48	8495.73	9055.11	584.74	9046.36	0.25	9065.24	86.3
16894	88.6	88.24	8498.08	9149.08	587.43	9140.29	0.27	9159.15	86.32
16989	88.6	88.24	8500.4	9244.04	590.34	9235.22	0	9254.07	86.34
17083	88.59	88.15	8502.71	9338	593.3	9329.14	0.1	9347.99	86.36
17177	88.63	88.25	8504.99	9431.97	596.26	9423.07	0.11	9441.92	86.38
17272	88.4	88.23	8507.45	9526.93	599.17	9517.99	0.24	9536.83	86.4
17366	88.4	88.22	8510.07	9620.88	602.08	9611.91	0.01	9630.75	86.42
17460	88.32	88.59	8512.76	9714.84	604.7	9705.84	0.4	9724.66	86.43
17649	88.37	88.68	8518.22	9903.75	609.2	9894.7	0.05	9913.44	86.48
17838	88.84	88.37	8522.82	10092.69	614.06	10083.59	0.3	10102.27	86.52
17931	88.78	87.72	8524.75	10185.66	617.23	10176.51	0.7	10195.21	86.53
18026	89.08	87.37	8526.53	10280.61	621.3	10271.41	0.49	10290.18	86.54
18120	89.12	87.36	8528	10374.56	625.62	10365.3	0.04	10384.16	86.55
18214	90.03	87.5	8528.7	10468.52	629.84	10459.2	0.98	10478.14	86.55
18220.99	90.16	87	8528.69	10475.51	630.17	10466.18	7.46	10485.13	86.55
18308	90.63	87.33	8528.09	10562.47	634.48	10553.08	0.66	10572.14	86.56
18497	91.54	86.58	8524.51	10751.31	644.52	10741.78	0.62	10761.09	86.57
18591	92.34	86.55	8521.33	10845.17	650.15	10835.55	0.85	10855.04	86.57
18686	93.06	85.79	8516.85	10939.95	656.49	10930.23	1.1	10949.93	86.56
18780	93.92	85.34	8511.13	11033.6	663.74	11023.78	1.03	11043.74	86.55
18874	94.65	84.86	8504.11	11127.12	671.75	11117.17	0.93	11137.45	86.54
18960	95.68	84.26	8496.36	11212.51	679.87	11202.44	1.38	11223.05	86.53

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	
8. Well Number	
9. OGRID Number	
10. Pool name or Wildcat	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ 2. Name of Operator 3. Address of Operator 4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____ 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
1. WELL API NO. 30-015-50210										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No. 333585										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Palmillo 29-30 State Com				
						6. Well Number: 376H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Apache Corporation						9. OGRID 873				
10. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705						11. Pool name or Wildcat Winchester Bone Spring West (97569)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	H	25	19S	27E		2570	N	750	E	EDDY
BH:	H	29	19S	28E		2055	N	53	E	EDDY
13. Date Spudded 12/15/2022	14. Date T.D. Reached 03/23/2023		15. Date Rig Released 03/23/2023			16. Date Completed (Ready to Produce) 10/11/2023		17. Elevations (DF and RKB, RT, GR, etc.)		
18. Total Measured Depth of Well 18990			19. Plug Back Measured Depth 18953			20. Was Directional Survey Made? yes		21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8616-18918										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8		48 J55		407		17 1/2		400 SXS		0
9 5/8		40 J55		3370		12 1/4		1065SXS		0
5 1/2		6.5 L80		18976		8 1/2		2400SXS		0
24. LINER RECORD										25. TUBING RECORD
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2 7/8	8119				
26. Perforation record (interval, size, and number) 8610-18913					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					8610-18913		FRAC WITH 16302780 LB 100 MESH, TOTAL FLUID 493681 LB			
							20/40 4318740 lb			
28. PRODUCTION										
Date First Production 10/11/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) gas lift				Well Status (Prod. or Shut-in) PROD				
Date of Test 10/16/2023	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 0	Gas - MCF 827	Water - Bbl. 20	Gas - Oil Ratio			
Flow Tubing Press. 520	Casing Pressure 878	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By Apache Corp.			
31. List Attachments Inclination Report, C-102, C-103, C-104 (Logs submitted)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Alicia Fulton			Printed Name Alicia Fulton			Title Sr. Regulatory Analyst		Date 12/04/2023		
E-mail Address alicia.fulton@apachecorp.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 653	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 1417	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1526	T. Silurian	T. Menefee	T. Madison
T. Grayburg 1922	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2391	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 3266	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp	T. Tansill 449	T. Wingate	
T. Penn	T. Penrose	T. Chinle	
T. Cisco (Bough C)	T. Bowers-SD	T. Permian	


No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology



Perfs 8610-18913

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-50210
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name PALMILLO 29-30 STATE COM
8. Well Number 376H
9. OGRID Number 873
10. Pool name or Wildcat <333585> WINCHESTER; BONESPRING, WEST
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3470' GL

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
APACHE CORPORATION

3. Address of Operator
303 VETERANS AIRPARK LN #1000 MIDAND TX 79705

4. Well Location
 Unit Letter H : 2570 feet from the NORTH line and 750 feet from the EAST line
 Section 25 Township 19S Range 27E NMPM County EDDY

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Submitting sundry to correct acreage from 320 acres to 323 acres. Please see attached plat refelcting change. For well record only.

Spud Date:

12/15/2022

Rig Release Date:

3/23/2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sorina L Flores TITLE EH&S Advisor-Regulatory DATE 4/9/2023

Type or print name Sorina L Flores E-mail address: sorina.flores@apachecorp.com PHONE: 432-818-1167

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS COMPLETED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-50210		² Pool Code 97569		³ Pool Name Winchester; Bone Spring, West	
⁴ Property Code 333585		⁵ Property Name PALMILLO 29-30 STATE COM			⁶ Well Number 376H
⁷ OGRID NO. 873		⁸ Operator Name APACHE CORPORATION			⁹ Elevation 3470'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
H	25	19S	27E		2570	NORTH	750	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	29	19S	28E		2052	NORTH	53	EAST	EDDY
¹² Dedicated Acres 323	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

¹⁶ GEODETIC DATA NAD 83 GRID - NM EAST SURFACE LOCATION (SL) N: 593434.9 - E: 574279.5 LAT: 32.6313563° N LONG: 104.2263251° W KICK OFF POINT (KOP) 2127' FNL & 484' FEL - SEC 25 N: 593872.4 - E: 574549.7 LAT: 32.632582° N LONG: 104.2254458° W MD = 7526.0 - TVD = 7490.1 FIRST TAKE POINT (FTP) 2109' FNL & 114' FWL - SEC 30 N: 593882.3 - E: 575147.6 LAT: 32.6325838° N LONG: 104.2235036° W MD = 8610.0 - TVD = 8280.3 LAST TAKE POINT (LTP) 2059' FNL & 129' FEL - SEC 29 N: 594110.3 - E: 585435.3 LAT: 32.6331768° N LONG: 104.1900839° W MD = 18913.0 - TVD = 8501.0 BOTTOM HOLE (BH) N: 594117.6 - E: 585512.0 LAT: 32.6331966° N LONG: 104.1898347° W MD = 18990.0 - TVD = 8496.4		CORNER DATA NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1941" N: 590834.2 - E: 569728.4 B: FOUND BRASS CAP "1941" N: 593464.9 - E: 569747.2 C: FOUND BRASS CAP "1941" N: 596098.3 - E: 569768.4 D: FOUND BRASS CAP "1941" N: 596043.6 - E: 572411.3 E: FOUND BRASS CAP "1941" N: 595988.5 - E: 575053.3 F: FOUND BRASS CAP "1941" N: 596055.5 - E: 577761.8 G: FOUND BRASS CAP "1941" N: 596120.3 - E: 580368.7 H: FOUND BRASS CAP "1941" N: 596144.1 - E: 582974.0 I: FOUND BRASS CAP "1941" N: 596170.1 - E: 585579.7 J: FOUND BRASS CAP "1941"		N: 593538.2 - E: 585560.2 K: FOUND BRASS CAP "1941" N: 590906.8 - E: 585541.3 L: FOUND BRASS CAP "1941" N: 590849.0 - E: 582921.0 M: FOUND BRASS CAP "1941" N: 590871.3 - E: 580314.9 N: FOUND BRASS CAP "1941" N: 590726.0 - E: 577724.3 O: FOUND BRASS CAP "1941" N: 590726.4 - E: 575003.7 P: FOUND BRASS CAP "1941" N: 590780.1 - E: 572365.3 Q: FOUND BRASS CAP "1941" N: 593357.1 - E: 575028.3 R: FOUND BRASS CAP "1941" N: 593498.9 - E: 580342.6		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. alicia fulton 12/5/2023 Signature Date Alicia Fulton Printed Name alicia.fulton@apachecorp.com E-mail Address
10/11/2023 Date of Survey 14400 Certificate Number		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 10/11/2023 Date of Survey 14400 Certificate Number DALE E. BELL PROFESSIONAL SURVEYOR NEW MEXICO 14400 12/05/2023				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 331675

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 331675
	Action Type: [C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
dmcclosure	ACCEPTED FOR RECORD ONLY	4/25/2024

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-50210
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name PALMILLO 29-30 STATE COM
8. Well Number 376H
9. OGRID Number 873
10. Pool name or Wildcat <333585> WINCHESTER; BONESPRING, WEST
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3470' GL

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
APACHE CORPORATION

3. Address of Operator
303 VETERANS AIRPARK LN #1000 MIDAND TX 79705

4. Well Location
 Unit Letter H : 2570 feet from the NORTH line and 750 feet from the EAST line
 Section 25 Township 19S Range 27E NMPM County EDDY

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Submitting sundry to correct SHL unit letter from "I" to "H". Surveyor incorrectly noted unit letter on original plat. New plat attached with corrected unit letter. Footage calls are correct.

Spud Date:

12/15/2022

Rig Release Date:

3/23/2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sorina L Flores TITLE EH&S Advisor-Regulatory DATE 4/3/2023

Type or print name Sorina L Flores E-mail address: sorina.flores@apachecorp.com PHONE: 432-818-1167

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS COMPLETED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-50210		² Pool Code 97569		³ Pool Name Winchester; Bone Spring, West	
⁴ Property Code 333585		⁵ Property Name PALMILLO 29-30 STATE COM			⁶ Well Number 376H
⁷ OGRID NO. 873		⁸ Operator Name APACHE CORPORATION			⁹ Elevation 3470'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
H	25	19S	27E		2570	NORTH	750	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	29	19S	28E		2052	NORTH	53	EAST	EDDY
¹² Dedicated Acres 320		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

¹⁶ GEODETIC DATA NAD 83 GRID - NM EAST SURFACE LOCATION (SL) N: 593434.9 - E: 574279.5 LAT: 32.6313563° N LONG: 104.2263251° W KICK OFF POINT (KOP) 2127' FNL & 484' FEL - SEC 25 N: 593872.4 - E: 574549.7 LAT: 32.632582° N LONG: 104.2254458° W MD = 7526.0 - TVD = 7490.1 FIRST TAKE POINT (FTP) 2109' FNL & 114' FWL - SEC 30 N: 593882.3 - E: 575147.6 LAT: 32.632583° N LONG: 104.2235036° W MD = 8610.0 - TVD = 8280.3 LAST TAKE POINT (LTP) 2059' FNL & 129' FEL - SEC 29 N: 594110.3 - E: 585435.3 LAT: 32.6331768° N LONG: 104.1900839° W MD = 18913.0 - TVD = 8501.0 BOTTOM HOLE (BH) N: 594117.6 - E: 585512.0 LAT: 32.6331966° N LONG: 104.1898347° W MD = 18990.0 - TVD = 8496.4		CORNER DATA NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1941" N: 590834.2 - E: 569728.4 B: FOUND BRASS CAP "1941" N: 593464.9 - E: 569747.2 C: FOUND BRASS CAP "1941" N: 596098.3 - E: 569768.4 D: FOUND BRASS CAP "1941" N: 596043.6 - E: 572411.3 E: FOUND BRASS CAP "1941" N: 595988.5 - E: 575053.3 F: FOUND BRASS CAP "1941" N: 596055.5 - E: 577761.8 G: FOUND BRASS CAP "1941" N: 596120.3 - E: 580368.7 H: FOUND BRASS CAP "1941" N: 596144.1 - E: 582974.0 I: FOUND BRASS CAP "1941" N: 596170.1 - E: 585579.7 J: FOUND BRASS CAP "1941"		N: 593538.2 - E: 585560.2 K: FOUND BRASS CAP "1941" N: 590906.8 - E: 585541.3 L: FOUND BRASS CAP "1941" N: 590849.0 - E: 582921.0 M: FOUND BRASS CAP "1941" N: 590871.3 - E: 580314.9 N: FOUND BRASS CAP "1941" N: 590726.0 - E: 577724.3 O: FOUND BRASS CAP "1941" N: 590726.4 - E: 575003.7 P: FOUND BRASS CAP "1941" N: 590780.1 - E: 572365.3 Q: FOUND BRASS CAP "1941" N: 593357.1 - E: 575028.3 R: FOUND BRASS CAP "1941" N: 593498.9 - E: 580342.6	
17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. alicia fulton 12/5/2023 Signature Date Alicia Fulton Printed Name alicia.fulton@apachecorp.com E-mail Address		18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 10/11/2023 Date of Survey DALE E. BELL Signature and Seal of Professional Surveyor 14400 12/05/2023 Certificate Number			
Job No.: LS21040399AC					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 330168

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 330168
	Action Type: [C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Data correction made to the SHL UL.	4/9/2024
dmcclure	ACCEPTED FOR RECORD ONLY	4/9/2024
dmcclure	Submit with the [C-104] Completion Packet (C-104C)	4/9/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 331674

ACKNOWLEDGMENTS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 331674
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 331674

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 331674
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/28/2024