eceived by QCD i 7/3/2024 6 i 99:51 A Office	State of the wilder	Form 8-403 of 5
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-045-33242
District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Pe, INVI 67303	6. State Oil & Gas Lease No.
87505		FEDERAL – NMNM047
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name NEW MEXICO FEDERAL N
PROPOSALS.)  1. Type of Well: Oil Well	8. Well Number 1G	
2. Name of Operator HILCORP ENERGY COMPA	NY	9. OGRID Number 372171
3. Address of Operator		10. Pool name or Wildcat
382 Road 3100, Aztec, NM 874	410	Basin Dakota
4. Well Location		
Unit Letter K:	2008 feet from the South line and 1	315 feet from the West line
Section 17	Township 30N Range 12W	NMPM San Juan County
Section 17	11. Elevation (Show whether DR, RKB, RT, GR, etc.	·
	5891' GR	··)
	2071 GR	
12 Check A	ppropriate Box to Indicate Nature of Notice,	Report or Other Data
12. Check 1		•
NOTICE OF IN	NTENTION TO: SUI	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK 🗌	PLUG AND ABANDON ☐ REMEDIAL WO	RK ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS   COMMENCE DI	RILLING OPNS. P AND A
PULL OR ALTER CASING	MULTIPLE COMPL   CASING/CEMEI	NT JOB
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM		
OTHER:	MIT ⊠ OTHER:	
	eted operations. (Clearly state all pertinent details, an	
	rk). SEE RULE 19.15.7.14 NMAC. For Multiple Con	mpletions: Attach wellbore diagram of
proposed completion or reco	ompletion.	
EEDEDAT WELL II'I E		S 44 -4 141 T A1 1 44-
	Company requests to conduct a Mechanical Integrity	
	rocedure and wellbore schematic to evaluate future po	ential. Per 43 CFR 3162.3 - 2. M11 are not
referenced as a required item for For	m 3160-5 approval.	
Spud Date:	Rig Release Date:	
Spud Date:	Rig Release Date:	
Spud Date:	Rig Release Date:	
		e and belief
	Rig Release Date:	e and belief.
		e and belief.
I hereby certify that the information a	above is true and complete to the best of my knowledg	
I hereby certify that the information a		
I hereby certify that the information a SIGNATURE <u>Priscilla Shor</u>	above is true and complete to the best of my knowledg  TITLE_Operations/Regulatory Tech	nician – SrDATE7/2/2024
I hereby certify that the information a  SIGNATURE <u>Priscilla Shor</u>	above is true and complete to the best of my knowledg	nician – SrDATE7/2/2024
I hereby certify that the information a  SIGNATURE <u>Priscilla Shor</u> Type or print name <u>Priscilla S</u> For State Use Only	TITLE Operations/Regulatory Tech	nician – SrDATE7/2/2024 om PHONE: _(505) 324-5188
I hereby certify that the information a  SIGNATURE <u>Priscilla Shor</u> Type or print name <u>Priscilla S</u> For State Use Only	above is true and complete to the best of my knowledg  TITLE_Operations/Regulatory Tech	nician – SrDATE7/2/2024 om PHONE: _(505) 324-5188



# HILCORP ENERGY COMPANY New Mexico Federal N 1G MIT

#### JOB PROCEDURES

Please notify BLM and NMOCD at least 24 hrs before the rig arrives to prep the well. Please log all phone calls in daily rig reports. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.


- 1. Notify BLM / NMOCD at least 48 hours prior to conducting the MIT.
- 2. Record current wellhead pressures, ND exisiting piping on casing valve
- 3. RU pump truck, pressure test surface equipment and wellhead to 1000 psi
- 4. Load well and pressure test CIBP at 6500' to 650 psi, hold for 30 minutes and chart on a 2 hour chart. Monitor tbg and surface csg pressures
- 5. Bleed off pressure, break out surface piping and RD pump truck. NU exisitng piping.



# **Current Schematic - Version 3**

### Well Name: NEW MEXICO FEDERAL N #1G

API/UWI 3004533242		Field Name Basin Dakota	Route 0209	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 5,891.00	Original KB/RT Elevation (ft) 5,903.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)



From: Rennick, Kenneth G < krennick@blm.gov>
Sent: Tuesday, January 4, 2022 10:27 AM

To: Mandi Walker
Cc: Kandis Roland

Subject: Re: [EXTERNAL] MIT NOI's

Hello Mandi,

Refer to 43 CFR 3162.3 - 2. MIT are not referenced as a required item for Form 3160-5 approval. MITs are only required for TA approval as cited in DOI BLM IM 2020-006. But this IM does not require prior approval of MITs, only that one has to be done before TA approval.

Let me know if you need additional clarifications.

Kenny Rennick

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management Farmington Field Office 6251 College Blvd Farmington, NM 87402

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 360713

## **CONDITIONS**

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	360713
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By	Condition	Condition Date
mkuehling	Bradenhead test required prior to MIT day of MIT	7/3/2024