Received by UCD: Sy9/2024 11:04:36 AM U.S. Department of the Interior		Sundry Print Report 07/09/2024
BUREAU OF LAND MANAGEMENT		200-0-00-000-000-000-000-000-000-000-00
Well Name: MCA UNIT	Well Location: T17S / R32E / SEC 26 / NWNW / 32.8109983 / -103.7435138	County or Parish/State: LEA / NM
Well Number: 123	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC061841	Unit or CA Name: MCA UNIT	Unit or CA Number: NMNM70987A
US Well Number: 3002500705	Operator: MAVERICK PERMIAN LLC	

Accepted for record only BLM approval required NMOCD 7/15/24 $~~\chi
eq$

Notice of Intent

Sundry ID: 2798618

Type of Submission: Notice of Intent Date Sundry Submitted: 07/02/2024 Date proposed operation will begin: 07/05/2024

Type of Action: Plug and Abandonment Time Sundry Submitted: 11:40

Procedure Description: Maverick Permian requests the approval of the attached P&A plan.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

MCA_123__Proposed_WBD_PA_20240702114005.pdf

Received by OCD: 7/9/2024_11:04:36 AM Well Name: MCA UNIT	Well Location: T17S / R32E / SEC 26 / NWNW / 32.8109983 / -103.7435138	County or Parish/State: LEA 2 of 13 NM
Well Number: 123	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC061841	Unit or CA Name: MCA UNIT	Unit or CA Number: NMNM70987A
US Well Number: 3002500705	Operator: MAVERICK PERMIAN LLC	

Conditions of Approval

Specialist Review

BLM_REVISED_P_A__MCA_123_20240709093422.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICOLE LEE

Name: MAVERICK PERMIAN LLC

Title: Regulatory Lead

Street Address: 1000 MAIN STREET SUITE 2900

City: HOUSTON

Phone: (713) 437-8097

Email address: NICOLE.LEE@MAVRESOURCES.COM

Field

Representative Name: Street Address: City:

Phone:

Email address:

State:

State: TX

Zip:

Signed on: JUL 02, 2024 11:40 AM

BLM Point of Contact

BLM POC Name: ZOTA M STEVENS BLM POC Phone: 5752345998 Disposition: Approved Signature: Zota Stevens

BLM POC Title: Petroleum Engineer BLM POC Email Address: ZSTEVENS@BLM.GOV

Disposition Date: 07/09/2024

Received by OCD: 7/9/2024 11:04:36 AM

eceived by OCD. ////202	+ 11.0+.30 AM			I uge 5 0j	
Form 3160-5 (June 2019)	UNITED STAT DEPARTMENT OF THE BUREAU OF LAND MA	E INTERIOR	FORM APPROV OMB No. 1004-0 Expires: October 31 5. Lease Serial No.	0137	
Do not use	• •	PORTS ON WELLS to drill or to re-enter an APD) for such proposals.	6. If Indian, Allottee or Tribe Name		
	IT IN TRIPLICATE - Other ins	tructions on page 2	7. If Unit of CA/Agreement, Name an	d/or No.	
1. Type of Well Oil Well	Gas Well Other		8. Well Name and No.		
2. Name of Operator			9. API Well No.		
3a. Address		3b. Phone No. (include area code)	10. Field and Pool or Exploratory Are	10. Field and Pool or Exploratory Area	
4. Location of Well (Footage, Se	c., T.,R.,M., or Survey Descriptio	<i>n</i>)	11. Country or Parish, State		
12	CHECK THE APPROPRIATE	BOX(ES) TO INDICATE NATURE OI	NOTICE, REPORT OR OTHER DATA		
TYPE OF SUBMISSION		TYPE	DF ACTION		
Notice of Intent	Acidize	Deepen Hydraulic Fracturing	Production (Start/Resume) Water S Reclamation Well Integration		
Subsequent Report	Casing Repair Change Plans	New Construction	Recomplete Other Temporarily Abandon		
Final Abandonment Notic		= - =	Water Disposal		
the proposal is to deepen dir the Bond under which the w completion of the involved of	ectionally or recomplete horizont ork will be perfonned or provide perations. If the operation results ent Notices must be filed only aft	ally, give subsurface locations and meas the Bond No. on file with BLM/BIA. Ro s in a multiple completion or recompleti	rting date of any proposed work and approxin ured and true vertical depths of all pertinent n quired subsequent reports must be filed within on in a new interval, a Form 3160-4 must be fi on, have been completed and the operator has	harkers and zones. Attach n 30 days following iled once testing has been	

14. Thereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)		
	Title	
Simpler	Dete	
Signature	Date	
THE SPACE FOR FEDE	RAL OR STATE O	FICE USE
Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		llfully to make to any department or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.


The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWNW / 660 FNL / 660 FWL / TWSP: 17S / RANGE: 32E / SECTION: 26 / LAT: 32.8109983 / LONG: -103.7435138 (TVD: 0 feet, MD: 0 feet) BHL: NWNW / 660 FNL / 660 FWL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)



•

MAVERICK	0			MCA 123 Ibore Diagra	n			
Nell Header	4	State		County			District	
3002500705		State NEW MEXICO 86 UNIT				Area	District PERMIAN CONVENT	ONAL Total Depth (Trice)
PERMIAN	MAV	ERICK PERMIAN		RG_SE_NEW_ME	NCO	A_MCA		1000 Depth (1943) 4,058.0
Wellbore Sections		L LONG MON	L DADBERTS			V	ERTICAL, Main Hole, 5/20/	2024 2:53:11 PM
Sector Des	Size (in) Act 17 1/2	Act Top (TVD) (TKB) 2.0	Act Ben (%/B) (%/B) 20.0	Start Date 8/18/1939	End Date 8/18/1939	MD (ftKB)	Vertical schem	tic (actual)
	8 1/2	20.0	3,626.0	8/18/1939	8/18/1939			
		4,000.0	4,068.0	8/6/1947	8/6/1947			
asing Strings asing String: Surface Casing 12	Set Depth: 20.0							
Surface Casing 00:00	00 (m) 00 12 12	2 Nom M ID (m) 0 2 11.52	5 Nom Mi (Willen (IDIT) String 11.5156 31.50	Grade Length (1) 18.00	Top (thick) Set Depth 2.0			
bern Des Tally OD (in	10 (m) Wt (b)	at Grade Le	n (t) City Top (th/D)		p(TVD) Ben(TVD) (RKB) (RKB)	**		Cement Squeeze; 2.0 -5.0, 6/13/2011
urface Casing 0 1	2 11.516 31.	50	18.00 2	0 20.0	((na) ((na)			
asing String: Production Casing eing Description roduction Casing 8/18/1939			5 Nom MI VitiLan (tort) String 5 3/32 19.50	Grade Langth (1) 3,523.00	Top (those) Set Depth 2.0			Cement; 2.0-20.0;
	5 3/4 5	3/4 5.09 5	3/32 19.60	3,623.00		44		8/18/1939
ten Des Jorts in Taly OD (in roduction Casing 0 5.3)	1D (m) Wt (b)	ot) Grade La	n (t) Oty Top (tKB) 523.00 2	0 3,525.0	p(TVD) 88H(TVD) (RVB) (RVB)			Surface Casing; 12; / 31.50; 20.0 Cement; 2.0-3,525.0; / 8/18/1939
asing string: Production Casing	4 1/2" Set Depth:	3,891.0			Too mote Ise Dept			Cement; 2.0-3,525.0; /8/18/1939
roduction Casing 11/22/197: 00:00	4 1/2 4	1/2 4.05 4	10.50 Nom Mi vvs.Len (IDIT) String	Grade Length (1) 3,889.00	Top (tick) Set Depth 2.0	0724	6	Cement; 2.0-3,891.0; 11/22/1972
	10 (in) Wt (ib) 2 4.047 10.1	oft) Grade Le	n (11) Cety Top (1543)	Den (1943)	p(TVD) Ben(TVD) (RKB) (RKB)	1.544		Production Casing 5 3/4; 19.50; 3,525.0
ben Des TBly OD (in asing 0 41) ement	2 4.047 10.0	.60 3,0	n (ft) Qty Top (ft/2) 389.00 2	0 3,891.0				3/4; 19.50; 3,525.0
roduction Casing Cement			Incor			1.021.4	8	
Intering Start Date 18/1939 00:00 Stg # Pump Start Date	Sementing End Date 8/18/1939 00:00	O ata	Production Casing, 3		Fern (TVD) (tKR)	MALJA 3,	MAR::GB/SA; 530.0-4,029.0; 499.00	
1		10	2.0 3,52	25.0	0m(190)(180)		499.00	
urface Casing Cement menting start Date (18/1939 00:00	Cementing End Date 8/18/1939 00:00		Surface Casing, 20.0			3,965.9		
18/1939 00:00 Stg # Pump Start Date	8/18/1939 00:00 Pump End	Date To	o (the De De Chelle)	Top (TVD) (1509)	5tm (TVD) (1%3)	3,401.0		
1 roduction Casing Cement			2.0 2	0.0				
menting start Date 1/22/1972 00:00	Cementing End Date 11/22/1972 00:00	0	Production Casing, 3	.891.0 1% 8		3,605.0		
Sig # Pump Start Date	Pump End	Date To	p(%3) Dim(%3) 2.0 3,85	Top (TVD) (193)	5tm (TVD) (193)	1.011.0		
ement Squeeze							IH	5-3; Packer 4.5 × 2 3/8; 4; 1.995; 3,603.0; 3,606.0
13/2011 00:00	Cementing End Date 6/13/2011 00:00 Pump End		Surface Casing, 20.01		5tm (TVD) (542)	1043		3/8/4/1995/3/603.0/ 3/606.0
50g # Pump Start Date 1 6/13/2011 ubing Strings	6/13/2011		2.0	6.0		3,656.0		6; Tubing - (PC); 2 3/8; 1.995; 2.1; 3,606.0
et Depth: 3,606.0						1.001		
IEPAIR DOWNHOLE AILURE, 6/6/2011 7:00	2 3/8	3 4 1/2 2.00	1.995 4.70	J-55 Top (6/3)	3,603.9			
7:00			700			2,7%2	I	I
tern Des La K 99 3.5	(t) 00 (iri) 10 99.0 2 3/8	2.00 Wt(lbft)	Grade Run Tally Len (1)	Top (\$43) Stm (\$43) 2.1 3.601.1	Top (TVD) Ben (TVD) (1948) (1948)	1.91.5		
	0	2.00 4.70 J-5						
	1.93 4 1/2 3.00 4	2.00 4.70	0	3,601.1 3,603.0 3,603.0 3,606.0		2.0001		Perf; 3,774.0-3,862.0; 8/6/1947
od Strings					I I	1,626.9		Perf; 3,809.0-3,862.0; 10/12/1939
et Depth: <set depth?=""> of Description Set De</set>	N Run Job	OD (in) Wt (ibit) String Gr., Top (t., Set De	Set De String Compo	nenta		8	
ger (4) OC Nominal (in)	suarety IO (IV)	Weight Length (1010 01308	Top Depth (BKB)	Bottom Depth (TKB)	2,001.0	8	
erforations				Carco	201	2,0%4	0000	
Date Top (x2) Dim (164) 3774	3862 Top (TVD) (#4	5) Dim (TVD) (%(3) Si	rot Dens (shots #) Shot 1	1 88	1.91	00000	Production Casing: 4
0/12/1939 00:00 0/12/1939 00:00		3862 4000			1 63		1	1/2; 10.50; 3,891.0
6/1947 00:00	3940	4000			1 60	1944		
eviation Surveys	Description Main Ho		100			1001		
urvey Data	Main Ho	ole					1	Perf; 3,940.0-4,000.0; 8/6/1947 Perf; 3,940.0-4,000.0;
	thod TVD (6K8)	VS(t) Depart(t)	NS(5) EW(5) DU	(1100f) Build (1100f)	um (1100t) Utwrap Displace (t)		*****	Perf; 3,940.0-4,000.0; 10/12/1939
						4,000.0	1	t
						4,014.4		
						4.00.0		
						4.004		
						1012		
						4.041		
						4,046.1		
						4.969		

BLM REVISED P&A

- 1. MIRU
- 2. Spot Cl C cmt 3300' to 3100'. WOC and TAG (T/Queen)
- 3. Perf and Sqz Cl C from 2710' to 2510'. (T/ Seven Rivers)
- 4. Perf and Sqz Cl C from 970' to 720'. WOC and TAG. (T/Rustler)
- 5. Perf and Sqz Cl C from 350' to surface.
- 6. Cut wellhead and Install Dry Hole Marker.

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.**

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified** *BY PHONE* (numbers listed in 2. Notifications,) minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**

8. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Maverick Permian LLC	331199
1000 Main Street, Suite 2900	Action Number:
Houston, TX 77002	362211
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	7/15/2024

Page 13 of 13

.

Action 362211