

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-25059
1. Type of Well: Oil Well ☐ Gas Well ☐ Other - INJECTION		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Unitex Oil & Gas, LLC		6. State Oil & Gas Lease No. B-936
3. Address of Operator 508 W. Wall St, Ste. 1000 Midland TX 79701		7. Lease Name or Unit Agreement NAME NVANU 10
4. Well Location Unit Letter D : 860 feet from the North line and 660 feet from the West line Section 1 Township 17S Range 34E NMPM Lea County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4047' GR		9. OGRID Number 373671
		10. Pool name or Wildcat Abo North Unit

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			PNR
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

4/22/24 – Set 4½" CIBP @ 8598'. DB 20' cement on top. Top of plug @ 8578'
 6/21/24 – MIRU. Bleed down well
 6/24/24 – Con't bleed down well. NU BOP. RU 3rd party wireline to run CBL. RIH Tbg – 180 jts
 6/25/24 – Finish RIH Tbg, Tag BP @ 8520', circ well w/ 100 bbl brine w/ 25gal Plexgel. Spot 25sx cmt @ 8520'-8151'. WOC-Tag @ 8167'. Per Kerry (OCD) – Perf @ 7650', Spot 40sx cmt @ 7700'-7111'.
 6/26/24 – Tag TOC @ 7172'. Perf @ 6125', Spot 25sx cmt @ 6175'-5807'. WOC-Tag @ 6080'. Per OCD – Spot add'l cmt @ 6080'. Spot 25sx cmt @ 6080'-5712'.
 6/27/24 – Tag TOC @ 5731'. Perf @ 4600' – Sqz 50sx cmt @ 4600'-4400'. WOC-Tag @ 4403'. Perf @ 3384' – Sqz 50sx cmt @ 3384'-3184'. Well flowing, SI, Tag AM
 6/28/24 – Tag TOC @ 3112'. Perf @ 2940' – Pressure to 1000 psi, OCD ok spot. Spot 50sx cmt @ 2990'-2253'. WOC-Tag @ 2208'. Perf @ 420' – Circ 115sx cmt @ 420' to surface. SI @ 1000 psi. Tag AM
 7/1/24 – Open well, cement @ surf. RDMO
 7/10/24 – Well head cut off 3' below ground level and dry hole marker installed. Cut off anchors.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shelley Bush TITLE Regulatory Analyst DATE 7/16/24
Greg Bryant P&A Supervisor 7/11/24

Type or print name Greg Bryant E-mail address: greg@senderowell.com PHONE: 432-235-7024

For State Use Only Shelley Bush sbush@unitexoil.com 432 685-0014 ext: 20

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/17/24

Conditions of Approval (if any):

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-25059
1. Type of Well: Oil Well ☐ Gas Well ☐ Other - INJECTION		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Unitex Oil & Gas, LLC		6. State Oil & Gas Lease No. B-936
3. Address of Operator 508 W. Wall St, Ste. 1000 Midland TX 79701		7. Lease Name or Unit Agreement NAME NVANU 10
4. Well Location Unit Letter D : 860 feet from the North line and 660 feet from the West line Section 1 Township 17S Range 34E NMPM Lea County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4047' GR		9. OGRID Number 373671
		10. Pool name or Wildcat Abo North Unit

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

4/22/24 – Set 4½" CIBP @ 8598'. DB 20' cement on top. Top of plug @ 8578'
6/21/24 – MIRU. Bleed down well
6/24/24 – Con't bleed down well. NU BOP. RU 3rd party wireline to run CBL. RIH Tbg – 180 jts
6/25/24 – Finish RIH Tbg, Tag BP @ 8520', circ well w/ 100 bbl brine w/ 25gal Plexgel. Spot 25sx cmt @ 8520'-8151'. WOC-Tag @ 8167'. Per Kerry (OCD) – Perf @ 7650', Spot 40sx cmt @ 7700'-7111'.
6/26/24 – Tag TOC @ 7172'. Perf @ 6125', Spot 25sx cmt @ 6175'-5807'. WOC-Tag @ 6080'. Per OCD – Spot add'l cmt @ 6080'. Spot 25sx cmt @ 6080'-5712'.
6/27/24 – Tag TOC @ 5731'. Perf @ 4600' – Sqz 50sx cmt @ 4600'-4400'. WOC-Tag @ 4403'. Perf @ 3384' – Sqz 50sx cmt @ 3384'-3184'. Well flowing, SI, Tag AM
6/28/24 – Tag TOC @ 3112'. Perf @ 2940' – Pressure to 1000 psi, OCD ok spot. Spot 50sx cmt @ 2990'-2253'. WOC-Tag @ 2208'. Perf @ 420' – Circ 115sx cmt @ 420' to surface. SI @ 1000 psi. Tag AM
7/1/24 – Open well, cement @ surf. RDMO
7/10/24 – Well head cut off 3' below ground level and dry hole marker installed. Cut off anchors.

Spud Date:


Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shelley Bush TITLE Regulatory Analyst DATE 7/16/24
P&A Supervisor 7/11/24

Type or print name Greg Bryant E-mail address: greg@senderowell.com PHONE: 432-235-7024
For State Use Only Shelley Bush sbush@unitexoil.com 432 685-0014 ext:20

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____



Last Updated: 7/16/2024 04:02 PM

Field Name			Lease Name			Well No.	
NVANU			NVANU 10			1	
County			State			API No.	
Lea			New Mexico			30025250590000	
Version		Version Tag					
0							
GL (ft)	KB (ft)	Section	Township/Block		Range/Survey		
4,047.0		1	17S		34E		
Operator			Well Status		Latitude	Longitude	
Unitex Oil & Gas			PA'd				
Dist. N/S (ft)	N/S Line	Dist. E/W (ft)	E/W Line	Footage From			
860	FNL	660	FWL				
Prop Num			Spud Date		Comp. Date		
			6/16/1975		8/5/1975		
Additional Information							
Other 1		Other 2		Other 3		Other 4	
Prepared By		Updated By			Last Updated		
LTaxiarchou		cwilliams			7/16/2024 4:02 PM		
Hole Summary							
Date	Diam. (in)	Top (MD ft)	Bottom (MD ft)	Memo			
6/16/1975	11.000	0	1,685				
6/16/1975	7.875	1,685	8,823				
Tubular Summary							
Date	Description		O.D. (in)	Wt (lb/ft)	Grade	Top (MD ft)	Bottom (MD ft)
7/8/1975	Surface Casing		8.625	24.00	J-55	0	1,685
7/8/1975	Production Casing		4.500	10.50	K-55	0	8,823
4/23/2024	Tubing		2.375		J-55	0	6
Casing Cement Summary							
C	Date	No. Sx	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo	
	7/8/1975	1,150	8.625	0	1,685		
	7/8/1975	700	4.500	0	8,823		
Tools/Problems Summary							
Date		Tool Type		O.D. (in)	I.D. (in)	Top (MD ft)	Bottom (MD ft)
4/23/2024		CIBP		4.500	0.000	8,598	0
Cement Plug Summary							
Date		No. Sx	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo	
6/28/2024		115	4.500	0	420		
6/28/2024		50	4.500	2,253	2,990	Spot 50 sx cmt	
6/27/2024		50	4.500	3,184	3,384	Spot 50 sx cmt	
6/27/2024		50	4.500	4,400	4,600	Spot 50 sx cmt	
6/26/2024		25	4.500	5,712	6,080	Spot 25 sx cmt	
6/26/2024		25	4.500	5,807	6,175	Spot 25 sx cmt	
6/25/2024		40	4.500	7,111	7,700	Spot 40 sx cmt	
6/25/2024		25	4.500	8,151	8,520	Spot 25 sx cmt	
4/16/2024			4.500	8,578	8,598	20 ft. Cmt on top of CIBP	
Perforation Summary							
C	Date	Perf. Status	Formation		OA Top (MD ft)	OA Bottom (MD ft)	
		Open	Abo		8,733	8,768	

Last Updated: 7/16/2024 04:02 PM

Field Name		Lease Name		Well No.	County		State		API No.	
NVANU		NVANU 10		1	Lea		New Mexico		30025250590000	
Version	Version Tag				Spud Date		Comp. Date		GL (ft)	KB (ft)
0					6/16/1975		8/5/1975		4,047.0	
Section	Township/Block		Range/Survey		Dist. N/S (ft)	N/S Line	Dist. E/W (ft)	E/W Line	Footage From	
1	17S		34E		860	FNL	660	FWL		
Operator			Well Status			Latitude		Longitude		Prop Num
Unitex Oil & Gas			PA'd							
Other 1			Other 2			Other 3			Other 4	
Last Updated			Prepared By				Updated By			
07/16/2024 4:02 PM			LTaxiarchou				cwilliams			
Additional Information										
Hole Summary										
Date	Diam. (in)	Top (MD ft)	Bottom (MD ft)	Memo						
6/16/1975	11.000	0	1,685							
6/16/1975	7.875	1,685	8,823							
Tubular Summary										
Date	Description		No. Jts	O.D. (in)	Wt (lb/ft)	Grade	Coupling	Top (MD ft)	Bottom (MD ft)	Memo
7/8/1975	Surface Casing			8.625	24.00	J-55		0	1,685	
7/8/1975	Production Casing			4.500	10.50	K-55		0	8,823	
4/23/2024	Tubing		1	2.375		J-55		0	6	2 3/8" x 6' IPC tbg sub
Casing Cement Summary										
C	Date	No. Sx	Yield (ft3/sk)	Vol. (ft3)	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Description		Memo
	7/8/1975	1,150	1.00	1,150	8.625	0	1,685			
	7/8/1975	700	1.00	700	4.500	0	8,823			
Tools/Problems Summary										
Date	Tool Type		O.D. (in)	I.D. (in)	Top (MD ft)	Bottom (MD ft)	Description		Memo	
4/23/2024	Cast Iron Bridge Plug		4.500	0.000	8,598	0			20' cmt	
Cement Plug Summary										
Date	No. Sx	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo					
6/28/2024	115	4.500	0	420						
6/28/2024	50	4.500	2,253	2,990	Spot 50 sx cmt					
6/27/2024	50	4.500	3,184	3,384	Spot 50 sx cmt					
6/27/2024	50	4.500	4,400	4,600	Spot 50 sx cmt					
6/26/2024	25	4.500	5,712	6,080	Spot 25 sx cmt					
6/26/2024	25	4.500	5,807	6,175	Spot 25 sx cmt					
6/25/2024	40	4.500	7,111	7,700	Spot 40 sx cmt					
6/25/2024	25	4.500	8,151	8,520	Spot 25 sx cmt					
4/16/2024		4.500	8,578	8,598	20 ft. Cmt on top of CIBP					
Perforation Summary										
C	Date	Stage	Perf. Status	Formation		Closed Date	Memo			
		1	Open	Abo						
Top (MD ft)		Bottom (MD ft)		SPF	Shots	Phasing (deg)	Interval Memo			
8,733		8,768								
Well History Summary										
Date	Comments									Daily Cost
6/21/2024	MIRU. Bleed down well									\$0
6/24/2024	Con't bleed down well. NU BOP. RU 3rd party wireline to run CBL.RUH Tbg - 180 jts									\$0
6/25/2024	Finish RIH Tbg, Tag BP @ 8520', circ well w/ 100 bbl brine w/ 25 gal Plexgel. Spot 25 sx cmt @ 8520-8151'. WOC-Tag @ 8167'. Per Kerry (OCD) - Perf @ 7650', Spot 40 sx cmt 7700' - 7111'									\$0

Last Updated: 7/16/2024 04:02 PM

Date	Comments	Daily Cost
6/26/2024	Tag TOC @ 7172'. Perf @ 6125', Spot 25 sx cmt @ 6175 - 5807. WOC Tag @ 6080'. Per OCD - Spot add'l cmt @ 6080'. Spot 25 sx cmt @ 6080' - 5712'.	\$0
6/27/2024	Tag TOC @ 5731. Perf @ 4600' - Sqz 50 sx cmt @ 4600 - 4400'. WOC Tag @ 4403'. Perf @ 3384' - sqz 50 sx cmt @ 3384 - 3184'. Well flowing, SI, Tag AM	\$0
6/28/2024	Tag TOC @ 3112'. Perf @ 2940' - Pressure to 1000 psi, OCD ok spot. Spot 50 sx cmt @ 2990' - 2253'. WOC Tag @ 2208'. Perf @ 420' - Circ 115 sx cmt @ 420' to surface. SI @ 1000 psi. Tag AM	\$0
7/1/2024	Open well, cement @ surf. RDMO.	\$0
7/10/2024	Well head cut off 3' below ground level and dry hole marker installed. Cut off anchors.	\$0

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 364766

CONDITIONS

Operator: Unitex Oil & Gas, L.L.C. 508 W Wall Street, Suite 1000 Midland, TX 79701	OGRID: 373671
	Action Number: 364766
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL is on file	7/17/2024