

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 5/9/22
⁴ API Number 30-025-49602	⁵ Pool Name SAND DUNES; BONE SPRING	⁶ Pool Code 53800
⁷ Property Code 322236	⁸ Property Name Alley Cat 17-20 Fed Com	⁹ Well Number 125H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	17	23S	32E		498	North	2494	East	Lea

¹¹ Bottom Hole Location

UL or lot no. P	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	20	23S	32E		102	South	632	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/9/22	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBSD	²⁵ Perforations	²⁶ DHC, MC
1/20/22	5/9/22	20425	20,411 MD/10,096 TVD	10600 - 20399	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		1121	855 sx Cl C; Circ 172 sx
9-7/8"		8-5/8"		9698	335 sx ClC; Circ 14 sx
7-7/8"		5-1/2"		20413	1590 sx OTHER; Circ 0
		Tubing: 2-7/8"		9777	

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
5/15/22	5/15/22	5/15/22	24 hrs	240 psi	1110 psi
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
	273 bbl	1936 bbl	550 mcf		
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvN.com			Approval Date: 8/8/2024		
Date: 5/18/2022		Phone: 405-552-3513			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

[X] AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49602	² Pool Code 53800	³ Pool Name SAND DUNES; BONE SPRING
⁴ Property Code 322236	⁵ Property Name ALLEY CAT 17-20 FED COM	
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁶ Well Number 125H
		⁹ Elevation 3622.4

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	17	23 S	32 E		498	NORTH	2494	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	20	23 S	32 E		102	SOUTH	632	EAST	LEA

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
320			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Shayda Omorunt Date: 5/3/2022

Shayda Omoumi

Printed Name _____

shayda.omoumi@dvn.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 22, 2022

Date of Survey

Signature and Seal of Professional Surveyor

Certificate Number: **ELI MONTE JARAMILLO, LS 12797**
SURVEY NO. 8857

Intent ☐ As Drilled ☒

API # 30-025-49602		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: ALLEY CAT 17-20 FED COM	Well Number 125H

Kick Off Point (KOP)

UL A	Section 17	Township 23S	Range 32E	Lot	Feet 143	From N/S NORTH	Feet 644	From E/W EAST	County LEA
Latitude 32.3114387					Longitude 103.6902510				NAD 83

First Take Point (FTP)

UL A	Section 17	Township 23S	Range 32E	Lot	Feet 380	From N/S NORTH	Feet 676	From E/W EAST	County LEA
Latitude 32.3107876					Longitude 103.6903550				NAD 83

Last Take Point (LTP)

UL P	Section 20	Township 23S	Range 32E	Lot	Feet 128	From N/S SOUTH	Feet 632	From E/W EAST	County LEA
Latitude 32.2831517					Longitude 103.6902007				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐ NIs this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Alley Cat 17-20 Fed Com 125H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Site:	Alley Cat 17-20 Fed Com	MD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Well:	Alley Cat 17-20 Fed Com 125H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Alley Cat 17-20 Fed Com			
Site Position:		Northing:	478,068.05 usft	Latitude:	32.312654
From:	Map	Easting:	739,385.62 usft	Longitude:	-103.692265
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.34 °

Well	Alley Cat 17-20 Fed Com 125H					
Well Position	+N/-S	0.00 usft	Northing:	477,254.52 usft	Latitude:	32.310438
	+E/-W	0.00 usft	Easting:	738,163.17 usft	Longitude:	-103.696237
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,622.40 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	12/29/2021	6.47	59.95	47,707.70000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	169.04	

Survey Program	Date	2/23/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
179.00	20,425.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	477,254.52	738,163.17	32.310438	-103.696237
179.00	0.40	276.70	179.00	0.07	-0.62	477,254.59	738,162.55	32.310438	-103.696239
274.00	0.40	288.90	274.00	0.22	-1.26	477,254.74	738,161.90	32.310438	-103.696241
370.00	0.40	281.80	369.99	0.40	-1.91	477,254.92	738,161.26	32.310439	-103.696244
465.00	0.50	294.70	464.99	0.64	-2.61	477,255.16	738,160.56	32.310440	-103.696246
560.00	0.60	286.70	559.99	0.95	-3.46	477,255.47	738,159.70	32.310440	-103.696249
655.00	0.70	296.10	654.98	1.35	-4.46	477,255.87	738,158.71	32.310441	-103.696252
750.00	0.70	299.50	749.97	1.89	-5.49	477,256.41	738,157.68	32.310443	-103.696255
845.00	0.80	305.20	844.97	2.56	-6.53	477,257.08	738,156.63	32.310445	-103.696258
940.00	0.80	307.20	939.96	3.34	-7.60	477,257.86	738,155.56	32.310447	-103.696262
1,035.00	0.80	307.50	1,034.95	4.15	-8.66	477,258.67	738,154.51	32.310449	-103.696265
1,055.00	0.90	306.90	1,054.94	4.33	-8.89	477,258.85	738,154.27	32.310450	-103.696266

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Alley Cat 17-20 Fed Com 125H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Site:	Alley Cat 17-20 Fed Com	MD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Well:	Alley Cat 17-20 Fed Com 125H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,197.00	0.70	319.50	1,196.93	5.66	-10.35	477,260.18	738,152.82	32.310453	-103.696271
1,292.00	1.20	44.30	1,291.92	6.81	-10.03	477,261.33	738,153.13	32.310457	-103.696270
1,387.00	2.90	64.80	1,386.86	8.55	-7.16	477,263.07	738,156.00	32.310461	-103.696260
1,482.00	4.80	73.90	1,481.64	10.67	-1.17	477,265.19	738,162.00	32.310467	-103.696241
1,577.00	7.20	80.40	1,576.11	12.77	8.52	477,267.29	738,171.69	32.310473	-103.696210
1,672.00	9.30	88.60	1,670.13	13.95	22.07	477,268.47	738,185.23	32.310476	-103.696166
1,767.00	11.40	89.90	1,763.58	14.15	39.13	477,268.67	738,202.30	32.310476	-103.696110
1,863.00	11.50	88.60	1,857.67	14.40	58.19	477,268.92	738,221.35	32.310476	-103.696049
1,958.00	11.30	87.30	1,950.79	15.07	76.95	477,269.59	738,240.12	32.310478	-103.695988
2,053.00	11.20	86.50	2,043.97	16.07	95.46	477,270.59	738,258.62	32.310480	-103.695928
2,148.00	13.10	85.70	2,136.84	17.44	115.40	477,271.96	738,278.57	32.310484	-103.695864
2,243.00	13.60	86.30	2,229.27	18.97	137.28	477,273.49	738,300.45	32.310488	-103.695793
2,338.00	14.50	83.90	2,321.43	20.96	160.26	477,275.48	738,323.42	32.310493	-103.695718
2,433.00	15.30	83.90	2,413.23	23.55	184.55	477,278.07	738,347.71	32.310499	-103.695640
2,528.00	15.30	83.10	2,504.86	26.39	209.45	477,280.91	738,372.62	32.310507	-103.695559
2,623.00	16.00	78.50	2,596.35	30.51	234.73	477,285.03	738,397.89	32.310518	-103.695477
2,718.00	16.60	76.70	2,687.53	36.24	260.76	477,290.76	738,423.93	32.310533	-103.695393
2,813.00	16.70	76.80	2,778.54	42.48	287.26	477,297.00	738,450.43	32.310550	-103.695307
2,908.00	16.70	76.00	2,869.54	48.90	313.79	477,303.42	738,476.96	32.310567	-103.695221
3,003.00	16.70	75.80	2,960.53	55.55	340.27	477,310.07	738,503.44	32.310585	-103.695135
3,098.00	16.30	75.50	3,051.62	62.23	366.41	477,316.75	738,529.57	32.310603	-103.695050
3,193.00	16.00	74.80	3,142.87	69.00	391.95	477,323.52	738,555.12	32.310621	-103.694967
3,288.00	15.60	74.80	3,234.28	75.79	416.91	477,330.31	738,580.08	32.310639	-103.694886
3,383.00	14.80	74.80	3,325.96	82.32	440.95	477,336.84	738,604.11	32.310657	-103.694809
3,478.00	13.40	74.10	3,418.09	88.51	463.25	477,343.03	738,626.41	32.310673	-103.694736
3,573.00	14.20	73.50	3,510.35	94.84	485.01	477,349.36	738,648.17	32.310690	-103.694666
3,668.00	14.20	73.10	3,602.45	101.54	507.33	477,356.06	738,670.49	32.310708	-103.694593
3,763.00	13.10	71.60	3,694.76	108.32	528.69	477,362.84	738,691.86	32.310727	-103.694524
3,858.00	13.80	75.70	3,787.16	114.52	549.89	477,369.04	738,713.05	32.310743	-103.694455
3,953.00	13.80	80.40	3,879.42	119.21	572.04	477,373.73	738,735.21	32.310756	-103.694384
4,048.00	15.10	85.80	3,971.41	122.00	595.55	477,376.52	738,758.72	32.310763	-103.694307
4,143.00	14.80	89.10	4,063.20	123.10	620.03	477,377.62	738,783.19	32.310766	-103.694228
4,238.00	15.70	86.40	4,154.86	124.10	644.99	477,378.62	738,808.15	32.310768	-103.694147
4,333.00	16.20	89.50	4,246.20	125.02	671.07	477,379.54	738,834.23	32.310770	-103.694063
4,428.00	16.40	86.20	4,337.38	126.02	697.70	477,380.55	738,860.87	32.310773	-103.693977
4,523.00	16.50	86.30	4,428.49	127.78	724.55	477,382.30	738,887.71	32.310777	-103.693890
4,618.00	14.90	81.30	4,519.95	130.50	750.09	477,385.02	738,913.25	32.310784	-103.693807
4,713.00	14.70	76.20	4,611.80	135.22	773.86	477,389.75	738,937.03	32.310797	-103.693730
4,808.00	13.50	76.60	4,703.94	140.67	796.36	477,395.19	738,959.52	32.310811	-103.693657
4,903.00	14.20	74.20	4,796.18	146.41	818.36	477,400.93	738,981.52	32.310827	-103.693586
4,999.00	15.80	72.50	4,888.90	153.55	842.15	477,408.07	739,005.32	32.310846	-103.693509
5,094.00	15.40	71.90	4,980.40	161.36	866.48	477,415.88	739,029.64	32.310867	-103.693430
5,189.00	15.10	71.30	5,072.06	169.24	890.19	477,423.76	739,053.35	32.310888	-103.693353
5,284.00	15.10	71.10	5,163.78	177.22	913.62	477,431.74	739,076.78	32.310910	-103.693277
5,379.00	15.20	71.80	5,255.48	185.12	937.15	477,439.64	739,100.32	32.310931	-103.693201
5,474.00	15.40	70.40	5,347.11	193.24	960.87	477,447.76	739,124.03	32.310953	-103.693124
5,569.00	15.20	69.80	5,438.74	201.77	984.44	477,456.29	739,147.61	32.310976	-103.693047
5,664.00	14.70	69.00	5,530.53	210.39	1,007.38	477,464.91	739,170.55	32.311000	-103.692973
5,759.00	15.30	69.50	5,622.29	219.10	1,030.37	477,473.62	739,193.54	32.311023	-103.692898
5,854.00	16.30	71.80	5,713.70	227.65	1,054.78	477,482.17	739,217.95	32.311046	-103.692819
5,949.00	15.60	71.30	5,805.04	235.91	1,079.54	477,490.43	739,242.71	32.311068	-103.692739
6,044.00	15.60	76.40	5,896.55	243.01	1,104.06	477,497.53	739,267.23	32.311088	-103.692659
6,139.00	15.80	77.60	5,988.00	248.79	1,129.11	477,503.31	739,292.27	32.311103	-103.692578
6,234.00	15.70	76.40	6,079.44	254.59	1,154.23	477,509.11	739,317.40	32.311119	-103.692497
6,329.00	16.70	76.40	6,170.66	260.82	1,179.99	477,515.34	739,343.16	32.311135	-103.692413

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Alley Cat 17-20 Fed Com 125H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Site:	Alley Cat 17-20 Fed Com	MD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Well:	Alley Cat 17-20 Fed Com 125H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,425.00	17.00	76.90	6,262.54	267.25	1,207.07	477,521.77	739,370.23	32.311153	-103.692325
6,520.00	16.20	76.40	6,353.58	273.51	1,233.47	477,528.03	739,396.64	32.311169	-103.692240
6,615.00	15.50	76.10	6,444.97	279.68	1,258.68	477,534.20	739,421.84	32.311186	-103.692158
6,710.00	16.40	81.70	6,536.32	284.66	1,284.27	477,539.18	739,447.44	32.311199	-103.692075
6,805.00	16.60	85.60	6,627.41	287.64	1,311.07	477,542.16	739,474.24	32.311207	-103.691988
6,900.00	16.10	85.20	6,718.57	289.78	1,337.73	477,544.30	739,500.90	32.311212	-103.691902
6,995.00	15.30	85.50	6,810.02	291.87	1,363.35	477,546.39	739,526.52	32.311218	-103.691819
7,090.00	15.60	81.10	6,901.59	294.83	1,388.47	477,549.35	739,551.64	32.311225	-103.691738
7,185.00	15.20	80.90	6,993.18	298.78	1,413.39	477,553.30	739,576.55	32.311236	-103.691657
7,281.00	14.60	80.70	7,085.95	302.72	1,437.75	477,557.24	739,600.92	32.311246	-103.691578
7,376.00	15.30	81.80	7,177.74	306.44	1,461.98	477,560.96	739,625.14	32.311256	-103.691499
7,471.00	15.50	82.90	7,269.32	309.80	1,486.98	477,564.32	739,650.14	32.311265	-103.691418
7,566.00	14.80	83.40	7,361.02	312.76	1,511.63	477,567.28	739,674.79	32.311273	-103.691339
7,661.00	15.90	81.20	7,452.63	316.15	1,536.54	477,570.67	739,699.71	32.311282	-103.691258
7,756.00	15.70	81.80	7,544.04	319.97	1,562.12	477,574.49	739,725.29	32.311292	-103.691175
7,851.00	15.10	82.70	7,635.63	323.38	1,587.12	477,577.90	739,750.29	32.311301	-103.691094
7,946.00	15.50	78.40	7,727.27	327.50	1,611.83	477,582.03	739,775.00	32.311311	-103.691014
8,041.00	15.40	76.20	7,818.84	333.07	1,636.51	477,587.59	739,799.68	32.311326	-103.690934
8,136.00	14.40	76.90	7,910.64	338.75	1,660.27	477,593.27	739,823.44	32.311342	-103.690857
8,231.00	13.80	76.70	8,002.78	344.04	1,682.80	477,598.56	739,845.97	32.311356	-103.690784
8,326.00	13.00	77.80	8,095.19	348.90	1,704.27	477,603.42	739,867.44	32.311369	-103.690714
8,421.00	12.20	77.90	8,187.90	353.26	1,724.53	477,607.78	739,887.70	32.311380	-103.690649
8,516.00	11.50	78.80	8,280.88	357.21	1,743.64	477,611.73	739,906.80	32.311391	-103.690587
8,611.00	10.70	76.80	8,374.10	361.06	1,761.51	477,615.58	739,924.68	32.311401	-103.690529
8,706.00	10.00	76.20	8,467.55	365.04	1,778.11	477,619.56	739,941.28	32.311412	-103.690475
8,801.00	8.10	72.10	8,561.37	369.07	1,792.49	477,623.59	739,955.66	32.311423	-103.690428
8,896.00	7.10	73.80	8,655.53	372.76	1,804.50	477,627.28	739,967.66	32.311433	-103.690390
8,991.00	5.70	77.90	8,749.94	375.39	1,814.75	477,629.91	739,977.91	32.311440	-103.690356
9,086.00	4.40	79.90	8,844.57	377.02	1,822.95	477,631.54	739,986.12	32.311444	-103.690330
9,181.00	3.00	80.10	8,939.37	378.08	1,828.99	477,632.60	739,992.15	32.311447	-103.690310
9,276.00	2.60	94.30	9,034.25	378.35	1,833.58	477,632.87	739,996.75	32.311448	-103.690295
9,371.00	2.20	102.10	9,129.17	377.81	1,837.52	477,632.33	740,000.68	32.311446	-103.690283
9,466.00	2.20	107.00	9,224.10	376.89	1,841.04	477,631.41	740,004.21	32.311443	-103.690271
9,561.00	1.80	102.50	9,319.04	376.03	1,844.24	477,630.55	740,007.41	32.311441	-103.690261
9,656.00	1.20	91.50	9,414.01	375.68	1,846.69	477,630.21	740,009.86	32.311440	-103.690253
9,777.00	0.90	67.80	9,534.99	376.01	1,848.84	477,630.53	740,012.01	32.311441	-103.690246
KOP & FTP @ 9777' MD, 122' FNL, 645' FEL									
9,871.00	10.90	169.50	9,628.43	367.52	1,851.15	477,622.04	740,014.32	32.311418	-103.690239
9,966.00	23.50	187.40	9,719.05	339.78	1,850.34	477,594.30	740,013.51	32.311341	-103.690242
10,061.00	32.80	192.00	9,802.74	295.73	1,842.54	477,550.25	740,005.70	32.311220	-103.690268
10,156.00	40.60	189.40	9,878.85	239.97	1,832.12	477,494.49	739,995.29	32.311067	-103.690303
10,251.00	46.00	188.00	9,947.96	175.59	1,822.31	477,430.11	739,985.48	32.310890	-103.690336
10,345.00	53.10	188.50	10,008.91	104.85	1,812.04	477,359.37	739,975.20	32.310696	-103.690370
10,440.00	61.50	183.00	10,060.22	25.41	1,804.22	477,279.93	739,967.38	32.310478	-103.690397
10,535.00	69.80	179.20	10,099.36	-61.03	1,802.65	477,193.49	739,965.82	32.310240	-103.690404
10,582.00	77.30	176.70	10,112.67	-106.04	1,804.28	477,148.48	739,967.45	32.310117	-103.690400
10,630.00	81.90	175.40	10,121.33	-153.13	1,807.54	477,101.39	739,970.70	32.309987	-103.690390
10,725.00	88.70	179.00	10,129.11	-247.62	1,812.15	477,006.90	739,975.31	32.309727	-103.690377
10,820.00	89.10	179.10	10,130.93	-342.59	1,813.72	476,911.93	739,976.89	32.309466	-103.690374
10,915.00	88.50	179.40	10,132.92	-437.56	1,814.96	476,816.96	739,978.13	32.309205	-103.690371
11,010.00	91.10	178.90	10,133.26	-532.54	1,816.37	476,721.98	739,979.54	32.308944	-103.690369
11,105.00	90.30	178.40	10,132.09	-627.51	1,818.61	476,627.01	739,981.78	32.308683	-103.690363
11,201.00	89.60	178.00	10,132.18	-723.46	1,821.63	476,531.06	739,984.79	32.308419	-103.690355
11,296.00	88.70	178.20	10,133.59	-818.40	1,824.78	476,436.12	739,987.94	32.308158	-103.690347
11,391.00	90.00	179.80	10,134.67	-913.37	1,826.43	476,341.15	739,989.60	32.307897	-103.690344

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Alley Cat 17-20 Fed Com 125H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Site:	Alley Cat 17-20 Fed Com	MD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Well:	Alley Cat 17-20 Fed Com 125H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,486.00	90.80	179.90	10,134.00	-1,008.37	1,826.68	476,246.15	739,989.85	32.307636	-103.690345
11,581.00	90.70	180.00	10,132.76	-1,103.36	1,826.76	476,151.16	739,989.93	32.307375	-103.690346
11,677.00	90.90	179.20	10,131.42	-1,199.35	1,827.43	476,055.17	739,990.60	32.307111	-103.690346
11,772.00	91.40	178.90	10,129.51	-1,294.31	1,829.01	475,960.21	739,992.18	32.306850	-103.690343
11,867.00	89.70	178.30	10,128.60	-1,389.28	1,831.33	475,865.24	739,994.50	32.306589	-103.690337
11,962.00	90.80	178.80	10,128.19	-1,484.24	1,833.73	475,770.28	739,996.90	32.306328	-103.690331
12,057.00	91.60	179.50	10,126.20	-1,579.21	1,835.14	475,675.31	739,998.31	32.306067	-103.690328
12,151.00	89.80	178.90	10,125.05	-1,673.19	1,836.46	475,581.33	739,999.62	32.305808	-103.690326
12,246.00	90.30	179.40	10,124.96	-1,768.18	1,837.87	475,486.34	740,001.03	32.305547	-103.690323
12,341.00	89.20	179.20	10,125.38	-1,863.17	1,839.03	475,391.35	740,002.19	32.305286	-103.690321
12,436.00	89.50	178.70	10,126.46	-1,958.15	1,840.77	475,296.37	740,003.93	32.305025	-103.690317
12,531.00	88.90	178.00	10,127.78	-2,053.10	1,843.50	475,201.42	740,006.67	32.304764	-103.690310
12,626.00	89.20	177.70	10,129.36	-2,148.02	1,847.07	475,106.50	740,010.23	32.304503	-103.690301
12,721.00	89.20	178.10	10,130.68	-2,242.95	1,850.55	475,011.57	740,013.71	32.304242	-103.690291
12,816.00	90.00	178.50	10,131.35	-2,337.90	1,853.36	474,916.62	740,016.53	32.303981	-103.690284
12,911.00	90.90	178.80	10,130.60	-2,432.87	1,855.60	474,821.65	740,018.77	32.303720	-103.690279
13,006.00	91.30	179.90	10,128.78	-2,527.85	1,856.68	474,726.68	740,019.85	32.303459	-103.690277
13,101.00	89.70	180.10	10,127.95	-2,622.84	1,856.68	474,631.68	740,019.85	32.303198	-103.690279
13,196.00	89.80	181.20	10,128.36	-2,717.83	1,855.60	474,536.69	740,018.77	32.302937	-103.690284
13,291.00	90.20	181.20	10,128.36	-2,812.81	1,853.61	474,441.71	740,016.78	32.302676	-103.690292
13,386.00	91.50	181.80	10,126.95	-2,907.76	1,851.13	474,346.76	740,014.29	32.302415	-103.690302
13,481.00	90.20	180.90	10,125.54	-3,002.72	1,848.89	474,251.80	740,012.05	32.302154	-103.690311
13,577.00	87.50	180.40	10,127.47	-3,098.69	1,847.80	474,155.83	740,010.97	32.301890	-103.690317
13,672.00	87.50	181.40	10,131.62	-3,193.59	1,846.31	474,060.94	740,009.48	32.301629	-103.690323
13,767.00	87.80	181.00	10,135.51	-3,288.48	1,844.32	473,966.04	740,007.49	32.301368	-103.690332
13,862.00	90.30	179.50	10,137.09	-3,383.46	1,843.91	473,871.06	740,007.07	32.301107	-103.690335
13,957.00	91.10	179.90	10,135.93	-3,478.45	1,844.40	473,776.07	740,007.57	32.300846	-103.690335
14,052.00	91.20	180.60	10,134.02	-3,573.43	1,843.99	473,681.09	740,007.16	32.300585	-103.690338
14,147.00	91.20	182.00	10,132.03	-3,668.38	1,841.84	473,586.14	740,005.00	32.300324	-103.690347
14,242.00	90.90	181.70	10,130.29	-3,763.32	1,838.77	473,491.20	740,001.94	32.300063	-103.690359
14,337.00	90.10	182.40	10,129.46	-3,858.25	1,835.37	473,396.27	739,998.54	32.299802	-103.690372
14,432.00	90.10	178.80	10,129.29	-3,953.23	1,834.38	473,301.29	739,997.54	32.299541	-103.690377
14,527.00	90.70	177.20	10,128.63	-4,048.17	1,837.69	473,206.35	740,000.86	32.299280	-103.690368
14,622.00	91.00	177.20	10,127.22	-4,143.04	1,842.33	473,111.48	740,005.50	32.299019	-103.690355
14,717.00	91.30	177.50	10,125.31	-4,237.92	1,846.72	473,016.60	740,009.89	32.298759	-103.690342
14,812.00	91.80	178.00	10,122.74	-4,332.81	1,850.45	472,921.71	740,013.62	32.298498	-103.690332
14,907.00	90.20	178.20	10,121.09	-4,427.74	1,853.60	472,826.78	740,016.77	32.298237	-103.690324
15,002.00	89.30	178.30	10,121.50	-4,522.70	1,856.50	472,731.82	740,019.67	32.297976	-103.690316
15,098.00	87.10	178.50	10,124.52	-4,618.61	1,859.18	472,635.91	740,022.35	32.297712	-103.690309
15,193.00	89.00	179.00	10,127.75	-4,713.52	1,861.25	472,541.00	740,024.42	32.297451	-103.690305
15,265.00	89.91	178.47	10,128.43	-4,785.50	1,862.84	472,469.02	740,026.01	32.297253	-103.690301
X SEC @ 15265' MD, 0' FNL, 631' FEL									
15,288.00	90.20	178.30	10,128.41	-4,808.49	1,863.49	472,446.03	740,026.66	32.297190	-103.690299
15,383.00	90.00	178.80	10,128.25	-4,903.46	1,865.89	472,351.06	740,029.06	32.296929	-103.690293
15,478.00	91.90	179.90	10,126.67	-4,998.44	1,866.97	472,256.08	740,030.14	32.296668	-103.690292
15,573.00	91.70	179.80	10,123.69	-5,093.39	1,867.22	472,161.13	740,030.39	32.296407	-103.690293
15,668.00	92.40	180.70	10,120.29	-5,188.33	1,866.81	472,066.19	740,029.97	32.296146	-103.690296
15,763.00	92.70	178.60	10,116.06	-5,283.23	1,867.39	471,971.30	740,030.55	32.295885	-103.690296
15,858.00	89.80	178.00	10,113.99	-5,378.15	1,870.20	471,876.37	740,033.37	32.295624	-103.690289
15,953.00	90.20	178.70	10,113.99	-5,473.11	1,872.94	471,781.41	740,036.10	32.295363	-103.690282
16,048.00	91.30	179.10	10,112.75	-5,568.08	1,874.76	471,686.44	740,037.93	32.295102	-103.690277
16,143.00	89.50	179.20	10,112.08	-5,663.07	1,876.17	471,591.45	740,039.34	32.294841	-103.690275
16,238.00	88.60	179.70	10,113.66	-5,758.05	1,877.08	471,496.47	740,040.25	32.294580	-103.690274
16,333.00	86.80	179.10	10,117.47	-5,852.96	1,878.08	471,401.56	740,041.24	32.294319	-103.690272
16,429.00	88.10	178.90	10,121.74	-5,948.85	1,879.75	471,305.67	740,042.92	32.294055	-103.690269

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Alley Cat 17-20 Fed Com 125H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Site:	Alley Cat 17-20 Fed Com	MD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Well:	Alley Cat 17-20 Fed Com 125H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,524.00	91.30	179.40	10,122.24	-6,043.83	1,881.16	471,210.70	740,044.33	32.293794	-103.690266
16,619.00	92.90	179.50	10,118.76	-6,138.75	1,882.07	471,115.77	740,045.24	32.293533	-103.690265
16,714.00	91.60	179.80	10,115.03	-6,233.68	1,882.65	471,020.84	740,045.82	32.293272	-103.690265
16,809.00	91.30	179.90	10,112.62	-6,328.65	1,882.90	470,925.87	740,046.07	32.293011	-103.690266
16,904.00	91.30	179.20	10,110.47	-6,423.62	1,883.64	470,830.90	740,046.81	32.292750	-103.690265
16,999.00	92.10	178.00	10,107.65	-6,518.55	1,885.96	470,735.98	740,049.13	32.292489	-103.690260
17,095.00	93.10	177.30	10,103.30	-6,614.36	1,889.90	470,640.16	740,053.06	32.292226	-103.690249
17,190.00	90.60	177.30	10,100.23	-6,709.20	1,894.37	470,545.32	740,057.54	32.291965	-103.690236
17,285.00	90.30	177.30	10,099.48	-6,804.09	1,898.84	470,450.43	740,062.01	32.291704	-103.690224
17,380.00	89.60	180.40	10,099.57	-6,899.06	1,900.75	470,355.46	740,063.92	32.291443	-103.690219
17,475.00	90.30	180.90	10,099.65	-6,994.05	1,899.67	470,260.47	740,062.84	32.291182	-103.690225
17,570.00	90.20	180.80	10,099.23	-7,089.04	1,898.26	470,165.48	740,061.43	32.290921	-103.690231
17,665.00	90.30	180.30	10,098.82	-7,184.04	1,897.35	470,070.48	740,060.52	32.290660	-103.690236
17,760.00	90.90	180.60	10,097.82	-7,279.03	1,896.61	469,975.49	740,059.77	32.290399	-103.690240
17,855.00	91.10	180.00	10,096.17	-7,374.01	1,896.11	469,880.51	740,059.27	32.290138	-103.690243
17,950.00	89.10	180.60	10,096.00	-7,469.01	1,895.61	469,785.51	740,058.78	32.289877	-103.690247
18,045.00	88.50	180.90	10,097.99	-7,563.98	1,894.37	469,690.54	740,057.53	32.289616	-103.690253
18,140.00	88.00	181.10	10,100.89	-7,658.92	1,892.71	469,595.60	740,055.88	32.289355	-103.690260
18,236.00	90.50	180.70	10,102.15	-7,754.89	1,891.20	469,499.63	740,054.37	32.289091	-103.690267
18,331.00	90.90	180.20	10,100.99	-7,849.88	1,890.46	469,404.64	740,053.62	32.288830	-103.690271
18,426.00	90.20	179.40	10,100.08	-7,944.87	1,890.79	469,309.65	740,053.95	32.288569	-103.690272
18,521.00	89.10	178.70	10,100.66	-8,039.86	1,892.36	469,214.66	740,055.53	32.288307	-103.690268
18,616.00	90.30	180.40	10,101.15	-8,134.85	1,893.11	469,119.67	740,056.28	32.288046	-103.690268
18,711.00	90.30	180.10	10,100.66	-8,229.84	1,892.69	469,024.68	740,055.86	32.287785	-103.690271
18,806.00	90.80	179.00	10,099.74	-8,324.83	1,893.44	468,929.69	740,056.61	32.287524	-103.690271
18,901.00	90.90	178.50	10,098.33	-8,419.80	1,895.51	468,834.72	740,058.68	32.287263	-103.690266
18,996.00	91.90	177.70	10,096.01	-8,514.72	1,898.66	468,739.80	740,061.83	32.287002	-103.690257
19,092.00	89.50	178.50	10,094.84	-8,610.65	1,901.84	468,643.87	740,065.01	32.286738	-103.690249
19,187.00	90.00	179.00	10,095.26	-8,705.63	1,903.92	468,548.89	740,067.08	32.286477	-103.690244
19,282.00	90.00	178.70	10,095.26	-8,800.61	1,905.82	468,453.91	740,068.99	32.286216	-103.690240
19,377.00	90.30	178.60	10,095.01	-8,895.58	1,908.06	468,358.94	740,071.23	32.285955	-103.690234
19,472.00	91.00	178.20	10,093.93	-8,990.54	1,910.71	468,263.98	740,073.88	32.285694	-103.690228
19,568.00	90.60	178.30	10,092.59	-9,086.48	1,913.64	468,168.04	740,076.81	32.285430	-103.690220
19,663.00	91.60	178.00	10,090.76	-9,181.41	1,916.71	468,073.11	740,079.88	32.285169	-103.690212
19,758.00	90.70	179.40	10,088.86	-9,276.37	1,918.87	467,978.15	740,082.03	32.284908	-103.690207
19,853.00	91.30	179.80	10,087.20	-9,371.35	1,919.53	467,883.17	740,082.70	32.284647	-103.690206
19,948.00	92.50	179.60	10,084.05	-9,466.29	1,920.03	467,788.23	740,083.19	32.284386	-103.690207
20,043.00	90.50	179.40	10,081.56	-9,561.25	1,920.85	467,693.27	740,084.02	32.284125	-103.690206
20,138.00	90.70	179.40	10,080.57	-9,656.24	1,921.85	467,598.28	740,085.02	32.283864	-103.690204
20,233.00	92.10	179.30	10,078.25	-9,751.21	1,922.93	467,503.31	740,086.09	32.283603	-103.690203
20,328.00	92.90	179.30	10,074.10	-9,846.11	1,924.09	467,408.41	740,087.25	32.283342	-103.690201
20,369.00	93.40	179.30	10,071.85	-9,887.04	1,924.59	467,367.48	740,087.75	32.283230	-103.690200
20,425.00	93.40	179.30	10,068.53	-9,942.94	1,925.27	467,311.58	740,088.44	32.283076	-103.690199
PBHL & LTP @ 20425' MD, 101' FSL, 632' FEL									

Survey Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
9,777.00	9,534.99	376.01	1,848.84	KOP & FTP @ 9777' MD, 122' FNL, 645' FEL	
15,265.00	10,128.43	-4,785.50	1,862.84	X SEC @ 15265' MD, 0' FNL, 631' FEL	
20,425.00	10,068.53	-9,942.94	1,925.27	PBHL & LTP @ 20425' MD, 101' FSL, 632' FEL	

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Alley Cat 17-20 Fed Com 125H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Site:	Alley Cat 17-20 Fed Com	MD Reference:	GE 3622.4' + KB 22.5' @ 3644.90usft
Well:	Alley Cat 17-20 Fed Com 125H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Checked By:	_____	Approved By:	_____	Date:	_____
-------------	-------	--------------	-------	-------	-------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>B</u> : <u>498</u> feet from the <u>North</u> line and <u>2494</u> feet from the <u>East</u> line Section <u>17</u> Township <u>23S</u> Range <u>32E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3622'		WELL API NO. 30-025-49602 5. Indicate Type of Lease STATE ☐ FEE ☐ 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name Alley Cat 17-20 Fed Com 8. Well Number 125H 9. OGRID Number 6137 10. Pool name or Wildcat SAND DUNES; BONE SPRING
--	--	---

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/18/22-5/9/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 3,500'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 10600'-20339', total 1174 holes. Frac totals 19,591,113# proppant, 67 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 20,411' MD/10,096' TVD. CHC, FWB, ND BOP. RIH w/ 292 jts 2-7/8" L-80 tbg, set @ 9777'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 5/18/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dvnm.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-025-49602								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Alley Cat 17-20 Fed Com				
						6. Well Number: 125H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat SAND DUNES; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	17	23S	32E		498	North	2494	East	Lea
BH:	P	20	23S	32E		102	South	632	East	Lea
13. Date Spudded 1/20/22	14. Date T.D. Reached 2/14/22	15. Date Rig Released 2/17/22		16. Date Completed (Ready to Produce) 5/9/22		17. Elevations (DF and RKB, RT, GR, etc.) 3622' GL				
18. Total Measured Depth of Well 20425 MD, 10069 TVD		19. Plug Back Measured Depth 20,411 MD/10,096 TVD		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL				
22. Producing Interval(s), of this completion - Top, Bottom, Name 10600-20399, BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED					
13-3/8"	54.5	1121	17-1/2"	855 sx Cl C; circ 172 sx						
8-5/8"	32	9698	9-7/8"	335 sx ClC; circ 14 sx						
5-1/2"	20	20413	7-7/8"	1590 sx OTHER; circ 0						
24. LINER RECORD				25. TUBING RECORD						
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2-7/8" L-80	9777				
26. Perforation record (interval, size, and number) 10600 - 20399, total 1174 holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10600-20399 Acidize and frac in 40 stages. See detailed summary attached.						
28. PRODUCTION										
Date First Production 5/9/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) Producing					
Date of Test 5/15/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 273	Gas - MCF 550	Water - Bbl. 1936	Gas - Oil Ratio 2014.652015			
Flow Tubing Press. 240 psi	Casing Pressure 1110 psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude		Longitude		NAD 1927 1983						
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name		Shayda Omoumi		Title Regulatory Compliance Associate Date 5/18/2022				
E-mail Address		shayda.omoumi@dvn.com								

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 108184

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 108184
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 108184

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 108184
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	8/8/2024