eceived by QCD i 5/29/2024 blside:	State of New Mexico		Form C-103 of		
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natu	ral Resources	WELL API NO.	Revised July 18, 2013	
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONSEDUATION	OIL CONSEDUATION DIVISION		15-05047	
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	t III - (505) 334-6178 1220 South St. Francis Dr. io Brazos Rd., Aztec, NM 87410 South St. Francis Dr. South St. Francis Dr.		5. Indicate Type of Lease STATE ☐ FEE ☐		
1000 Rio Brazos Rd., Aztec, NM 87410					
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505		6. State Oil & Gas Lease No. E-5668			
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			Tidew	Unit Agreement Name ater K State	
PROPOSALS.) 1. Type of Well: Oil Well	8. Well Number	#2			
2. Name of Operator		9. OGRID Number			
3. Address of Operator	over Operating, LLC		10. Pool name or V	71484 Vildeat	
	5 th St., Ste 700 Plano, TX 75075		GRAYBURG JACKS		
4. Well Location					
Unit Letter <u>L</u>	: 1980feet from theSouth		feet from the		
Section: 2	Township: 17S Ra 11. Elevation (Show whether DR)	inge: 31E	NMPM	County: Eddy	
	3974				
12 Charle	Annranriata Pay to Indicata Na	tura of Notice D	anart ar Othar D	nto.	
	Appropriate Box to Indicate Na		•		
NOTICE OF I	INTENTION TO: ☐ PLUG AND ABANDON ☐	REMEDIAL WORK	SEQUENT REP	' <mark>ORTOF</mark> : ALTERING CASING □	
	CHANGE PLANS	COMMENCE DRIL		PAND A	
PULL OR ALTER CASING	<u> </u>	CASING/CEMENT		PNR	
DOWNHOLE COMMINGLE				TIVIX	
CLOSED-LOOP SYSTEM [OTHER:		OTHER:			
	pleted operations. (Clearly state all pe		rive pertinent dates.	including estimated date	
	ork). SEE RULE 19.15.7.14 NMAC.				
1. 2/20/2024 – MIRU. Unseat p	pump. SI.				
· · · · · · · · · · · · · · · · · · ·	p. ND WH. NU BOP. Release TAC.	Set 5 ½ CIBP @ 34	25'. RIH Circ w/P&	A mud, press to	
•	WOC & tag @ 3165'. Run CBL. Pe	rf @ 2013'. SWI.			
•	si. Drop to 2063' & spot 30sx cmt.		80'. Perf @ 893'. P	ress to 1200psi. Per	
NMOCD, drop to 950' and sp	•				
·)'. Perf @ 427'. Sqz 140sx cmt to s	urface. ND BOP.	CO WH. DHM ins	talled.	
P&A mud between all plugs. Clo	osed loop all fluid to licensed facili	ty.	CBL is on file		
				_	
Spud Date: 10/20/19	Rig Release Date	e:			
<u> </u>					
I hereby certify that the information	above is true and complete to the bes	et of my knowledge a	and belief.		
SIGNATURE_ Brooks 1	TenellTITLEGe	eologist	_DATE5/29/2	2024	
Type or print name <u>Brooks Terre</u> For State Use Only	ll E-mail address: <u>bterr</u>	ell@roverpetro.com_	PHONE	: <u>214-234-9115</u>	
APPROVED BY:	Forther TITLE Compli	iance Officer A	ר א ידר	8/12/24	
Conditions of Approval (if ar.): leased to Imaging: 8/13/2024 9:48			DATE	·	

Tidewater K State #2 Plugging Report

- 1. 2/20/2024 MIRU. Unseat pump. SI.
- 2. 2/21/2024 LD rods & pump. ND WH. NU BOP. Release TAC. Set 5 ½ CIBP @ 3425'. RIH Circ w/P&A mud, press to 500psi. SWI.
- 3. 2/22/2024 Spot 25sx cmt. WOC & tag @ 3165'. Run CBL. Perf @ 2013'. SWI.
- 4. 2/23/2024 Press to 1000psi. Drop to 2063' & spot 30sx cmt. WOC & tag @ 1780'. Perf @ 893'. Press to 1200psi. Per NMOCD, drop to 950' and spot 25sx cmt. SWI.
- 5. 2/26/2024 Tag TOC @ 690'. Perf @ 427'. Sqz 140sx cmt to surface. ND BOP. CO WH. DHM installed.

P&A mud between all plugs. Closed loop all fluid to licensed facility.

ROVER OPERATING, LLC WELLBORE DIAGRAM

Lease/Well No. Tidewater K State #2

Location 1980' FSL & 660' FWL

L, SEC 2, T17S, R31E

EDDY CO, NM

LEASE NO E-5668

API No. **30-015-05047**

ELEVATION, GL: 3974'

FIELD: GRAYBURG JACKSON; SR-Q-G-SA

TOPS

ANHY

SALT

YATES

QUEEN

SVN RIVERS

GRAYBURG

SAN ANDRES

DEPTH, ft

843'

1852'

1963'

2178'

2892'

3290'

3620'

Spudded: 10/20/1960

Completed: 11/5/1960 LAT: 32.8617973

LONG: -103.8468781

11" HOLE


Surface Csg: 8-5/8" 24# J-55 Csg set @ 377' CSG W/ 140SX *TOC @ surface*

7-7/8" HOLE

Production Csg:

5-1/2" 15.5# J-55 Csg Set @ 3776' CSGW/175SX TOC @ 2814'

> 3755' PBTD 3776' TD



P.S. 140sx cmt @ 427' Circ to surf.

P.S. 25sx cmt @ 893'

TOC @ 690'

TOC @ 1780'

P.S. 30sx cmt @ 2013'

Set CIBP @ 3425' Spot 25sx cmt TOC @ 3165'

PERFS:	<u>Zone</u>	<u>Date</u>
3482-3489'	Grayburg	11/5/1960
3570-3577'	Grayburg	11/5/1960
3601-3609'	Grayburg	11/5/1960
3739-3747'	San Andres	11/5/1960

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 348777

CONDITIONS

Operator:	OGRID:
ROVER OPERATING, LLC	371484
2024 W. 15th St.	Action Number:
Plano, TX 75075	348777
Γ.	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Ci By			Condition Date
k	fortner	Need C103Q and marker photo to release CBL is in files	8/12/2024