

Well Name: JICARILLA APACHE
TRIBAL 124

Well Location: T25N / R4W / SEC 23 /
SENE / 36.387731 / -107.224833

County or Parish/State: RIO
ARRIBA / NM

Well Number: 2

Type of Well: OIL WELL

Allottee or Tribe Name:
JICARILLA APACHE

Lease Number: JIC124

Unit or CA Name:

Unit or CA Number:

US Well Number: 3003922141

Operator: HIGH RIVER RESOURCES
OPERATING LLC

Subsequent Report

Sundry ID: 2808083

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 08/22/2024

Time Sundry Submitted: 10:41

Date Operation Actually Began: 08/12/2024

Actual Procedure: This well was plugged and abandoned on 8/16/2024 per the attached procedure. A CBL was conducted on 8/13/2024 and was submitted to OCD on 8/13/2024. The wellbore diagram is also attached to the subsequent procedure.

SR Attachments

Actual Procedure

JICARILLA_APACHE_TRIBAL_124__2_039_22141_CBL_20240822104120.pdf

Plugging_Record_Jicarilla_Apache_Tribal_124__2_08.22.2024_20240822104047.pdf

Received by OCD: 8/22/2024 11:40:36 AM

Page 2 of 8

Well Name: JICARILLA APACHE TRIBAL 124	Well Location: T25N / R4W / SEC 23 / SENW / 36.387731 / -107.224833	County or Parish/State: RIO ARRIBA / NM
Well Number: 2	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC124	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003922141	Operator: HIGH RIVER RESOURCES OPERATING LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMY ARCHULETA	Signed on: AUG 22, 2024 10:41 AM
Name: HIGH RIVER RESOURCES OPERATING LLC	
Title: Regulatory Supervisor	
Street Address: 2700 FARMINGTON AVE., BLDG K SUITE 1	
City: FARMINGTON	State: NM
Phone: (505) 325-0318	
Email address: AARCHULETA@HIGHRIVERLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 08/22/2024
Signature: Matthew Kade	

PLUG AND ABANDONMENT SUBSEQUENT REPORT

Jicarilla Apache Tribal 124 #2
West Lindrith – Gallup Dakota
F1710' FNL, 1760' FWL, Section 23, T25N, R4W, Rio Arriba County, New Mexico
API 30-039-22141

08/12/24 - MIRU plugging equipment. ND wellhead, NU BOP. RIH w/ worksting, tagged existing CIBP @ 6761'. Circ'd hole. Pressure tested csg, held 0psi.

08/13/24 - Orrin Sandoval w/ BLM approved to plug from 6761'. Spotted 23 sx class G cmt @ 6761-6558'. WOC for 4 hrs. RU wireline. Ran CBL from 6761' to surface. Tagged plug @ 6593'. Oriin Sandoval approved tag. Spotted 20 sx class G cmt @ 5885-5709'. WOC.

08/14/24 - Tagged plug @ 5743'. Spotted 20 sx class G cmt w/ 2% CACL @ 5227-5051'. WOC & tagged @ 5100'. Spotted 20 sx class G cmt w/ 2% CACL @ 4420-4244'. WOC & tagged @ 4277'. Spotted 35 sx class G cmt w/ 2% CACL @ 3555-3247'. WOC.


08/15/24 - Tagged plug @ 3315'. Pressure tested csg to 800 psi for 15 minutes. Spotted 10 sx class G cmt @ 3315-3227'. Perf'd @ 3203'. Set 5 ½" CR @ 3151'. Squeezed 81 sx class G cmt @ 3203-2755' (30 sx outside csg & 51 sx inside csg.) WOC & tagged @ 2755'. Spotted 18 sx class G cmt @ 1670-1512'. Perf'd @ 366'. Sqz'd 134 sx class G cmt @ 366' to surface (92 sx outside csg & 42 sx inside csg.)

08/16/24 - ND BOP. Dug out cellar. Cut off wellhead. TOC @ 24' in 5 ½ csg and TOC @ 13' in annulus. Topped o well with 25 sx class G cmt. Welded on underground DHM. Backfilled cellar, cleaned location, & moved o . CBL was submitted to OCD via Action: 371693 on 08/13/2024.

High River		PLUGGED	
Author:	Abby @ JMR		
Well Name	Jicarilla Apache Tribal 124	Well No.	#2
Field/Pool	W Lindrith, Gallup Dakota	API #:	30-039-22141
County	Rio Arriba	Location:	Sec 23, T25N, R4W
State	NM		1710' FNL, 1760' FWL
Spud Date	Dec 1979	GL:	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	333	12 1/2	315	0
Production Csg	5 1/2	N80	17#	8,105	7 7/8	1,990	0

Formation	Top
Nacimiento	1400
Ojo Alamo	2700
Kirtland	2950
Fruitland	3140
Pictured Cliffs	3306
Chacra	3720
Mesaverde	5165
Mancos	5835
Gallup	6811
Dakota	7706



8 5/8 24# CSG @ 333
Hole Size: 12 1/2

6. Perf'd @ 366'. Sqz'd 134 sx class G cmt @ 366' to surface (92 sx outside csg & 42 sx inside csg.)

5. Spotted 18 sx class G cmt @ 1670-1512'.

6. Perf'd @ 3203'. Set 5 1/2" CR @ 3151'. Squeezed 81 sx class G cmt @ 3203-2755' (30 sx outside csg & 51 sx inside csg.) WOC & tagged @ 2755'.

5. Spotted 35 sx class G cmt w/ 2% CACL @ 3555-3247'. WOC & tagged @ 3315'.
Spotted 10 sx class G cmt @ 3315-3227'.

4. Spotted 20 sx class G cmt w/ 2% CACL @ 4420-4244'. WOC & tagged @ 4277'.

3. Spotted 20 sx class G cmt w/ 2% CACL @ 5227-5051'. WOC & tagged @ 5100'.

2. Spotted 20 sx class G cmt @ 5885-5709'. WOC & tagged plug @ 5743'.

1. Tagged existing CIBP @ 6761'. Circ'd hole. Pressure tested csg, held 0psi. Ran CBL from 6761' to surface. Spotted 23 sx class G cmt @ 6761-6558'. WOC & tagged plug @ 6593'.
Perfs @ 6811-7118


Perfs @ 7707-7906'

5 1/2 17# CSG @ 8,105
Hole Size: 7 7/8

High River		PLUGGED	
Author:	Abby @ JMR		
Well Name	Jicarilla Apache Tribal 124	Well No.	#2
Field/Pool	W Lindrith, Gallup	API #:	30-039-22141
County	Rio Arriba	Location:	Sec 23, T25N, R4W
State	NM		1710' FNL, 1760' FWL
Spud Date	Dec 1979	GL:	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	333	12 1/2	315	0
Production Csg	5 1/2	N80	17#	8,105	7 7/8	1,990	0


Formation	Top
Nacimiento	1400
Ojo Alamo	2700
Kirtland	2950
Fruitland	3140
Pictured Cliffs	3306
Chacra	3720
Mesaverde	5165
Mancos	5835
Gallup	6811
Dakota	7706



High River	PLUGGED		
Author:	Abby @ JMR		
Well Name	Jicarilla Apache Tribal 124	Well No.	#2
Field/Pool	W Lindrith, Gallup Dakota	API #:	30-039-22141
County	Rio Arriba	Location:	Sec 23, T25N, R4W
State	NM		1710' FNL, 1760' FWL
Spud Date	Dec 1979	GL:	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	333	12 1/2	315	0
Production Csg	5 1/2	N80	17#	8,105	7 7/8	1,990	0

Formation	Top
Nacimiento	1400
Ojo Alamo	2700
Kirtland	2950
Fruitland	3140
Pictured Cliffs	3306
Chacra	3720
Mesaverde	5165
Mancos	5835
Gallup	6811
Dakota	7706



8 5/8 24# CSG @ 333
Hole Size: 12 1/2

6. Perf'd @ 366'. Sqz'd 134 sx class G cmt @ 366' to surface (92 sx outside csg & 42 sx inside csg.)

5. Spotted 18 sx class G cmt @ 1670-1512'.

6. Perf'd @ 3203'. Set 5 1/2" CR @ 3151'. Squeezed 81 sx class G cmt @ 3203-2755' (30 sx outside csg & 51 sx inside csg.) WOC & tagged @ 2755'.

5. Spotted 35 sx class G cmt w/ 2% CACL @ 3555-3247'. WOC & tagged @ 3315'.
Spotted 10 sx class G cmt @ 3315-3227'.

4. Spotted 20 sx class G cmt w/ 2% CACL @ 4420-4244'. WOC & tagged @ 4277'.

3. Spotted 20 sx class G cmt w/ 2% CACL @ 5227-5051'. WOC & tagged @ 5100'.

2. Spotted 20 sx class G cmt @ 5885-5709'. WOC & tagged plug @ 5743'.

1. Tagged existing CIBP @ 6761'. Circ'd hole. Pressure tested csg, held 0psi. Ran CBL from 6761' to surface. Spotted 23 sx class G cmt @ 6761-6558'. WOC & tagged plug @ 6593'.
Perfs @ 6811-7118


Perfs @ 7707-7906'

5 1/2 17# CSG @ 8,105
Hole Size: 7 7/8

High River		PLUGGED	
Author:	Abby @ JMR		
Well Name	Jicarilla Apache Tribal 124	Well No.	#2
Field/Pool	W Lindrith, Gallup	API #:	30-039-22141
County	Rio Arriba	Location:	Sec 23, T25N, R4W
State	NM		1710' FNL, 1760' FWL
Spud Date	Dec 1979	GL:	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	333	12 1/2	315	0
Production Csg	5 1/2	N80	17#	8,105	7 7/8	1,990	0

Formation	Top
Nacimiento	1400
Ojo Alamo	2700
Kirtland	2950
Fruitland	3140
Pictured Cliffs	3306
Chacra	3720
Mesaverde	5165
Mancos	5835
Gallup	6811
Dakota	7706



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 376565

CONDITIONS

Operator: High River Resources Operating, LLC 2700 Farmington Ave FARMINGTON, NM 87401	OGRID: 328985
	Action Number: 376565
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 8/16/2024	8/26/2024