•

	UNITED STATES			FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No. NMNM-17037			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE – Other instructions on page 2.				•	eement, Name and/or No.		
1. Type of Well					NMNM-72428 8. Well Name and No		
Oil Well 🗹 Gas Well 🗌 Other					Grynberg 17 Feder		
2. Name of Operator Jack J. Grynberg					9. API Well No. 30-005-61302		
3a. Address 3773 Cherry Creek N. Dr., Denver, CO 803	202	3b. Phone No. (in	clude area code		10. Field and Pool or Pecos Slope, Abo	Exploratory Area	
4. Location of Well <i>(Footage, Sec</i> Sec 17 T6S R25E	., T.,R.,M., or Survey Description,				11. Country or Parish Chaves, New Mexic		
12. C	HECK THE APPROPRIATE BO	X(ES) TO INDICA	TE NATURE	OF NOTIC	E, REPORT OR OTH	IER DATA	
TYPE OF SUBMISSION			TYP	E OF ACT	ION		
Notice of Intent	Acidize	Deepen Fracture	Treat	=	uction (Start/Resume) mation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	New Cor		=	mplete	Other	
Final Abandonment Notice	Change Plans	Plug and Plug Bac			oorarily Abandon r Disposal		
testing has been completed. F determined that the site is read Subsequent P&A Report: - Pulled and LD 113 joints of the - Set CIBP at 3,590'. (3-23-202' - Loaded 4-1/2" casing with gel. - Pressure tested below 913' to - Spotted 25 sack balanced plug - Perforated at 2,500'. Attempte - Spotted 25 sack balanced plug - Perforated at 1,365'. Achieved - Squeezed 47 sack plug throug - Perforated at 948'. Achieved i - Squeezed 64 sack plug throug - Perforated at 60'. - Circulated 60 sacks down 4-1/ - Well plugged. Wellhead cut of Casing Left in the Well: - 4-1/2" 10.5# production casing - 10-3/4" 32.75# surface casing	inal Abandonment Notices must l dy for final inspection.) e existing 2-3/8" production tub 3) . Failed pressure test. Found 610 psi for 30 min. Good test g on top of CIBP. Tagged TOC ed to establish injection. Press g at 2,550'. Tagged TOC at 2,7 d injection. gh perfs. Tagged TOC at 1,170 injection. gh perfs. Tagged TOC at 768'. (2" and up 10-3/4" until good ce f 4' below ground. Marker joint g from 4,234' to surface. from 898' to surface.	be filed only after a ing. (3-22-2023) HIC #1 b/w 472' a on CIBP. (3-23-2 C at 3,199'. (3-24- ured up to 1,200 275'. (3/27/2023) O'. (3/28/2023) (3/28/2023) ement returns at a swelding on to 4' Accepted for F	Il requirements and 504'. (3-23 023) 2023) psi. Held for s surface. (3/28/ above ground	, including 3-2023) 5 min. Un 2023) with appr	reclamation, have bee successful. opriate well informat		
<ol> <li>I hereby certify that the foregoin</li> <li>Adam Pfeifer</li> </ol>	g is true and correct. Name (Printed		<sub>tle</sub> Consultan	t Producti	on Engineer		
Signature Adam	Pleifer	D	<sub>ate</sub> 04/11/202	3			
	THIS SPACE	FOR FEDER	AL OR STA		FICE USE		
Approved by							
Conditions of approval, if any, are att that the applicant holds legal or equita entitle the applicant to conduct operat	able title to those rights in the subjections thereon.	et lease which would	fy Office RF			Date 04/11/2023	
Title 18 U.S.C. Section 1001 and Tit fictitious or fraudulent statements or		• •	n knowingly and	d willfully to	o make to any departme	nt or agency of the United States any false,	
(Instructions on page 2)							

## **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13* - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

### NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240


# Grynberg 17 Federal Com #001 API # 30-005-61302

Plugging Summary:

- Pulled and LD 113 joints of the existing 2-3/8" production tubing. (3-22-2023)
- Set CIBP at 3,590'. (3-23-2023)
- Loaded 4-1/2" casing with gel. Failed pressure test. Found HIC #1 b/w 472' and 504'. (3-23-2023)
- Pressure tested below 913' to 610 psi for 30 min. Good test on CIBP. (3-23-2023)
- Spotted 25 sack balanced plug on top of CIBP. Tagged TOC at 3,199'. (3-24-2023)
- Perforated at 2,500'. Attempted to establish injection. Pressured up to 1,200 psi. Held for 5 min. Unsuccessful.
- Spotted 25 sack balanced plug at 2,550'. Tagged TOC at 2,275'. (3/27/2023)
- Perforated at 1,365'. Achieved injection.
- Squeezed 47 sack plug through perfs. Tagged TOC at 1,170'. (3/28/2023)
- Perforated at 948'. Achieved injection.
- Squeezed 64 sack plug through perfs. Tagged TOC at 768'. (3/28/2023)
- Perforated at 60'.
- Circulated 60 sacks down 4-1/2" and up 10-3/4" until good cement returns at surface. (3/28/2023)
- Well plugged. Wellhead cut off 4' below ground. Marker joint welding on to 4' above ground with appropriate well information. (3/28/2023)

Casing Left in the Well:

- 4-1/2" 10.5# production casing from 4,234' to surface.
- 10-3/4" 32.75# surface casing from 898' to surface.



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Operator:	OGRID:
JACK J. GRYNBERG	11492
C/O 3773 Cherry Creek N. Drive	Action Number:
Denver, CO 80202	365804
	Action Type:
	[C-103] Sub. Plugging (C-103P)
COMMENTS	

Created By	Comment	Comment Date
plmartinez	No additional Sundry is needed. This is an approved BLM Sub. P/A and the well is site released.	9/3/2024

COMMENTS

Page 5 of 6

Action 365804

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
JACK J. GRYNBERG	11492
C/O 3773 Cherry Creek N. Drive	Action Number:
Denver, CO 80202	365804
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
kfortner	Accepted for record only BLM approval required NMOCD 8/29/24 KF Marker in place 3/2/23	8/29/2024

CONDITIONS

Page 6 of 6

Action 365804