

Submit 1 Copy To Appropriate District Office

District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-039-26984                                                                        |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No.<br>E01207                                                              |
| 7. Lease Name or Unit Agreement Name<br>State 16                                                    |
| 8. Well Number<br>006                                                                               |
| 9. OGRID Number<br>372834                                                                           |
| 10. Pool name or Wildcat<br>Counselors Gallup-Dakota                                                |

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Epic Energy LLC

3. Address of Operator

332 Rd 3100, Aztec, NM 87410

4. Well Location

Unit Letter E : 1964 feet from the North line and 807 feet from the West line

Section 16 Township 23N Range 06W NMPM Rio Arriba County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
6840' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐  
OTHER: Return to Production ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Epic Energy P&A'd the State 16 #006 on 9/12/2024. See attached report.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shawna Martinez TITLE Regulatory DATE 9/18/2024

Type or print name Shawna Martinez E-mail address: Shawna@walsheng.net PHONE: 505-327-4892

For State Use Only

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):



## Plug and Abandonment Report

---

Epic Energy, LLC

**State 16 #006**

API# 30-039-26984

1964 FNL, 807 FWL Section 16-T23N-R06W

Rio Arriba County, NM

---

### Plugging Work Details:

- 9/10/24 MIRU ND WH. Pulled hanger. Reland & NU BOP. LD tbg hanger. Pulled tubing. PU 4-1/2" csg scraper. RIH to 5250'KB. PU a 4-1/2" CICR. Pumped ~5bbls of water and walked it through. **Set CICR @ 5183'KB** (per procedure/per C. Smith, NMOCD) P/T tbg to 1000psi – good test. Stung out and loaded csg w/ ~65 bbls. Tested csg to 600psi & lost 400psi in 1 minute. Isolated valves and re-attempted with same results. Shut in well and SDON. Clarence Smith (NMOCD) on location to witness today.
- 9/11/24 RU WL. Ran CBL F/5183'-T/Surf., held 500psi-600psi on log from ~1200-T/surface. Bond looks good top to bottom behind casing. **M&P Plug #1 (Glp top 5233') (F/4982'-T/5182')** 17sx CI "G" w/ 2% CaC12 (19.5cuft, 3.5bbls, 1.5 yld, 15.8ppg), balanced w/ 19bbls of water. LD WOC 4 hrs. RIH tagged @ 4982'. PUH, EOT @ 4417'. SI csg and PT to 520 psi, good test (NMOCD approved). **M&P Plug #2 (Mancos top 4365') F/4223'-T/4417')**, 15 sx CI "G" neat (17 cuft, 3bbls, 1.15yld, 15.8ppg), balanced w/ 16bbls of water. EOT @ 3501' KB. SI well and SDON. Clarence Smith (NMOCD) on location to witness & approve tags, pressure test & cement plugs.
- 9/12/24 RU cmt crew. **M&P Plug #3 (Mesa Verde top 3445') (Cmt plug 3306'-3501')** 15 sx of CI "G" (17cuft, 3bbl, 1.15yld, 15.8ppg, 5.0gps), balance w/ 12.5bbl water. PUH EOT @ 2860'KB. **M&P Plug #4 (Chacra top 2810') (Cmt plug 2661'-2860')** 15 sx of CI "G" (17 cuft, 3 bbl, 1.15yld, 15.8ppg, 5.0gps), balanced w/ 10bbl water. PUH EOT @ 2351'KB. **M&P Plug #5 (DV Tool 2284', PC 1910')(cmt plug 1810'-2351')** 40sx CI "G" (46cuft, 8.2bbl, 1.15yld, 15.8ppg, 5.0gps), balanced w/ 7bbls. PUH EOT @ 1760'KB. **M&P Plug #6 (FC 1706', Kirtland 1470', Ojo Alamo 1349') (Cmt plug 1249'-1760')** 40sx Class "G" (46cuft, 8.2bbl, 1.15yld, 15.8ppg, 5.0gps), balanced w/ 4.5 bbl water. PUH EOT @ 420'KB **(Surface csg shoe @ 370')**, **M&P Plug #7** 42 sx CI "G" (48.3cuft, 8.6bbl, 1.15yld, 15.8ppg), returned 2 bbls to surface. LD. ND BOP. WOC 4 hrs. Cut off wellhead. Installed P&A marker. Topped out csg & cellar w/ 20sx of CI "G" (23cuft, 4bbl, 1.15yld, 15.8ppg). Will RD & move to Drake's yard tomorrow morning. Clarence Smith (NMOCE) on location to witness & approve tags, pressure test & cement plugs. Plugged and Abandon on 9/12/2024.

Epic Energy

State 16 #6

API-30-039-26984

Date Comp 9/12/2024

| Plug # | Formation                    | BLM Pick Formation Top     | Cement Pump Date | Perfs         | CICR Depth | Cement Detail                                                                              | Cement Plug Depths | Plug Position |
|--------|------------------------------|----------------------------|------------------|---------------|------------|--------------------------------------------------------------------------------------------|--------------------|---------------|
| 1      | Gallup                       | 5233'                      | 9/11/2024        | 5257' - 5493' | 5183'      | 17sx CI "G" w/ 2% CaCl <sub>2</sub> (19.5cuft, 3.5bbls, 1.15yld, 15.8ppg),                 | 4982' - 5182'      | Inside        |
| 2      | Mancos                       | 4365'                      | 9/11/2024        | N/A           | N/A        | 15sx CI "G" Neat (17cuft, 3bbls, 1.15yld, 15.8ppg, 5.0gps)                                 | 4222' - 4417'      | Inside        |
| 3      | Mesaverde                    | 3445'                      | 9/12/2024        | N/A           | N/A        | 15sx of CI "G" (17cuft, 3bbl, 1.15yld, 15.8ppg, 5.0gps)                                    | 3306' - 3501'      | Inside        |
| 4      | Chacra                       | 2810'                      | 9/12/2024        | N/A           | N/A        | 15sx of CI "G" (17cuft, 3bbl, 1.15yld, 15.8ppg, 5.0gps)                                    | 2661' - 2860'      | Inside        |
| 5      | DV Tool & PC                 | 2284'/1910'                | 9/12/2024        | N/A           | N/A        | 40sx CI "G" (46cuft, 8.2bbl, 1.15yld, 15.8ppg, 5.0gps)                                     | 1810' - 2351'      | Inside        |
| 6      | Fruitland/Kirtland/Ojo Alamo | 1706'/1470' /1349'         | 9/12/2024        | N/A           | N/A        | 40sx CI "G" (46cuft, 8.2bbl, 1.15yld, 15.8ppg, 5.0gps)                                     | 1249' - 1760'      | Inside        |
| 7      | Surface                      | <a href="#">Shoe@ 370'</a> | 9/12/2024        | N/A           | N/A        | 42sx CI "G" (48.3cuft, 8.6bbl, 1.15yld, 15.8ppg, 5.0gps)                                   | 0' - 420'          | Inside        |
|        |                              |                            |                  |               |            | Wellhead Cut-off & Marker installed 9/12/2024                                              |                    |               |
|        |                              |                            | 9/12/2024        |               |            | TOPPED OUT WELL & CELLAR W/ 20SX OF CI "G" CEMENT (23cuft, 4bbl, 1.15yld, 15.8ppg, 5.0gps) |                    |               |
|        |                              |                            |                  |               |            | <b>Total of 204sx of Class "G" cement used to P&amp;A well.</b>                            |                    |               |



Released to Imaging: 9/30/2024 2:58:46 PM

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 384737

CONDITIONS

|                                                                      |                                                |
|----------------------------------------------------------------------|------------------------------------------------|
| Operator:<br>EPIC ENERGY, L.L.C.<br>332 Road 3100<br>Aztec, NM 87410 | OGRID:<br>372834                               |
|                                                                      | Action Number:<br>384737                       |
|                                                                      | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition              | Condition Date |
|------------|------------------------|----------------|
| mkuehling  | well plugged 9/12/2024 | 9/30/2024      |