

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-52965
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 19520
7. Lease Name or Unit Agreement Name North Hobbs G/SA Unit
8. Well Number 989
9. OGRID Number 157984
10. Pool name or Wildcat HOBBS; GRAYBURG-SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection	
2. Name of Operator Occidental Permian LTD	
3. Address of Operator P.O. Box 4294 Houston, TX 77210-4294	
4. Well Location Unit Letter I : 1658 feet from the SOUTH line and 1262 feet from the EAST line Section 32 Township 18S Range 38E NMPM County LEA	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3630' (GL)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: _____ Cmt Sqz <input checked="" type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Objective: Cement Squeeze upper perforations to shut-off behind pipe channeling into Zn1.

Please find attached detailed work plan and current and proposed wellbore diagrams.

**Condition of Approval: notify
 OCD Hobbs office 24 hours
 prior of running MIT Test & Chart**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roni Mathew TITLE Regulatory Advisor DATE 10/04/2024

Type or print name Roni Mathew E-mail address: roni_mathew@oxy.com PHONE: (713) 215-7827

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/9/24
 Conditions of Approval:

Objective: Cement Squeeze upper perforations to shut-off behind pipe channeling into Zn1

Job Plan:

- Pull injection equipment.
- Set CBP ~5070' & CICR @ ~5030'. Test casing to 500#.
- Sqz perfs f/ 5050-60' w/ ~500 sx Class C cmt. WOC.
- DO CICR & CBP. Continue CO to PBTD 5356'.
- Isolate & injectivity test perfs f/ 5102'-5257'. Reperforate and acid treat interval f/ 5102'-5257' if necessary.
- Install injection equipment.
- Return well to injection.

Current

WELL: NORTH HOBBS G/SA UNIT #989

API#: 30-025-52965

SECTION: 32

COUNTY: Lea



GL Elevation: 3630.2'

ZONE: San Andres

NHSAU 989-32**Current Wellbore****Active Injector**

ACP 673'-690'

Equipment in the Hole

3-1/2" 9.3# L-80 TIPC-100 Tbg @ 4995'

3-1/2" x 2-7/8" X-O @ 4995.5'

On-Off Tool w/ 1.87" 'F' PN @ 4997.5'

7" AS1-X Retrievable Injection @ 5005'

2-7/8" Pump-Out Plug @ 5005.5'

Surface Casing

13-1/2" Hole Size

9-5/8" 36# J-55 csg @ 1556'

Cemented with 1030 sx Class C Cmt
TOC @ Surface (Circulated 369 sx)**Production Casing**


8-3/4" Hole Size

7.0" 23.0# L-80 Csg @ 5400'

Cemented with 1305 sx Class C
Cmt in two stages.

TOC @ Surface (Circulated & CBL)

DV Tool 4516'-18'

Open SA Perforations:5050'-60', 5102'-12', 22'-32', 42'-52', 65'-75',
84'-94', 5207'-17', 29'-39', 49'-57'

PBTB 5356'

TD 5425' MD / 4300' TVD

Proposed

WELL: NORTH HOBBS G/SA UNIT #989

API#: 30-025-52965

SECTION: 32

COUNTY: Lea



NHSAU 989-32

GL Elevation: 3630.2'

ZONE: San Andres

Proposed Wellbore

Active Injector

ACP 673'-690'

Equipment in the Hole

3-1/2" 9.3# L-80 TIPC-100 Tbg @ 4995'

3-1/2" x 2-7/8" X-O @ 4995.5'

On-Off Tool w/ 1.87" 'F' PN @ 4997.5'

7" AS1-X Retrievable Injection @ 5005'

2-7/8" Pump-Out Plug @ 5005.5'

Surface Casing

13-1/2" Hole Size

9-5/8" 36# J-55 csg @ 1556'

Cemented with 1030 sx Class C Cmt
TOC @ Surface (Circulated 369 sx)

Production Casing

8-3/4" Hole Size

7.0" 23.0# L-80 Csg @ 5400'

Cemented with 1305 sx Class C
Cmt in two stages.

TOC @ Surface (Circulated & CBL)


DV Tool 4516'-18'

Open SA Perforations:

5102'-12', 22'-32', 42'-52', 65'-75', 84'-94',
5207'-17', 29'-39', 49'-57'

Sqz'd SA Perforations:

5050'-60'



PBTd 5356'

TD 5425' MD / 4300' TVD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 390575

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 390575
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run PWOT MIT/BHT	10/9/2024