<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (5/5) 393-6161 Fax: (5/5) 393-0/20

District II

811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1204 S. St. Fengels Dr. Sente Fe, NM 97505

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources Oil Conservation Division

1220 South St. Francis Dr.

☐AMENDED REPORT

Santa Fe. NM 87505

				lcorp Energy 382 Road Aztec, NM					3	OGRID Number 372171 3.API Number	
4. Pron	erty Code	<u> </u>		Aztec, NM	8/410	5. Property N	[ame		- 1	30-045-29427 6. Well	No.
4 Property Code 5 Property 319133 Beaver Loc						Beaver Lodge	e Com			1A	
					_	7. Surface Loc	ation		•		
UL - Lot	Section	Township		Range	Lo	t Idn Feet fro		Feet From		E/W Line	County
С	32	030N		08W	. D	835		1615		West	San Juan
TT T -4	G 4 :	T	Γ	D		roposed Bottom		East East	1	EAVI :	Gt
UL - Lot	Section	Township		Range	Lo	t Idn Feet fro	om N/S Line	Feet From		E/W Line	County
						9. Pool Inform	ation			T	
						Pool Name					Pool Code
						Basin Fruitland Coal					71629
11. W.c	ork Type	1	12.	Well Type	Ado	ditional Well In	formation le/Rotary	14. Lagga Type		15. Group	d Level Elevation
	mplete			Commingle		Cau	ble/Rotary 14. Lease Ty State				5880' GR
16. N	I ultiple		^{17.} Pr	coposed Depth		18. Format		19. Contractor	^{19.} Contractor ^{20.} Spud E		Spud Date
	mingle			Di-t-	C		al / Blanco Mesaverde	Di-t			-4
epth to Gro	und water			Dista	nce mom	nearest fresh water v	ven	Distai	ice to ne	earest surface wa	ner
Type	Hole	e Size	Cas	Casing Size Casing Weight/ft		Setting Depth	Sacks	Sacks of Cement		Estimated TO	
				Casing	/Ceme	nt Program: Ac	lditional Commer	<u>its</u>			
				^{22.} P	ropose	ed Blowout Prev	vention Program				
	Туре			,	Working	Pressure	Test Pressure		Manufacturer		
							-				
	edge and bel	ief.	-			omplete to the best	Ol	L CONSERV	ATIC	ON DIVISIO	ON
		, if applica	ble.		(-2) 141	und/01	Approved By:				
further cei 0.15.14.9 (1		ne Wes	ton								
further cer 0.15.14.9 (I gnature:	Cheryle	ne Wes	<u>ston</u>				Title:				
further cei 0.15.14.9 (I gnature: rinted name	Cheryle e: Cherylene	Weston							Expir	ration Date:	
further cer 0.15.14.9 (I gnature: inted name ttle: Operat	Cheryle e: Cherylene ions Regulat	Weston ory Tech Sr.					Title: Approved Date:		Expir	ration Date:	
further cer 9.15.14.9 (I ignature: rinted name	Cherylene e: Cherylene ions Regulat ess: cweston	Weston ory Tech Sr.	m	hone: 713-2	80.2615			ral Attachad	Expir	ration Date:	




HILCORP ENERGY COMPANY BEAVER LODGE COM #1A FRUITLAND COAL RECOMPLETE SUNDRY API 3004529427

JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with tubing.
- 3. Set a plug within 50' of the top Lewis perforation (3,367') for zonal isolation.
- 4. Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.
- 5. Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 6. If frac'ing down casing: pressure test casing to frac pressure.
- 7. RU WL. Perforate the Fruitland Coal. Top perforation @ 2,276', bottom perforation @ 2,571'.
- 8. If frac'ing down frac string: RIH w/ frac string and packer.
- 9. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 10. RU stimulation crew. Frac the Fruitland Coal in one or more stages. Set plugs in between stages, if necessary.
- 11. MIRU workover rig and associated equipment; NU and test BOP.
- 12. If frac was performed down frac string: POOH w/ frac string and packer.
- 13. TIH with mill and clean out to isolation plug.
- 14. Mill out isolation plug. Cleanout to PBTD. TOOH with cleanout assembly.
- 15. TIH and land production tubing. Flowback the well. Return well to production as a Fruitland Coal//Mesaverde Producer.




HILCORP ENERGY COMPANY BEAVER LODGE COM #1A FRUITLAND COAL RECOMPLETE SUNDRY





HILCORP ENERGY COMPANY BEAVER LODGE COM #1A FRUITLAND COAL RECOMPLETE SUNDRY




C-102 State of New							Page 5 Revised July 9, 2024				
			En			al Resources Departm ΓΙΟΝ DIVISION					
	Electronicall Dermitting	У		OIL	CONSERVA	HON DIVISION		G 1 1	X Initial Su	bmittal	
								Submittal Type:	☐ Amended	d Report	
								V 1	☐ As Drille	ed	
			_		WELL LOCAT	TION INFORMATION					
	045-2942	27		629		Pool Name Basin Fr	uitland Co	al			
Propert 319	133		Property Na	Be	aver Lodge Co	m			Well Number	Д	
OGRIE) No. 171		Operator Na	_{ame} Hi	lcorp Energy C	ompany			Ground Lev	el Elevation 5880	
		State □ Fee □	Tribal □ Fed		p =gj -	Mineral Owner: 🛛	State □ Fee [□ Tribal □	Federal		
					Surf	ace Location					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	Longitude	County	
С	32	030N	W800		835' N	1615' W	36.77302	2 -	107.70129	San Juan	
		ı			Bottom	Hole Location		I			
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County	
С	32	030N	W800		835' N	1615' W	36.77302	2 -	107.70129	San Juan	
		T									
	ted Acres ! - 320	Infill or Defi	ning Well		g Well API 045-27085	Overlapping Spacing Unit (Y/N) Consolidate		COM			
Order N	Numbers.	<u> </u>		I.		Well setbacks are under Common			o Ownership: □Yes ⊠No		
					Kick O	off Point (KOP)					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	Longitude	County	
		<u> </u>			First T:	ake Point (FTP)					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	Longitude	County	
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Т	Longitude	County	
OL	Section	Township	Kange	Lot	rt. Holli 14/3	Pt. Hom E/ W	Latitude		Longitude	County	
	<u> </u>	<u> </u>	<u> </u>								
Unitize	d Area or Ar	ea of Uniform I	nterest	Spacing	g Unit Type 🗆 Horiz	zontal 🛛 Vertical	Groun	nd Floor Ele	vation: 5880	1	
OPER.	ATOR CERT	TFICATIONS				SURVEYOR CERTIFIC	CATIONS				
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore					I hereby certify that the we surveys made by me or und my belief.		IISURVEY I have period from for a period for a peri		d correct to the best of		
If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. Cherylene Weston 9/24/2024							Date of Survey Signature and Seal	G.EDWAR			
Signature	e		Date			Signature and Seal of Profess	sional Surveyor				
	,	ston, Opera	ations/Reg	gulatory	Tech-Sr.		Т				
Printed N						Certificate Number	Date of Surve	ey			
CWes	ton@hilo	orp.com			_	6857	11/4/1996				

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp E	nergy Compan	у	OGRID:	372171	Date:	9 / 23 / 2024
II. Type: 🛛 Original 🛭	☐ Amendment	due to □ 19.15.2	7.9.D(6)(a) NMAC	C □ 19.15.27.9.D((6)(b) NMAC □ (Other.
If Other, please describe	»:					
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Beaver Lodge Com 1A	3004529427	C-32-30N-08W	835' FNL, 1615' FWI	0 bbl/d	101 mcf/d	0 bbl/d
V. Anticipated Schedu proposed to be recomple Well Name					Initial F	
Beaver Lodge Com 1A	3004529427					<u>2025</u>
VII. Operational Prac Subsection A through F	tices: 🖾 Attac of 19.15.27.8	h a complete des NMAC.	cription of the act	ions Operator wil	l take to comply	at to optimize gas capture. with the requirements of tices to minimize venting

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
				-

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 v	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well-	(s).

$\overline{}$	A 1 .	O 1	, 1		1 4.	•	4 41 .	ased line pres	
	Attach (Inerator	'c nlan to	manage	nraduction	in rechange	to the incre	aced line nrec	CILTO

XIV. Confidentiality: \square Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information	ion provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the spec	ific information
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c)

- (d) liquids removal on lease;
- reinjection for underground storage; (e)
- **(f)** reinjection for temporary storage;
- **(g)** reinjection for enhanced oil recovery;
- fuel cell production; and (h)
- other alternative beneficial uses approved by the division. (i)

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become (a) unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston					
Printed Name:	Cherylene Weston					
Title:	Operations/Regulatory Tech-Sr.					
E-mail Address	cweston@hilcorp.com					
Date:	9/23/2024					
Phone:	713-289-2615					
	OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)					
Approved By:						
Title:						
Approval Date:						
Conditions of A	pproval:					

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 386801

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street Houston, TX 77002	Action Number: 386801
	Action Type: [C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By		Condition Date
ward.rikala	Notify OCD prior to commencing work on this well.	10/9/2024
ward.rikala	DHC approval must be received prior to commingling production from this well.	10/9/2024