

Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

May 27, 2004

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-40217
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator FME 3, LLC		6. State Oil & Gas Lease No. VB-1049
3. Address of Operator 44 COOK STE. 1000, DENVER Co 80206		7. Lease Name or Unit Agreement Name CONDOR ST.
4. Well Location Unit Letter <u>E</u> feet from the <u>2285</u> feet from the <u>N</u> line and <u>300</u> feet from the <u>W</u> line. Section <u>25</u> Township <u>185</u> Range <u>34e</u> NMPM County <u>LEA</u>		8. Well Number 2
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3976 GR		9. OGRID Number 331595
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		10. Pool name or Wildcat AIRSTRIP, BONE SPRG.
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____		
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls: Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Notify N.M DCD 24 hours prior K. Fortner 575-263-6633

(1) 9-4 - MIRU NUBOP (2) 9-5 - Pulling Prod. Equipment (3) 9-6 - Pulling & Scanning prod. TBG (4) 9-8 - Set 4-1/2 CIBP 8790' TIH Tag with TBG 8792', circ P&A mud press. to 500 PSI, POOH SWI (5) 9-9 - Run CBL TIH with TBG spot 60 SX 8790' PUH SWI (6) 9-10 - TIH Tag TOC 8147' PUH to 7788' Spot 25 SX, PUH to 6115', Spot 25 SX PUH to 4725', Spot 25 SX PUH 3515', Spot 25 SX POOH SWI (7) 9-11 - Perf 1867', Press to 500 PSI, TIH to 1938", Spot 25 SX, WOC and Tag 1784', perf 1230', Press to 500 PSI, TIH to 1287', Spot 25 SX, PUH SWI (8) 9-12 - Perf 450' press up RIH to 500', Spot 30 SX, WOC & Tag 316', Perf 120 Press up TIH to 188' circ 35 SX to surface (9) 9-13 - NDBOP C.O.W.H., Top off w/10 SX, Install D.H.M RDMO, P&A mud between all plugs - Closed, loop all fluid to licensed facility.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE B. G. P. H. TITLE Vice President DATE 9-17-2024

Type or print name  
**For State Use Only**


E-mail address:

Telephone No.

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

<u>String</u>	<u>TOC</u>	<u>Sx</u>
9-5/8"	Circulate to Surface	1,490
7"	3,500'	1,750
4.5"	9,323'	0



Well Name: Condor State 002  
Pad Name: Condor State  
Latitude: 32.7197723  
Longitude: -103.5214233  
API 14 Digit: 30-025-402170000  
AFE:

Color Legend	
	Old Cement
	<b>No Current Cement</b>
	Contingency Balanced Plug
	Residual Drilling Solids
	Mud Laden Fluids
	Cast Iron Bridge Plug
	ALREADY SET CIBP

Plug	Actual Plug Depths	Plug Type	Cement Class
9 and Top Out	0'-188'	P&S @ 120' + Top Out	C
8	316'-500'	P&S	C
7	1,103'-1,287'	P&S	C
6	1,784'-1,938'	P&S	C
5	3,365'-3,515'	Balanced Plug	C
4	4,575'-4,725'	Balanced Plug	C
3	5,965'-6,115'	Balanced Plug	C
2	7,638'-7,788'	Balanced Plug	H
1	8,147'-8,740'	Balanced Plug on CIBP	H

Perforations: 9,831'-12,584'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 387465

CONDITIONS

Operator: Franklin Mountain Energy 3, LLC 44 Cook Street Denver, CO 80206	OGRID: 331595
	Action Number: 387465
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/25/2024